FM FW1812-0008

NORTH CAROLINA ALCOHOLIC BEVERAGE CONTROL COMMISSION

4307 MAIL SERVICE CENTER RALEIGH NC 27699-4307 (919) 779-0700 FAX: (919) 662-3583

abc.nc.gov

INSPECTION/ZONING COMPLIANCE

IMPORTANT: The Applicant will complete SECTION A, below. SECTION B through SECTION E, below, are to be completed by the appropriate Inspection/Zoning Official. To request inspections and zoning certifications, please contact the city or county building and fire inspection and zoning departments for your area. Failure to submit this form in a timely manner to these local authorities may result in delays in processing of an ABC permit application. This form <u>must</u> be completed by the building, fire and zoning officials before a permit will be issued

SECTION A - APPLICANT TO COMPLETE			
Name of Applicant	Ji mmy	Byld	
Trade Name of Business <u>E</u>	agle S	Nest	
Address of Business	30°3 M	c Dougald	Rd.
City Broad War		8 11	arne H
200	1049		
Type of Establishment Conver	iest Stoce F	Permit(s) Applying For	In Premises
SECTION B - BUILDING INSPECTOR TO COMPLETE			
Building Code:			
	5	Non-compliance*	☐ Not Applicable
Building Inspector's Name (printed) and Signature			
Phone # ()	D	Date of Inspection	
SECTION C - FIRE INSPECT Fire Code: Building is in - Fire Inspector's Name (printed) Phone # ()	Compliance [TE Non-compliance* Date of Inspection	□ Not Applicable
Prione # ()_		Date of inspection	Contraction of the same statements and a series of the same of the
SECTION D - ZONING OFFICIAL TO COMPLETE Zoning: Business is in - Compliance Non-compliance* Not Applicable			
Is business located in an Urban Redevelopment Area (Article 22 of Chapter 160A)			
If "Yes", has establishment been given notice that it is in an Urban Redevelopment Area and must comply			
with the requirements of N.C.G.		Yes □ No	
Zoning Classification			
Permitted uses in this zone			
Zoning Official's Name (printed) and Signature			
Phone # ()		Date of Inspection	

^{*}Please state reasons for "Noncompliance" in SECTION E on back of this page.