

## Commercial Fire Alarm Cellular &/or IP Fire Alarm LTE Communicators

- Universal full event sole & dual path cellular &/or IP commercial fire alarm reporting from any panel brand, virtually anywhere
- Code-compliant, replaces 2POTs lines per FACP saves thousands of dollars per year over the leased landlines
- Supports 12V-24 control panels and FACPs that communicate using Contact ID and 4/2 (such as on legacy panels), as primary or backup
- Full data Reporting to any Central Station nationwide, via Verizon® LTE Network, "The Nations largest and most reliable LTE network. Rated #1 overall network, proven to deliver consistently fast speeds ad i more places than any other network" ‡
- Communicate critical life and safety alarm reports on LTE (Long Term Evolution) 10+ year life, cyber-protected multi-billion dollar cellular network, for maximum life safety & liability protection
- Easiest installation, powered by panel, NO extra power supply, NO conduit, self supervised on 4 wires
- Over-the-Air Upgradeable Communicator Firmware.
  Remote ability for critical/mandatory updates, without a truck-roll
- Cost-saving models and plans for any code requirement.
  Substantial savings over monthly dedicated landline charges.
  And, \$100 saving incentive for system upgrades from old radios (all makes) and old POTs landlines, as well as new installations

UL and NFPA 72 Fire Code-Compliant, the StarLink Series Wireless Commercial Fire Alarm Sole Path & Dual Path Communicators provide universal support for any brand 12V to 24V fire alarm control panel, reporting in Contact ID and 4/2. With broadest Verizon LTE coverage footprint available, via most extensively deployed LTE CAT1, using proven StarLink circuitry, they are also available in mercantile locking metal models. All provide the most economical solution for easy, versatile installation. Also regional compliances, i.e., CSFM, NYCFD, LAFD and more.

Easy, Universal Installation at Every Application; Panel-Powered Technology™. StarLink Fire Communications are easily connected to any panel or Fire Alarm Control Panel (FACP) standardly operating between 12V and 24V. Flexible in any application, StarLink Fire also comes in standard, or Mercantile Models in metal housings, with code-compliant supervision, and choice of power options, Panel-Powered Technology™ (powered by the panel), or direct-connect 120VAC models. Signal Boost circuitry & dual diversity antennae for maximum signal acquisition & null avoidance, receiving signals simultaneously on both antennae.

Flexible Performance & Reporting Options. StarLink Fire provides full data reporting, in sole and dual path, as a primary or backup, to any central station of your choice, without requiring any special equipment on premises. Ultra-affordable plans are available to meet various codes and requirements, with supervisory check-ins from 200 seconds, to 5 minutes, to an hour. The units are very easily activated, plans and options are selected, and 24/7 account management is provided all through www.napcocomnet.com.

## Napco StarLink Universal Fire Alarm Communicators

- Sole Path Cellular and Dual Path Cellular &/or IP Models
- Choice of plans (varies by model) check-ins from 200 seconds, to 5-minutes to 1 hour, Verizon LTE Network
- Patented Signal Boost™ and Dual Diversity Antennae for maximum signal acquisition & null avoidance, receiving signals simultaneously on both antennae
- Money-saving Tradeup incentive credit
- Bonus: Full High-Speed Napco Panel remote uploading/ downloading
- COMPLIANCES: NFPA72 Editions: 2016, 2013, 2010, 2007; UL 864, 9th Ed., UL1610, UL985, UL1023, NYCFD; CSFM; LAFD





