



Emergency Services Department

www.harnett.org

Fire Marshal Division

P.O. Box 370

Lillington, NC 27546

910-893-7580

Application for Plan Review

Permit Type: _____

Date Received: _____ Received By: _____

Name of Project: Town of Lillington 4th of July Festival

Physical Address of Project: 151 East Durcan Street, Lillington, NC 27546

Plans Submitted By: Amy Somers

Project Phone: (910)-304-8059

Contact Person/Address: Amy Somers

PO Box 296, Lillington, NC 27546

Contact Phone: (910)-893-0342 (910)-304-8059

Contractor's Name/Info: _____

Contractor's Phone: (____)-____-____

Contact Email: asomers@lillingtonnc.org

- Plans that are submitted will be reviewed as quickly as possible with an average time of review between 7-10 working days.
- Status checks may be conducted on plan reviews by visiting the website <http://hteweb.harnett.org/Click2GovBP/Index.jsp> or by calling the Harnett County Central Permitting Office (910-893-7525 : Opt. 2), or the Harnett County Fire Marshal's Office (910-893-7580).
- Approved plans must be picked up from the Central Permitting Office and all fees paid before any required inspections can be conducted.

2025 Town of Lillingston 4th of July Festival Food Vendor Map

Electric 110

Electric 220

Water

1st Street/Marcelle Brown Jr. Way

8	10x20	Truck	Pass.	19	10x10	Tent	Pass.	16	12x28	Truck	Pass.	17	22 ft.	Truck	Pass.	14	10x10	Tent	Pass.	9	6x13	Trailer	Driver	24	8x12	Trailer	Pass.	25	8.5x16	Trailer	Driver	20	19 ft.	Trailer	Pass.	23	7x13	Trailer	Driver	5	30 ft.	Truck	Pass.	4	8x18	Trailer	Driver	12	8x18	Trailer	Pass.	7	8.5x16	Trailer	Pass.	22	25 ft.	Trailer	Pass.	21	30x10	Tent	Pass.	15	17 ft.	Trailer	Pass.	3	25 ft.	Trailer	Pass.	11	14x18	Trailer	Pass.	10	12x16	Truck	Pass.
---	-------	-------	-------	----	-------	------	-------	----	-------	-------	-------	----	--------	-------	-------	----	-------	------	-------	---	------	---------	--------	----	------	---------	-------	----	--------	---------	--------	----	--------	---------	-------	----	------	---------	--------	---	--------	-------	-------	---	------	---------	--------	----	------	---------	-------	---	--------	---------	-------	----	--------	---------	-------	----	-------	------	-------	----	--------	---------	-------	---	--------	---------	-------	----	-------	---------	-------	----	-------	-------	-------

1	Sweet Southern Snoballs, LLC	2	D&J Concessions — Trailer	3	Wild Sunflower Pizza & More	4	Paradise Italian Ices	5	Garden Fox Creamery	6	D&J Concessions — Tent	7	Big B's Southern Kitchen	8	Frost Softy LLC	9	Burney's Sweets & More of Erwin	10	Jolly's Snack Box	11	Mike Nice Empanadas	12	Sweet Southern Sugar	13	C&J Smack Your Lips	14	Lisa's Lemonade	15	Bubbles BBQ and Hot Dogs	16	Jolly's Catering and Events	17	Pelican's Snoballs	18	Carolina Braised	19	Sunset Slush of Dunn	20	Los Hermanos, LLC	21	Tropical Island	22	The Rican Lab	23	P&P Concessions	24	Same O Dame's	25	Sunny Sips Lemonade
---	------------------------------	---	---------------------------	---	-----------------------------	---	-----------------------	---	---------------------	---	------------------------	---	--------------------------	---	-----------------	---	---------------------------------	----	-------------------	----	---------------------	----	----------------------	----	---------------------	----	-----------------	----	--------------------------	----	-----------------------------	----	--------------------	----	------------------	----	----------------------	----	-------------------	----	-----------------	----	---------------	----	-----------------	----	---------------	----	---------------------

River Park Parking Lot

13	10x20	Trailer	Pass.	1	23 ft.	Trailer	Pass.	6	20x10	Tent	Pass.	2	10x10	Trailer	Rear	18	26 ft.	Trailer	Pass.
----	-------	---------	-------	---	--------	---------	-------	---	-------	------	-------	---	-------	---------	------	----	--------	---------	-------

**Fire Marshal Division**

June 30, 2025

Amy Somers
PO Box 296
Lillington, NC 27546

Re: Lillington 4th of July Festival
151 E Duncan St.
Lillington, NC 27546

Application Number – FMFW2506-0017

To whom may concern,

Thank you for submitting the plans for the 4th of July Festival. The plans have been carefully reviewed by a qualified code enforcement official to examine for full compliance with the North Carolina Fire Prevention Code and all other fire protection regulatory documents. There are some items that were found during the plan review process that need to be addressed before a final inspection of the new facility can be given. These items are outlined and described below.

- **Permits**

- A permit will be issued for the special assembly that will include the event as a whole.
- A permit may be issued for other tent areas if the individual tent exceeds 800 ft² or the aggregate area of multiple canopies placed side by side without a fire break clearance of 12'

- **Fire Extinguishers**

- Portable fire extinguishers shall be provided within a 30-foot (9144 mm) travel distance of commercial-type cooking equipment. Cooking equipment involving vegetable or animal oils and fats shall be protected by a Class K rated portable extinguisher.
- 2A-10B:C fire extinguisher shall be placed at tents/canopies with a travel distance not to exceed 100' from any fire extinguisher.



- **2411.5 Cooking tents.**
 - Tents where cooking is performed shall be separated from other tents, air-supported, air-inflated or tensioned membrane structures, temporary membrane structures or canopies by a minimum of 20 feet (6096 mm).

- **2411.6 Outdoor cooking.**
 - Outdoor cooking that produces sparks or grease-laden vapors shall not be performed within 20 feet (6096mm) from a tent, air-supported, air-inflated or tensioned membrane structure, temporary membrane structure or canopy.

- **2415 Generators**
 - Generators and other internal combustion power sources shall be separated from tents, air-supported, air-inflated or tensioned membrane structures, temporary membrane structures or canopies by a minimum of 20 feet (6096 mm) and shall be isolated from contact with the public by fencing, enclosure or other approved means.

- **2413.3 Refueling.**
 - Refueling shall be performed in an approved location not less than 20 feet (6096 mm) from tents, air-supported, air-inflated or tensioned membrane structures, temporary membrane structures or canopies.

- **Permits**
 - Final inspection will be conducted the day of the event and the permit will be issued after inspection.

Thank you again for submitting the plans for the 4th of July Festival. Please review the plans and adhere to any notes and alterations that were made in addition to the original drawings. These remarks are for the plans that were submitted and its original intent. These remarks do not apply if the original intent changes or what was submitted on the above date changes. If you have any questions, please do not hesitate to call this office



Harnett
COUNTY
NORTH CAROLINA



Emergency Services Department

www.harnett.org

Again, thank you and we look forward to working with you.

Sincerely,

Roger Sullivan

Roger Sullivan
Deputy Fire Marshal
rsullivan@harnett.org
910-893-0740