

APPLICANT NAME _____

DATE _____

FACTORS		PROFILES								
		1	2	3	4	5	6	7	8	9
LANDSCAPE POSITION	.1940									
SLOPE (%)	.1940									
HORIZON 1 DEPTH		0-16	0-18	0-14						
Texture Group	.1941(A)(1)	SL	SL	SL						
Consistence	.1941	VF	VF	VF						
Structure	.1941(A)(2)	G	G	G						
Mineralogy	.1941(A)(3)	NEW	NEW	NEW						
HORIZON 2 DEPTH		16-30	18-30	14-30						
Texture Group	.1941(A)(1)	C	C	C						
Consistence	.1941	F	F	F						
Structure	.1941(A)(2)	SBK	SBK	SBK						
Mineralogy	.1941(A)(3)	SEW	SEW	SEW						
HORIZON 3 DEPTH										
Texture Group	.1941(A)(1)									
Consistence	.1941									
Structure	.1941(A)(2)									
Mineralogy	.1941(A)(3)									
HORIZON 4 DEPTH										
Texture Group	.1941(A)(1)									
Consistence	.1941									
Structure	.1941(A)(2)									
Mineralogy	.1941(A)(3)									
SOIL WETNESS	.1942									
RESTRICTIVE HORIZON	.1944									
SAPROLITE	.1943/1956									
CLASSIFICATION	.1948	P5	P	P5						
LONG TERM ACCEPTANCE RATE	.1955	.7	.3	.3						


 (1) (4)
 (3)
 (2)

PNE.....Point Not Established
 FRRS.....Found Railroad Spike
 SRRS.....Set Railroad Spike


Date _____

DANNY BEASLEY
 Deed Book 769, Page 232

KATHERINE MORRISON
 Deed Book 769, Page 653

WILLIAM PARKER
 Deed Book 769, Page 229

McCALL LANE 50' R/W (PUBLIC ROAD)



"25" OHN TENTON
 "24" RUSSELL LAMM
 "23"
 "22"
 "21"
 "20"
 "19" MICHAEL MANN
 QUAIL HOLLOW SUBDIVISION
 Plat Cabinet "D", Slide 174-D

N.C.S.R. 1557 SILAS MOORE . ROAD 60'R/W

Surveyor, certify that this plat was drawn made under my supervision (deed description, (other), that the ratio of precision as 1000+, that the boundaries not surveyed are shown in Book _____ Page _____ that this -30 as amended. Witness my original signature, of MARK, A.D., 1997.

DEED REFERENCE:
 Deed Book 888, Page 528
 Plat Cabinet "D", Slide 142-B

Andrew H. Joyner
 for
 is
 ration Number


I, ANDREW H. JOYNER, REGISTERED LAND SURVEYOR NO.2469, CERTIFY THAT THIS IS A SURVEY THAT CREATED A SUBDIVISION OF LAND WITHIN A COUNTY OR MUNICIPALITY THAT HAS AN ORDINANCE THAT REGULATES THE SETBACKS OF LAND.

Required Property Line Setbacks

	Minimum	Actual
Front	35	55
Side	10	25
Corner	—	—
Rear	25	100
Nearest Building	10	—

SITE PLAN APPROVAL

DISTRICT RA-20M USE DWELL
 #BEDROOMS 3
2-7-2000 [Signature]
 Date Zoning Administrator



4 X 10
18-20
E2 lay
Narrow Center