

00-40000785

IMPROVEMENT PERMIT

Be it ordained by the Harnett County Board of Health as follows: Section III, Item B. "No Person shall begin construction of any building at which a septic tank system is to be used for disposal of sewage without first obtaining a written permit from the Harnett County Health Department."

Name: (owner) Iva DeAngelis New Installation Septic Tank
 Property Location: SR# NC24/27 Repairs Nitrification Line
Hwy 27 to right on NC24/27 about 1/2 mile on right
 Subdivision Patterson & Mangum Lot # 1
 Tax ID # _____ Quadrant # _____
 Number of Bedrooms Proposed: Three Lot Size: 10.48 acres

Basement with Plumbing: Garage:
 Water Supply: Well Public Community
 Distance From Well: 100 ft.


Following is the minimum specifications for sewage disposal system on above captioned property. Subject to final approval.

Type of system: Conventional Other _____
 Size of tank: Septic Tank: 1000 gallons Pump Tank: _____ gallons
 Subsurface Drainage Field: No. of ditches 2 exact length of each ditch 75 ft. width of ditches 3 ft. depth of ditches 18-24 in.
 French Drain Required: _____ Linear feet

Date: 29 August 2007
 Signed: Vercent R. Rodge
 Environmental Health Specialist

This permit is subject to revocation if site plans or intended use change.

* 100 feet setback for well
 * install lines on corners



HARNETT COUNTY HEALTH DEPARTMENT
AUTHORIZATION TO CONSTRUCT

Authorization is hereby given to construct a wastewater system to the specifications described by Harnett County Health Department Improvement Permit # 16342. This authorization shall be valid for a period not to exceed five (5) years from the date of issuance. This authorization will be invalid if ownership, site plans, or intended use change.

Owner or Authorized Agent _____

Name: Iva De Angelis Telephone # 499-0624

Address: 33 Rosy Lane Broadway, NC

Property Location: SR # NC 24/27 Road Name NC/24/27

New Installation Repair Septic Tank Nitrification Lines

Subdivision Patterson & Mangier Lot # 1

Number of Bedrooms Proposed: Three Lot size: 10.48 acres

Basement With Plumbing Without Plumbing

Water Supply: Well Public Minimum Well Setback: 100 ft.

Type of System: Conventional Other

Tank Volume: Septic Tank 1000 gallons Pump Chamber _____ gallons

Nitrification Field Specifications

Number of fields 1 Number of Lines per Field 2 Length of lines 75 feet

Width of ditches 3 ft. Depth of ditches 18-24 inches

French Drain: Linear feet required _____ Depth of gravel _____

No wastewater system shall be covered or placed into use by any person until an inspection by the Harnett County Health Department has determined that the system has been installed according to the conditions of the improvement permit and that a valid operations permit has been issued.

Authorized Agent for Harnett County Health Department

Name: Vincent R. [Signature] Date: 29 Aug 2000