

\*Each section below must be filled out by whoever is performing the work. Must be owner or licensed contractor. Address, company name & phone must match information on state license.

Application # \_\_

Harnett County Central Permitting
PO Box 65 Lillington, NC 27546
910-893-7525 Fax 910-893-2793 www.harnett.org/permits

#### COMMERCIAL

Application for Building and Trades	<u>Permit</u>
Owner's Name: Dallar General # 11571	Date: 12419
Site Address: 131049 NC HWY 2105	Phone: 910 4360215
	ly replacement
General Contractor Information: Building Cost \$	313413
Same as Mech Contractor	
Building Contractor's Company Name	Telephone
Address	Email Address
Signature of Owner/Contractor/Officer(s) of Corporation  Electrical Contractor Information: Electrical Cost \$	License #
Description of Work ACLINITION Service Size:	M Amps #T-Poles
Electrical Contractor's Company Name	7814651 Telephone
POBOX 41227 Raleigh NC 27604	Demits admich surs con
Address	Email Address
Billy Max Starling	4.00213,06
Signature of Owner/Contractor/Officer(s) of Corporation	License #
Mechanical Contractor Information: Mechanical Co	st \$ <u>33.413</u>
Description of Work AC Unit only replacement	# Units +
Mechanical Contractor's Company Name	407,246,0589 Telephone
2475 Regent Ave Orl FL 32804	Dermits and vmech sons. com
Address	Email Address
Jerry Wagner	
Signature of Owner/Contractor/Officer(s) of Corporation	License #
Plumbing Contractor Information: Plumbing Cost \$	
Description of Work	# Baths
Plumbing Contractor's Company Name	Talanhana
Plumbing Contractor's Company Name	Telephone
Address	Email Address
Signature of Owner/Contractor/Officer(s) of Corporation	License #
Insulation Contractor Information	
NH	
Insulation Contractor's Company Name & Address	Telephone

\*NOTE: General Contractor must fill out and sign the second page of this application



Sprinkler Contractor Infor	<u>mation</u>							
NFI								
Sprinkler Contractor's Company Name	Telephone							
Address	Email Address							
Signature of Officer(s) of Corporation	License #							
Fire Alarm Contractor Info	mation							
Fire Alarm Contractor's Company Name	Telephone							
Address	Email Address							
Signature of Officer(s) of Corporation	License #							
<u>Driveway Access</u> - NC Department of Transportation Drivey	way Access/Permit?YesNo							
I hereby certify that I have the authority to make necessary application, that the application is correct and that the construction will conform to the regulations in the Building, Electrical, Plumbing and Mechanical codes, and the Harnett County Zoning Ordinance. I state the information on the above contractors is correct as known to me and if <u>any</u> changes occur including listed contractors, site plan, number of bedrooms, building and trade plans, Environmental Health permit changes or proposed use changes, I certify it is my responsibility to notify the Harnett County Central Permitting Department of any and all changes.  Expired Permit Fees - 6 months to 2 years permit re-issue fee is \$150.00. After 2 years re-issue fee is charged at full price per current fee schedule.								
Signature of Owner/Contractor/Officer(s) of Corporation	Date							
Affidavit for Worker's Compensati								
Affidavit for Worker's Compensation The undersigned applicant being the:								
Affidavit for Worker's Compensation The undersigned applicant being the:	on N.C.G.S. 87-14  Agent of the Contractor or Owner							
Affidavit for Worker's Compensation  The undersigned applicant being the:  General Contractor  Owner  Officer/A  Do hereby confirm under penalties of perjury that the person(s), fire	Agent of the Contractor or Owner  Tm(s) or corporation(s) performing the work							
Affidavit for Worker's Compensation  The undersigned applicant being the:  General Contractor  Owner  Officer/A  Do hereby confirm under penalties of perjury that the person(s), first forth in the permit:	Agent of the Contractor or Owner  Tm(s) or corporation(s) performing the work  s' compensation insurance to cover them.							
Affidavit for Worker's Compensation The undersigned applicant being the:  General Contractor  Owner  Officer/A  Do hereby confirm under penalties of perjury that the person(s), first forth in the permit:  Has three (3) or more employees and has obtained workers.  Has one (1) or more subcontractors(s) and has obtained workers.	Agent of the Contractor or Owner  Im(s) or corporation(s) performing the work  Is compensation insurance to cover them.  Index or corporation insurance to cover them.							
Affidavit for Worker's Compensation The undersigned applicant being the:  General Contractor  Owner  Officer/A  Do hereby confirm under penalties of perjury that the person(s), find set forth in the permit:  Has three (3) or more employees and has obtained workers.  Has one (1) or more subcontractors(s) and has obtained workers.  Has one (1) or more subcontractors(s) who has their own persons.	Agent of the Contractor or Owner rm(s) or corporation(s) performing the work s' compensation insurance to cover them.  Orkers' compensation insurance to cover olicy of workers' compensation insurance							
Affidavit for Worker's Compensation The undersigned applicant being the:  General Contractor  Owner  Officer/A  Do hereby confirm under penalties of perjury that the person(s), find set forth in the permit:  Has three (3) or more employees and has obtained workers.  Has one (1) or more subcontractors(s) and has obtained workers.  Has one (1) or more subcontractors(s) who has their own provering themselves.	Agent of the Contractor or Owner  Im(s) or corporation(s) performing the work  Is compensation insurance to cover them.  Indexer' compensation insurance to cover  Indexer' compensation insurance to cover  Indexer' compensation insurance to cover  Indexer' compensation insurance  Indexer' compensation insurance  Indexer compensation insurance  Index							
Affidavit for Worker's Compensation The undersigned applicant being the:  General Contractor  Owner  Officer/A  Do hereby confirm under penalties of perjury that the person(s), first forth in the permit:  Has three (3) or more employees and has obtained workers.  Has one (1) or more subcontractors(s) and has obtained workers.  Has one (1) or more subcontractors(s) who has their own provering themselves.  Has no more than two (2) employees and no subcontractors.  While working on the project for which this permit is sought it is undepartment issuing the permit may require certificates of coverage to issuance of the permit and at any time during the permitted working on the permit and at any time during the permitted working on the permit and at any time during the permitted working on the permit and at any time during the permitted working on the permit and at any time during the permitted working on the permit and at any time during the permitted working on the permit and at any time during the permitted working on the permit and at any time during the permitted working on the permit and at any time during the permitted working the permitted working on the permit and at any time during the permitted working the p	Agent of the Contractor or Owner  Im(s) or corporation(s) performing the work  Is compensation insurance to cover them.  Indexer' compensation insurance to cover  Indexer' compensation insurance to cover  Indexer' compensation insurance to cover  Indexer' compensation insurance  Indexer' compensation insurance  Indexer compensation insurance  Index							

TOTAL MARKET LAND DATA

TOTAL PRESENT USE DATA

Confirmed & Sherla

HARNETT COUNTY CAMA 1/24/2019 12:35:30 PM WEBVIEWER Return/Appea TI-SPRING LAKE DG LLC Parcel: 01-0513- - -0015 Notes: UNIQ ID 217584 13649 NC 210 S SPRING LAKE NC 28390 2009/0530 R M AUTO 1400041501 ID NO: 0513-98-5803.000 ANDERSON CRK FR ADVALOREM TAX (100), COUNTY WIDE ADVALOREM TAX (100), CARD NO. 1 of SOLID WASTE FEE SOLID WASTE (1) Reval Year: 2017 Tax TR#1&2 CROWN/SPRING LAKE MAP#2009-530 2.090 AC SRC= Inspection Year: 2019 LAST ACTION Appraised by 14 on 01/01/2017 00101 ANDERSON CREEK TW-01 CI- FR-EX-20170302 CONSTRUCTION DETAIL MARKET VALUE DEPRECIATION CORRELATION OF VALUE Foundation - 4 Standard 0.11000 Eff. BASE Spread Footing RATE REDENCE TO Sub Floor System - 3 Slab Above Grade 10 07 9,141 125 78.75 719854 2009 2009 % GOOD 89.0 DEPR. BUILDING VALUE - CARD 640,670 Exterior Walls - 12 COMMERCIAL DEPR. OB/XF VALUE - CARD TYPE: COMMERCIAL Stucco on Concrete Block 19.00 52 250 Exterior Walls - 12 TOTAL MARKET VALUE - CARD STYLE: 1 - 1.0 Story 692,920 Stucco on Concrete Block Roofing Structure - 01 Flat TOTAL APPRAISED VALUE - CARD 692.920 Roofing Cover - 05 TOTAL APPRAISED VALUE - PARCEL 692,920 Corrugated Asbestor/Rubbe 9.00 Interior Wall Construction - 5 Drywall/Sheetrock TOTAL PRESENT USE VALUE - PARCEL Interior Floor Cover - 15 TOTAL VALUE DEFERRED - PARCEL TOTAL TAXABLE VALUE - PARCEL \$ Quarry or Hard Tile 18.00 692,920 Heating Fuel - 04 PRIOR Electric Heating Type - 10 Heat Pump Air Conditioning Type - 03 BUILDING VALUE OBXF VALUE 6.00 52,250 PRESENT USE VALUE DEFERRED VALUE Central Structural Frame - 06 TOTAL VALUE Steel
Ceiling & Insulation - 03 14.00 753,500 Suspended - Ceiling and Wall 7.00 Insulated Average Rooms Per Floor - 6 Average Rooms Per Floor PERMIT Half-Bathrooms CODE DATE NOTE NUMBER AMOUNT BAS - 0 FUS - 0 LL - 0 Plumbing Fixtures IBAS 6.00 ROUT: WTRSHD: Office SALES DATA - 0 FUS - 0 LL - 0 OFF. TOTAL POINT VALUE RECORD DEED INDICATE SALES BOOK PAGE MOYR 02732 0353 4 2010 02632 0754 5 2009 02247 0005 6 2006 **BUILDING ADJUSTMENTS** TYPE 
 Market
 3
 Factor 3
 1.0200

 Quality
 4
 Above Average
 1.1000

 Size
 Size
 Size
 0.9800
 1065000 WD WD 190000 WD Size Size Size
TOTAL ADJUSTMENT FAC
TOTAL QUALITY INDEX 95000 00776 0542 125 BUILDING AREA 9,100 6 C A N 6 + - 2 3 - - + NOTES MOVED DW MH SUBAREA UNIT SIZE ANN DEP OB/XF DEPR CODEQUALITY DESCRIPTION COUNTLY HWYHUNIT TYPE % RPL CS TOTAL OB/XF VALUE AREA BAS 9,100100 71662 138030 3229 - None FIREPLACE SUBAREA 719.85 9.238 TOTALS BUILDING DIMENSIONS BAS=W130S70E78CAN=S6W23N6E23\$E52N70\$. LAND INFORMATION OTHER ADJUSTMENTS AND NOTES LAND TOTAL HIGHEST AND USE LOCAL FRON DEPTH LND COND AC LC TO UNIT LAND UNT TOTAL **ADJUSTED** LAND OVERRIDE LAND BEST USE CODE ZONING TAGE DEPT SIZE MOD FACT PRICE UNITS ADJST UNIT PRICE COMMERCIAL 0 1.000 25,000.0

2.090 AC

2.090

1.00

25,000.00

52250

52,25

TOPO ROLLING



License Number 25312

This is to Certify that:

### Aorth Carolina State Board of Examiners of Plumbing, Heating & Fire Sprinkler Contractors State License No. 25312

Expiration Date
December 31, 2019

Advanced Mecha

Advanced Mechanical Services of Central FL., Inc. 2475 Regent Ave Orlando, FL 32804

*3*70

Jerry Dale Wagner: Heating Group 2, Heating Group 3 - Class I

Jerry Dale Wagner

Is duly registered, licensed and authorized to engage in the business of Heating Group 2, Heating Group 3 - Class I

Within the State of North Carolina until December 31, 2019 , when this license expires. This authority is granted in accordance with the provisions of Chapter 87, Article 2 of the General Statutes of North Carolina.



Witness my hand and seal of the Board

May R. Dum

This 1st day of January 2019

Chairman

Unit 1-4



# Certificate of Product Ratings

AHRI Certified Reference Number: 8003483

Date: 01-24-2019

Model Status: Active

AHRI Type: SP-A

Series: LANDMARK

Outdoor Unit Brand Name: LENNOX

Outdoor Unit Model Number (Condenser or Single Package): KCB060S4\*\*\*P

Region:

All (AK, AL, AR, AZ, CA, CO, CT, DC, DE, FL, GA, HI, ID, IL, IA, IN, KS, KY, LA, MA, MD, ME, MI, MN, MO, MS, MT, NC, ND, NE, NH, NJ, NM, NV, NY, OH, OK, OR, PA, RI, SC, SD, TN, TX, UT, VA, VT, WA, WV, WI, WY, U.S.

Territories)

Region Note:

Central air conditioners manufactured prior to January 1, 2015 are eligible to be installed in all regions until June 30, 2016. Beginning July 1, 2016 central air conditioners can only be installed in region(s) for

which they meet the regional efficiency requirement.

The manufacturer of this LENNOX product is responsible for the rating of this system combination.

Rated as follows in accordance with the latest edition of ANSI/AHRI 210/240 with Addenda 1 and 2, Performance Rating of Unitary

Air-Conditioning & Air-Source Heat Pump Equipment and subject to rating accuracy by AHRI-sponsored, independent, third party testing:

Cooling Capacity (A2) - Single or High Stage (95F), btuh: 57000

SEER: 14.00

EER (A2) - Single or High Stage (95F): 11.00

www.ahridirectory.org

†"Active" Model Status are those that an AHRI Certification Program Participant is currently producing AND selling or offering for sale; OR new models that are being marketed but are not yet being produced. "Production Stopped" Model Status are those that an AHRI Certification Program Participant is no longer producing BUT is still selling or offering for sale.

Ratings that are accompanied by WAS indicate an involuntary re-rate. The new published rating is shown along with the previous (i.e. WAS) rating.

#### DISCLAIME

AHRI does not endorse the product(s) listed on this Certificate and makes no representations, warranties or guarantees as to, and assumes no responsibility for, the product(s) listed on this Certificate. AHRI expressly disclaims all liability for damages of any kind arising out of the use or performance of the product(s), or the unauthorized alteration of data listed on this Certificate. Certified ratings are valid only for models and configurations listed in the directory at www.ahridirectory.org.

#### TERMS AND CONDITIONS

This Certificate and its contents are proprietary products of AHRI. This Certificate shall only be used for individual, personal and confidential reference purposes. The contents of this Certificate may not, in whole or in part, be reproduced; copied; disseminated; entered into a computer database; or otherwise utilized, in any form or manner or by any means, except for the user's individual, personal and confidential reference.

#### CERTIFICATE VERIFICATION

The information for the model cited on this certificate can be verified at www.ahridirectory.org, click on "Verify Certificate" link and enter the AHRI Certified Reference Number and the date on which the certificate was issued, which is listed above, and the Certificate No., which is listed at bottom right.

©2019 Air-Conditioning, Heating, and Refrigeration Institute

**CERTIFICATE NO.:** 

131928255786088967

AIR-CONDITIONING, HEATING,

& REFRIGERATION INSTITUTE

we make life better™

# **Table of Contents**

System ID	Qty	Model	Description			
RTU 1-4	4	KCB060S4B	PKGEE/5 TON/230-1			

System ID: RTU 1-4 Package Model: KCB060S4B		Description: PKGEE/5 TON/2	30-1
HEATING PERFORM	ANCE		
Unit Type	Packaged Electric/Electri	Electric Heater	7.5 (kW)
H/E HighOutput	19235 (Btuh)	H/E Heat Rise	8.9 (°F)
System HeatOutput	19235 (Btuh)		3.000 A 500X
<b>COOLING PERFORM</b>	ANCE		
Refrigerant	R-410A	Number Compressors	1
ARI EER	11.8	Number of Cooling Stages	1
ARI SEER	14.0	Condensate Drain Size	1.00 (in.)
ARI Total Power	5000 (W)	Cooling OutdoorDB	95.0 (°F)
ARI GrossTotalCool	61900 (Btuh)	Cooling OutdoorWB	90.0 (°F)
ARI NetTotalCool	59500 (Btuh)	Cooling MixedDB	80.0 (°F)
		Cooling MixedWB	67.0 (°F)
SUPPLY FAN PERFO	RMANCE		
SupplyFan NomPower	1.50 (hp)	TotalStaticPress	0.23 (in.WC)
Supply Fan Type	CAV Belt Drive	Electric H/E Static Press	0.18 (in.WC)
SupplyDrive Min RPM	833 (rpm)	Economizer Static Press	0.05 (in.WC)
SupplyDrive Max RPM	1250 (rpm)	Air Filter Qty	4
		Air Filter Length	20.0 (in.)
		Air Filter Width	20.0 (in.)
		Air Filter Thickness	2.0 (in.)
ELECTRICAL			
Voltage	208V 1Ph	SupplyFan FLA	11.0 (amp)
Frequency	60 (Hz)	CondensingUnit FLA	2.4 (amp)
System MCA	48.0 (amp)	CondenserFan Power	370 (W)
System MOCP	60 (amp)		
Compressors RLA	22.1 (amp)		
Cooling FLA Total	35.5 (amp)		
Unit Oper Range-Nom Voltage	+/- 10%		
DIMENSIONS			
Cabinet Width	47.0 (in.)	Horizontal Return Height	11.0 (in.)
Cabinet Length	83.3 (in.)	Horizontal Return Width	29.0 (in.)
Cabinet Height	43.4 (in.)		
Total Weight	780 (lb)		
Horizontal Supply Height	19.5 (in.)		
Horizontal Supply Width	20.0 (in.)		
SOUND			
Outdoor Sound Rating	82 (db)		

Project: 3000849038 Dollar General #11571 Spring Lake, NC Quote: 4001000347 Dollar General #11571 Spring Lake, NC Page 3 of 7

Last Changed: SARAH BERGER Prepared On: 2019-01-14 Phone:

System ID: RTU 1-4

Package Model: KCB060S4B Description: PKGEE/5 TON/230-1

#### SYSTEM FEATURES

Durable Outdoor Enamel Paint Finish Scroll Compressor High Capacity Driers	Limited compressor warranty of 5 years Limited warranty on all other components of 1 year See Limited Warranty Certificate included with unit for details
Separate Compressor and Controls Compartment	see Emilied Warranty Sertificate included with unit for details

#### INCLUDED SYSTEM OPTIONS - FACTORY INSTALLED

2 IN MERV4 FILTER

CONSTANT AIR VOLUME BELT DRIVE

#### **INCLUDED SYSTEM OPTIONS - FIELD INSTALLED**

4	K1ECON30A-3-LANDMARK ECONO STD SHORT
4	C1SNSR64FF1 SINGLE ENTHALPY
4	FDHECK00AN1 HORIZ. ECONO CONVERSION KT
4	T1EH0075AN1P 7.5KW 208/230-1
4	C1SNSR44AP1 SUP OR RET SMOKE DETECTOR KT
	4 4 4 4 4

Project: 3000849038 Dollar General #11571 Spring Lake, NC Quote: 4001000347 Dollar General #11571 Spring Lake, NC Page 4 of 7

Last Changed: SARAH BERGER Prepared On: 2019-01-14 Phone:

System ID: RTU 1-4


Package Model: KCB060S4B Description: PKGEE/5 TON/230-1

#### DIMENSIONS - UNIT - INCHES (MM)

Model					CORNER WEIGHTS									CENTER OF GRAVITY										
No.	No. AA BB				CC DD					EE				FF										
	Ba	se	Ma	x.	Ba	se	Ma	x.	Ba	se	Ma	ix.	Ba	se	Ma	x.	Ba	se	Ma	X.	Bas	se	Ma	IX.
	lbs.	kg	lbs.	kg	lbs.	kg	lbs.	kg	lbs.	kg	lbs.	kg	lbs.	kg	lbs.	kg	in.	mm	in.	mm	in.	mm	in.	mm
024	101	46	122	56	118	53	125	57	152	69	161	73	131	60	197	90	39-1/2	1003	45	1143	20-1/2	521	20-1/2	521
030	102	46	123	56	118	54	125	57	153	69	162	74	132	60	197	90	39-1/2	1003	45	1143	20-1/2	521	20-1/2	521
036	107	48	132	60	123	56	131	60	159	72	177	80	138	62	213	97	39-1/2	1003	45	1143	20-1/2	521	20	508
048	107	48	132	60	123	56	131	60	159	72	177	81	138	62	213	97	39-1/2	1003	45	1143	20-1/2	521	20	508
060	118	53	142	65	140	63	152	69	197	89	205	93	166	75	251	114	39	991	44-3/4	1137	19-1/2	495	20	508
072	118	53	142	65	140	63	152	69	197	89	205	93	166	75	251	114	39	991	44-3/4	1137	19-1/2	495	20	508
074	118	53	142	65	140	63	152	69	197	89	205	93	166	75	251	114	39	991	44-3/4	1137	19-1/2	495	20	508
090	164	74	187	85	179	81	203	92	221	100	252	114	203	92	231	105	47	1194	47	1194	21	533	21	533

Base Unit - The unit with NO INTERNAL OPTIONS

Max. Unit - The unit with ALL INTERNAL OPTIONS Installed. (Economizer, Standard Static Power Exhaust Fans, Controls, etc.). Does not include accessories external to unit or high static power exhaust.




Project: 3000849038 Dollar General #11571 Spring Lake, NC Quote: 4001000347 Dollar General #11571 Spring Lake, NC Page **5** of **7** 

Last Changed: SARAH BERGER Prepared On: 2019-01-14 Phone: System ID: RTU 1-4

Package Model: KCB060S4B Description: PKGEE/5 TON/230-1

#### **DIMENSIONS - ACCESSORIES - INCHES (MM)**

OUTDOOR AIR HOOD DETAIL WITH OPTIONAL ECONOMIZER AND BAROMETRIC RELIEF DAMPERS (Horizontal Applications)



NOTE - Return Air Duct and Transition must be supported.

Project: 3000849038 Dollar General #11571 Spring Lake, NC Quote: 4001000347 Dollar General #11571 Spring Lake, NC Page 6 of 7


Last Changed: SARAH BERGER Prepared On: 2019-01-14 Phone:

System ID: RTU 1-4

Package Model: KCB060S4B

Description: PKGEE/5 TON/230-1

#### **UNIT CLEARANCES - INCHES (MM)**



Α		В		С		D		Тор	
in.	mm	in.	mm	in.	mm	in.	mm	Clearance	
36	914	36	914	36	934	36	914		
36	914	36	914	36	914	36	914	Unobstructe	
	36	36 914	in. mm in. 36 914 36	in. mm in. mm 36 914 36 914	in. mm in. mm in. 36 914 36 914 36	in.         mm         in.         mm           36         914         36         914         36         934	in.         mm         in.         mm         in.         mm         in.           36         914         36         914         36         934         36	in.         mm         in.         mm         in.         mm           36         914         36         914         36         934         36         914	

NOTE - Entire perimeter of unit base requires support when elevated above the mounting surface.

1 Service Clearance - Required for removal of serviceable parts.

Minimum Operation Clearance - Required dearance for proper unit operation.



# MECHANICAL COMMERCIAL 910-893-7525

www.harnett.org

PERMIT NUMBER MCOM1901-0004

<b>JOB ADDRESS:</b> 13649 NC 210 S	PERMIT S ELECTRIC		PARCEL NO: 0513-98-5803.000					
<b>DESCRIPTION:</b> (4) 5 TONS PACE REPLACEMENT ONLY	(AGE UNITS/ DATE ISSU	UED:		DATE EXPIRED:				
PLAN NAME:	ZONING I	DISTRICT: COMMER	RCIAL - 2.1 acre	1 acres (100.0%)				
APPLICANT: ADVANCED MECH	ANICAL SERVICES		P	HONE:	(407)246-0589			
2475 REGENT AVE ORLANDO,	FL 32804			EMAIL:				
CONTRACTOR: ADVANCED ME	CHANICAL SERVICES		P	HONE:	(407)246-0589			
2475 REGENT AVE ORLANDO,	FL 32804		E	MAIL:				
OWNER: TI-SPRING LAKE DG LI	.C		P	PHONE:				
13649 NC 210 S SPRING LAKE, I	NC 28390 RALEIGH, NC 27619-0	0000		EMAIL:				
	REQU	UIRED INSPECTION	S					
INSPECTION TYPE	APPROVAL	DATE	сомме	NTS				
CHILLER PIPING								
DUCT								

REQUIRED INSPECTIONS							
INSPECTION TYPE	APPROVAL	DATE	COMMENTS				
CHILLER PIPING							
DUCT							
FINAL							
GAS PIPING							
GEO-THERMAL							
OVERHEAD							
OVERHEAD							
RE-CONNECT							
REFRIDGERATION							
ROUGH IN							
ROUGH IN							
TEMP POWER CERTIFICATION							
UNDER SLAB							
UNDERGROUND							
UNDERGROUND							



# Cash Register Receipt Harnett County

## Receipt Number R2240

DESCRIPTION		SHEET STATE OF	QTY	PAID
PermitTRAK				\$110.00
MCOM1901-0004	Address: 13649 NC 210 S	APN: 0513-98-5803.000		\$110.00
RESIDENTIAL ME	CHANICAL FEES			\$110.00
OVER 2 U	NITS INCL ELECTRICAL FEE		0	\$110.00
TOTAL FEES PAID BY	RECEIPT: R2240	THE HEALTH THE		\$110.00

Date Paid: Tuesday, February 05, 2019

Paid By: ADVANCED MECHANICAL SERVICES

Cashier: AD

Pay Method: CHECK 2225

