



# AUTHORIZATION TO CONSTRUCT

Authorization is hereby given to construct a wastewater system to the specifications described by Harnett County Health Department Improvement Permit # 13649. This authorization shall be valid for a period not to exceed five (5) years from the date of issuance. This authorization will be invalid if ownership, site plans, or intended use change.

Owner or Authorized Agent \_\_\_\_\_

Name: Jerry Lee Telephone # 892-8252

Address: 374 Lane Rd Dunn, N.C. 28334

Property Location: SR # 1802 Road Name Lane

New Installation  Repair  Septic Tank  Nitrification Lines

Subdivision Tanning Ridge Lot # 3

Number of Bedrooms Proposed: 3 Lot size: .96 Ac

Basement  With Plumbing  Without Plumbing

Water Supply: Well  Public  Minimum Well Setback: 50 ft.

Type of System: Conventional  Other

Tank Volume: Septic Tank 1000 gallons Pump Chamber \_\_\_\_\_ gallons

## Nitrification Field Specifications

Number of fields 1 Number of Lines per Field 4 Length of lines 100ft.

Width of ditches 3 ft. Depth of ditches 18.24 inches

French Drain: Linear feet required \_\_\_\_\_ Depth of gravel \_\_\_\_\_

No wastewater system shall be covered or placed into use by any person until an inspection by the Harnett County Health Department has determined that the system has been installed according to the conditions of the improvement permit and that a valid operations permit has been issued.

Authorized Agent for Harnett County Health Department

Name: Bryan M. Swain R. J. Date: 12/16/99