

IMPROVEMENT PERMIT

Be it ordained by the Harnett County Board of Health as follows: Section III, Item B. "No Person shall begin construction of any building at which a septic tank system is to be used for disposal of sewage without first obtaining a written permit from the Harnett County Health Department."

Name: (owner) Tallie Johnson
Property Location: SR# 1439 James Norris
New Installation, Septic Tank, Repairs, Nitrification Line

Subdivision Neills Creek Farms Lot # 86

Tax ID # Quadrant #

Number of Bedrooms Proposed: 4 Lot Size: 3.984

Basement with Plumbing: Garage:

Water Supply: Well, Public, Community

Distance From Well: 50' ft.

Following is the minimum specifications for sewage disposal system on above captioned property. Subject to final approval.

Type of system: Conventional, Other

Size of tank: Septic Tank: 1200 gallons, Pump Tank: gallons


Subsurface Drainage Field: No. of ditches, exact length, width of ditches, depth of ditches

French Drain Required: Linear feet

Date: 9-28-99

This permit is subject to revocation if site plans or intended use change.

Signed: James E. Mandant, Environmental Health Specialist



Wheeler DRIVE James Norris

ARNETT COUNTY HEALTH DEPARTMENT
AUTHORIZATION TO CONSTRUCT

Authorization is hereby given to construct a wastewater system to the specifications described by Harnett County Health Department Improvement Permit # 13657. This authorization shall be valid for a period not to exceed five (5) years from the date of issuance. This authorization will be invalid if ownership, site plans, or intended use change.

Owner or Authorized Agent _____

Name: Tallie Johnson Telephone # 854-7577

Address: 85 Baileys X Roads Benson N.C.

Property Location: SR # 1439 Road Name James Norris

New Installation Repair Septic Tank Nitrification Lines

Subdivision Needles Creek Farms Lot # 86

Number of Bedrooms Proposed: 4 Lot size: 3.984

Basement With Plumbing Without Plumbing

Water Supply: Well Public Minimum Well Setback: 50' ft.

Type of System: Conventional Other

Tank Volume: Septic Tank 1000 gallons Pump Chamber _____ gallons

Nitrification Field Specifications

Number of fields 2 Number of Lines per Field 3/4 Length of lines 133/100

Width of ditches 3 ft. Depth of ditches 18-24 inches

French Drain: Linear feet required _____ Depth of gravel _____

No wastewater system shall be covered or placed into use by any person until an inspection by the Harnett County Health Department has determined that the system has been installed according to the conditions of the improvement permit and that a valid operations permit has been issued.

Authorized Agent for Harnett County Health Department

Name: James E. Mark... Date: 9-28-99