

HTE 04-5-10358

IMPROVEMENT PERMIT

21232

Be it ordained by the Harnett County Board of Health as follows: Section III, Item B. "No Person shall begin construction of any building at which a septic tank system is to be used for disposal of sewage without first obtaining a written permit from the Harnett County Health Department."

Name: (owner) ACA/PSA LLC
Property Location: SR# 1265 COOL SPRINGS RD
New Installation, Septic Tank, Repairs, Nitrification Line

Subdivision MASON HILL Lot # 41

Tax ID # Quadrant #

Number of Bedrooms Proposed: 3 Lot Size: .49 AC

Basement with Plumbing: Garage:

Water Supply: Well, Public, Community

Distance From Well: 50 ft.

Following is the minimum specifications for sewage disposal system on above captioned property. Subject to final approval.

Type of system: Conventional, Other

Size of tank: Septic Tank: 1000 gallons Pump Tank: gallons


Subsurface Drainage Field: No. of ditches 4, exact length of each ditch 100 ft., width of ditches 3 ft., depth of ditches 18-30 in.

French Drain Required: Linear feet

Date: 9/20/04

This permit is subject to revocation if site plans or intended use change.

Signed: [Signature] RS (OLIVER TOLKSDORF) Environmental Health Specialist



HARNETT COUNTY DEPARTMENT OF PUBLIC HEALTH  
AUTORIZATION TO CONSTRUCT

Authorization is hereby given to construct a wastewater system to the specifications described by Harnett County Department of Public Health, Improvement Permit # 21232. This authorization shall be valid for a period not to exceed five (5) years from the date of issuance. *This authorization will be invalid if ownership, site plans, or intended use change.*

ACA/PSA LLC Name 919-774-9582 Telephone #

PO Box 3367 SANFORD NC 27331 Address

1265 COOL SPRINGS RD Property Location SR# Road Name

MASON HILL Subdivision 41 Lot # 3 # Bedrooms Proposed .49AC Lot Size

**TYPE OF SYSTEM**

New Installation [ ] Repair  Septic Tank  Nitrification Lines

Conventional [ ] Other \_\_\_\_\_

[ ] Basement [ ] With Plumbing [ ] Without Plumbing

Water Supply: [ ] Well  Public Water Supply Minimum Well Setback: 50 Ft.

Septic Tank 1000 gal Pump Chamber \_\_\_\_\_ gal

**NITRIFICATION FIELD SPECIFICATIONS**

Number of fields 1 # of lines per field 4 Length of lines 100 Ft.

Width of ditches 3 ft. Depth of ditches 18-30 inches

French Drain: Linear feet required \_\_\_\_\_ Depth of gravel \_\_\_\_\_

No wastewater system shall be covered or placed into use by any person until an inspection by the Harnett County Health Department has determined that the system has been installed according to the conditions of the Improvement Permit and that a valid Operations Permit has been issued.

 RS  
Signature of Authorized Agent for Harnett County

9/20/04  
Date