

**SOIL/SITE EVALUATION
 for ON-SITE WASTEWATER SYSTEM**

Owner: 05-500 11770

Address: _____
 Proposed Facility: _____
 Location of Site: _____
 Water Supply: Public Individual Well Pit Auger Boring Sewage
 Evaluation Method: _____
 Type of Wastewater: _____

Date Evaluated: _____
 Property Size: _____
 Property Recorded: _____
 Property ID: _____
 Lot #: _____
 File #: _____
 Code: _____

Applicant: _____
 Design Flow (.1949): 240
 Date Evaluated: _____
 Property Size: _____
 Property Recorded: _____
 Property ID: _____
 Lot #: _____
 File #: _____
 Code: _____

Other Factors (.1946): _____
 Site Classification (.1948): _____
 Evaluated By: *gwa*
 Others Present: _____

#	E	L	1940	SOIL MORPHOLOGY		OTHER PROFILE FACTORS								
				Horizon	Depth (IN)	Texture/Structure/	Consistence	Mineralogy	Soil	Witness/	Color	Soil	Depth (IN)	Saprop
				1941	1941	1941	1941	1942	1943	1943	1956	1944	Class	& LTAR
				0-18	GR SL	VH SL	FA SL							
				18-32	GR SL	FA SL	FA SL							
				32-41	GR SL	FA SL	FA SL							
				0-18	GR SL	VH SL	FA SL							
				18-32	GR SL	FA SL	FA SL							
				32-41	GR SL	FA SL	FA SL							
				0-18	GR SL	VH SL	FA SL							
				18-32	GR SL	FA SL	FA SL							
				32-41	GR SL	FA SL	FA SL							
				0-18	GR SL	VH SL	FA SL							
				18-32	GR SL	FA SL	FA SL							
				32-41	GR SL	FA SL	FA SL							
				0-18	GR SL	VH SL	FA SL							
				18-32	GR SL	FA SL	FA SL							
				32-41	GR SL	FA SL	FA SL							

Description	Initial System	Repair System
Available Space (.1945)	GR SL	
System Type(s)	GR SL	FA SL
Site LTAR	GR SL	FA SL

11770 05-500

COMMENTS: _____

<u>LANDSCAPE POSITIONS</u>	<u>GROUP</u>	<u>TEXTURES</u>	<u>.1955 LTAR</u>	<u>CONSISTENCE MOIST</u>	<u>WET</u>
R-RIDGE	I	S-SAND	1.2 - 0.8	VFR-VERY FRIABLE FR-FRIABLE FI-FIRM VFI-VERY FIRM EFI-EXTREMELY FIRM	NS-NON-STICKY SS-SLIGHTLY STICKY S-STICKY VS-VERY STICKY NP-NON-PLASTIC SP-SLIGHTLY STICKY P-PLASTIC VP-VERY PLASTIC
S-SHOULDER SLOPE		LS-LOAMY SAND			
L-LINEAR SLOPE	II	SL-SANDY LOAM	0.8 - 0.6		
FS-FOOT SLOPE		L-LOAM			
N-NOSE SLOPE	III	SI-SILT-	0.6 - 0.3		
H-HEAD SLOPE		SIL-SILT LOAM			
CC-CONCLAVE SLOPE		CL-CLAY LOAM			
CV-CONVEX SLOPE		SCL-SANDY CLAY LOAM			
T-TERRACE		SiCL-SILTY CLAY LOAM			
FP-FLOOD PLAN	IV	SIC-SILTY CLAY	0.4 - 0.1		
		C-CLAY			
		SC-SANDY CLAY			


STRUCTURE


- SG-SINGLE GRAIN
- M-MASSIVE
- CR-CRUMB
- GR-GRANULAR
- SBK-SUBANGULAR BLOCKY
- ABK-ANGULAR BLOCKY
- PL-PLATY
- PR-PRISMATIC


MINERALOGY

- SLIGHTLY EXPANSIVE
- EXPANSIVE

Show profile locations and other site features (dimensions, reference or benchmark, and North).








SITE PLAN APPROVAL

DISTRICT None USE SwmH

#BEDROOMS 2

Date 3/31/05 PJR
Zoning Administrator

6000
11/1/02



Fence to P/L
Prop SwmH (897H) (14X168)

9568-57-9293

Scale: 1" = 100 ft

March 30, 2005