

HTE# 05-50013644

IMPROVEMENT PERMIT 22514

Be it ordained by the Harnett County Board of Health as follows: Section III, Item B. "No person shall begin construction of any building at which a septic tank system is to be used for disposal of sewage without first obtaining a written permit from the Harnett County Health Department."

Name: (owner) Gerardo Valente New Installation Septic Tank Repair

Property Location: SR# 1270 Nitrification Line Expansion

Subdivision Buchanan Acres Lot # 24

Tax ID# _____ Quadrant # _____

Number of Bedrooms Proposed: 4 (32x72) 480 gpd Lot Size: .66 AC

Basement with Plumbing: Garage:

Water Supply: Well Public Community

Distance From Well: 50 ft.

Following is the minimum specifications for sewage disposal system on above captioned property. Subject to final approval.

Type of system: Conventional Other _____

Size of tank: Septic Tank: 1200 gallons Pump Tank: _____ gallons

Subsurface Drainage Field No. of ditches 1 ft. exact length of each ditch 640 ft. width of ditches 3 ft. depth of ditches 18 in.

French Drain Required: _____ Linear feet

Date: 02-10-06


This permit is subject to revocation if site plans or intended use change.

PERMIT EXPIRES 5 YEARS FROM ABOVE DATE

Signed: J. W. [Signature]
Environmental Health Specialist

Meet on site

Meet on site for final layout
STUB OUT Plumbing shall be where shown (at ground level or higher)



HARNETT COUNTY DEPARTMENT OF PUBLIC HEALTH
AUTHORIZATION TO CONSTRUCT

Authorization is hereby given to construct a wastewater system to the specifications described by Harnett County Department of Public Health, Improvement Permit # 22514. This authorization shall be valid for a period not to exceed five (5) years from the date of issuance. *This authorization will be invalid if ownership, site plans, or intended use change.*

Name Gerardo Valente Telephone # _____

Address 1270

Property Location SR# _____ Road Name _____
Subdivision Buchanan Area Lot # 24 # Bedrooms Proposed 4 (32x72) 480 sqd Lot Size .66ac

TYPE OF SYSTEM

- New Installation [] Repair Septic Tank Nitrification Lines
- Conventional [] Other _____
- [] Basement [] With Plumbing [] Without Plumbing

Water Supply: [] Well Public Water Supply Minimum Well Setback: 50 Ft.
Septic Tank ~~1200~~ 1200 gal Pump Chamber _____ gal

NITRIFICATION FIELD SPECIFICATIONS

Number of fields 1 # of lines per field 1 Length of lines 640 Ft.
Width of ditches 3 ft. Depth of ditches 18 inches
French Drain: Linear feet required _____ Depth of gravel _____

No wastewater system shall be covered or placed into use by any person until an inspection by the Harnett County Health Department has determined that the system has been installed according to the conditions of the Improvement Permit and that a valid Operations Permit has been issued.

Signature of Authorized Agent for Harnett County Jon West RS Date 02-10-06