

**SOIL/SITE EVALUATION
for ON-SITE WASTEWATER SYSTEM**

Owner: 06-500 15455

Applicant:

Date Evaluated: 08-10-05

Address:

Property Size: 150

Proposed Facility: MH

Design Flow (.1949): 400

Property Recorded: LHM

Location of Site: N124

Water Supply: Public Individual Well

Spring Other

Evaluation Method: Auger Boring Pit

Cut

Type of Wastewater: Sewage Industrial Process

Mixed

P R O F I L E #	1940 Landscape Position/ Slope%	1941 Horizon Depth (IN.)	SOIL MORPHOLOGY 1941		OTHER PROFILE FACTORS				1944 Restr. Horiz.	Profile Class & LTAR
			1941 Structure/ Texture	1941 Consistence/ Mineralogy	1942 Soil Wetness/ Color	1943 Soil Depth (IN.)	1944 Sapro Class			
		030	GR SL	VLR SE						3
		7040	BR SC	F2 S			40			3
		070	GR SL	VLR S						3
		7042	BR SC	F2 SL			40			3
		030	GR SL	VLR S						3
		7040	BR SC	F2 S			40			3
		030	BR SL	VLR S						3
		7040	BR SC	F2 S			40			3
		030	GR SL	VLR S						3
		7040	BR SC	F2 S			40			3

Description	Initial System	Repair System
Available Space (.1945)		
System Type(s)	Gravel	CM
Site LTAR	3	15

Other Factors (.1946):

Site Classification (.1948):

Evaluated By:

Others Present:

1)
GWA
R. H. Jr.

25% Red System


COMMENTS: _____

<u>LANDSCAPE POSITIONS</u>	<u>GROUP</u>	<u>TEXTURES</u>	<u>.1955 LTAR</u>	<u>CONSISTENCE MOIST</u>	<u>WET</u>
R-RIDGE S-SHOULDER SLOPE L-LINEAR SLOPE FS-FOOT SLOPE N-NOSE SLOPE H-HEAD SLOPE CC-CONCLAVE SLOPE CV-CONVEX SLOPE T-TERRACE FP-FLOOD PLAN	I	S-SAND LS-LOAMY SAND	1.2 - 0.8	VFR-VERY FRIABLE FR-FRIABLE	NS-NON-STICKY SS-SLIGHTLY STICKY
	II	SL-SANDY LOAM L-LOAM	0.8 - 0.6	FI-FIRM VFI-VERY FIRM EFI-EXTREMELY FIRM	S-STICKY VS-VERY STICKY NP-NON-PLASTIC SP-SLIGHTLY STICKY
	III	SI-SILT- SIL-SILT LOAM CL-CLAY LOAM SCL-SANDY CLAY LOAM SICL-SILTY CLAY LOAM	0.6 - 0.3		P-PLASTIC VP-VERY PLASTIC
	IV	SIC-SILTY CLAY C-CLAY SC-SANDY CLAY	0.4 - 0.1		

STRUCTURE
 SG-SINGLE GRAIN
 M-MASSIVE
 CR-CRUMB
 GR-GRANULAR
 SBK-SUBANGULAR BLOCKY
 ABK-ANGULAR BLOCKY
 PL-PLATY
 PR-PRISMATIC

MINERALOGY
 SLIGHTLY EXPANSIVE
 EXPANSIVE

Show profile locations and other site features (dimensions, reference or benchmark, and North).



(#####)

EASEMENTS
 AS PART OF THE RECORDED COVENANTS
 FOR THE SUBDIVISION, THERE WILL BE A
 10-FOOT UTILITY /DRAINAGE EASEMENT
 RESERVED ALONG ALL LOT LINES.

HP: 5739



BRAFFORD ESTATES

17

18

19

2006/226

S89°41'12"E

142.91'

148.00'

25' SETBACK

S00°18'48"W

10' SETBACK

10' SETBACK

3

30'4" X 76'0"

Handwritten notes:
 40'
 25'
 18'
 35'
 15'

35' SETBACK

DRIVE

148.00'

N00°18'48"E

147.30

N89°41'12"W

RED BIRD DRIVE SITE PLAN APPROVAL

50' PUBLIC R/W

DISTRICT RAZOR USE DWMT

#BEDROOMS 4

Jessica [Signature] 8/3/06
 ZONING ADMINISTRATOR

38

37

NOTE:
 INFORMATION SHOWN HEREON FOR
 LOCATION OF IMPROVEMENTS ONLY.
 FOR TRANSFER OF PROPERTY REFER
 TO 2006 / 226

NOTE:

BEING ALL OF LOT #4
 NATURES CROSSROADS-PHASE ONE

LEGEND

- EIP EXISTING IRON PIPE
- SIP SET IRON PIPE
- R/W RIGHT OF WAY
- PP POWER POLE
- * ELEVATIONS

I FURTHER CERTIFY THAT THIS PROPERTY
 (DOES NOT)
 LIE WITHIN A SPECIAL FLOOD HAZARD AREA
 AS DESIGNATED BY FIRM FLOOD INSURANCE