

**SOIL/SITE EVALUATION
 for ON-SITE WASTEWATER SYSTEM**

Owner: 06-500 15840

Applicant:

Date Evaluated: 10-2-76

Address:

Property Size: .5

Proposed Facility:

Design Flow (.1949): 400

Property Recorded: *unk*

Location of Site:

Water Supply: Public Individual Well Spring Other

Evaluation Method: Auger Boring Pit

Type of Wastewater: Sewage Industrial Process Mixed

P R O F I L E #	.1940 Landscape Position/ Slope%	Horizon Depth (IN.)	SOIL MORPHOLOGY .1941		OTHER PROFILE FACTORS				Profile Class & LTAR
			.1941 Structure/ Texture	.1941 Consistence Mineralogy	.1942 Soil Wetness/ Color	.1943 Soil Depth (IN.)	.1956 Sapro Class	.1944 Restr Horiz	
51. S		0-26	GR SL	VFA SF					4B
		26-42	SNK SL	FA SF					
		0-26	GR SL	VFA SF					4B
		26-42	SNK SL	FA SF					
		0-30	GR SL	VFA SF					4B
		30-42	SNK SL	FA SF					
		0-30	GR SL	VFA SF					4B
		30-42	SNK SL	FA SF					
	0-24	GR SL	VFA SF						
	24-36	SNK SL	FA SF						
	2-42	SNK SL	FA SF	exp at 28"					3

Description	Initial System	Repair System
Available Space (.1945)		
System Type(s)	25' L	20'
Site LTAR	.1	.2

1x 300 125%

Other Factors (.1946): _____

Site Classification (.1948):

Evaluated By: *JP*

Others Present: *SKW PHN*

COMMENTS: _____

<u>LANDSCAPE POSITIONS</u>	<u>GROUP</u>	<u>TEXTURES</u>	<u>.1955 LTAR</u>	<u>CONSISTENCE MOIST</u>	<u>WET</u>
R-RIDGE	I	S-SAND	1.2 - 0.8	VFR-VERY FRIABLE FR-FRIABLE	NS-NON-STICKY SS-SLIGHTLY STICKY
S-SHOULDER SLOPE		LS-LOAMY SAND			
L-LINEAR SLOPE	II	SL-SANDY LOAM	0.8 - 0.6	FI-FIRM VFI-VERY FIRM	S-STICKY VS-VERY STICKY
FS-FOOT SLOPE		L-LOAM			
N-NOSE SLOPE	III	SI-SILT-	0.6 - 0.3	EFI-EXTREMELY FIRM	NP-NON-PLASTIC SP-SLIGHTLY STICKY
H-HEAD SLOPE		SIL-SILT LOAM			
CC-CONCLAVE SLOPE		CL-CLAY LOAM			
CV-CONVEX SLOPE		SCL-SANDY CLAY LOAM			
T-TERRACE		SICL-SILTY CLAY LOAM			
FP-FLOOD PLAN	IV	SIC-SILTY CLAY	0.4 - 0.1		
		C-CLAY			
		SC-SANDY CLAY			


STRUCTURE

- SG-SINGLE GRAIN
- M-MASSIVE
- CR-CRUMB
- GR-GRANULAR
- SBK-SUBANGULAR BLOCKY
- ABK-ANGULAR BLOCKY
- PL-PLATY
- PR-PRISMATIC


MINERALOGY

- SLIGHTLY EXPANSIVE
- EXPANSIVE

Show profile locations and other site features (dimensions, reference or benchmark, and North).



HP: 5740



2006/224

EASEMENTS
AS PART OF THE RECORDED COVENANTS
FOR THE SUBDIVISION, THERE WILL BE A
10-FOOT UTILITY /DRAINAGE EASEMENT
RESERVED ALONG ALL LOT LINES.

BRAFFORD ESTATES

16

17

18

6

4

S89°41'12"E 142.91'

148.00'

148.00'

S00°18'48"W

10' SETBACK

25' SETBACK

10' SETBACK

26'8" X 66'

N00°18'48"E

N00°18'48"E

148.00'

35' SETBACK

147.30

N89°41'12"W

RED BIRD DRIVE
50' PUBLIC R/W

SITE PLAN APPROVAL

DISTRICT RAZOR USE dw/mh w/stoop

#BEDROOMS 4

Date 10/2/06

AB
Zoning Administrator

39

38

NOTE:
INFORMATION SHOWN HEREON FOR
LOCATION OF IMPROVEMENTS ONLY.
FOR TRANSFER OF PROPERTY REFER
TO

NOTE:

BEING ALL OF LOT #5
NATURES CROSSROADS-PHASE ONE

LEGEND

EIP EXISTING IRON PIPE
SIP SET IRON PIPE
R/W RIGHT OF WAY
PP POWER POLE
* ELEVATIONS

I FURTHER CERTIFY THAT THIS PROPERTY
(DOES NOT)
LIE WITHIN A SPECIAL FLOOD HAZARD AREA
AS DESIGNATED BY FIRM FLOOD INSURANCE

DATE: JUNE 27, 2006

SURVEY FOR:

LOT #5
0.50± ACRES