

Property ID:
Lot #:
File #:
Code:

SOIL/SITE EVALUATION for ON-SITE WASTEWATER SYSTEM

Owner: 07-100 17189

Applicant:

Address:

Date Evaluated: 4-5-01

Proposed Facility: Sewer

Design Flow (.1949): 76

Property Size: .51

Location of Site: 12/2

Property Recorded:

Water Supply: ☒ Public ☐ Individual ☐ Well

☐ Spring ☐ Other

Evaluation Method: ☒ Auger Boring ☐ Pit

☐ Cut

Type of Wastewater: ☒ Sewage ☐ Industrial Process

☐ Mixed

P R O F I L E #	1940 Landscape Position/ Slope%	Horizon Depth (IN.)	SOIL MORPHOLOGY 1941		OTHER PROFILE FACTORS				Profile Class & LTAR
			1941 Structure/ Texture	1941 Consistence/ Mineralogy	1942 Soil Wetness/ Color	1943 Soil Depth (IN.)	1944 Saprolite Class	1944 Restr. Horiz.	
20 5		0-12	Gravel	Vf r s					4
		2-28	Silt/cl	fr s					
		28-	Silt/cl	fr s	cr 20 28 7.5 in	7/2			
		0-30	Gravel	Vf r s					5
		30-38	Silt/cl	fr s					
		0-30	Gravel	Vf r s					
		30-38	Silt/cl	fr s					5
		0-18	Gravel	Vf r s					
		18-28	Silt/cl	fr s					
		28-	Silt/cl	fr s	cr 20 28 7.5 in	7/2			4
		0-18	Gravel	Vf r s					
		18-28	Silt/cl	fr s					
		28-	Silt/cl	fr s	cr 20 28 7.5 in	7/2			4

Description	Initial System	Repair System
Available Space (.1945)	✓	✓
System Type(s)	20%	Partial 20%
Site LTAR	12	12

Other Factors (.1946):

Site Classification (.1948): P1

Evaluated By: GW 107

Others Present:

Per DT NO Fund
Per DT NO Fund
Per DT NO Fund
Per DT NO Fund


COMMENTS: _____

<u>LANDSCAPE POSITIONS</u>	<u>GROUP</u>	<u>TEXTURES</u>	<u>.1955 LTAR</u>	<u>CONSISTENCE MOIST</u>	<u>WET</u>
R-RIDGE	I	S-SAND	1.2 - 0.8	VFR-VERY FRIABLE FR-FRIABLE FI-FIRM VFI-VERY FIRM EFI-EXTREMELY FIRM	NS-NON-STICKY SS-SLIGHTLY STICKY S-STICKY VS-VERY STICKY NP-NON-PLASTIC SP-SLIGHTLY STICKY P-PLASTIC VP-VERY PLASTIC
S-SHOULDER SLOPE		LS-LOAMY SAND			
L-LINEAR SLOPE	II	SL-SANDY LOAM	0.8 - 0.6		
FS-FOOT SLOPE		L-LOAM			
N-NOSE SLOPE	III	SI-SILT-	0.6 - 0.3		
H-HEAD SLOPE		SIL-SILT LOAM			
CC-CONCLAVE SLOPE		CL-CLAY LOAM			
CV-CONVEX SLOPE		SCL-SANDY CLAY LOAM			
T-TERRACE		SICL-SILTY CLAY LOAM			
FP-FLOOD PLAN	IV	SIC-SILTY CLAY	0.4 - 0.1		
		C-CLAY			
		SC-SANDY CLAY			

STRUCTURE
 SG-SINGLE GRAIN
 M-MASSIVE
 CR-CRUMB
 GR-GRANULAR
 SBK-SUBANGULAR BLOCKY
 ABK-ANGULAR BLOCKY
 PL-PLATY
 PR-PRISMATIC

MINERALOGY
 SLIGHTLY EXPANSIVE
 EXPANSIVE

Show profile locations and other site features (dimensions, reference or benchmark, and North).



BELLA BRIDGE ROAD
SR#1211-60' R/W
PAVED

NOTE:
OVERHEAD ELECTRIC
ALONG R/W.

(2A)
0.85 AC.
- 0.09 AC. IN R/W
0.76 AC. NET

(2D)
1.24 AC.
- 0.05 AC. IN R/W
1.19 AC. NET

ELECTRIC LINE

(2B)
0.85 AC.
- 0.09 AC. IN R/W
0.76 AC. NET

(2C)
0.85 AC.
- 0.09 AC. IN R/W
0.76 AC. NET

SITE PLAN APPROVAL
DISTRICT #3
#BEDROOMS 3
DATE 3/23/07
ZONING ADMINISTRATOR
APPROVED BY CUSTOMER

JESSE ROAD
SR#1212-60' R/W
PAVED

Int'l

Int'l

Repair