

Sheet:
 Property ID:
 Lot #:
 File #:
 Code:

SOIL/SITE EVALUATION for ON-SITE WASTEWATER SYSTEM

Owner: 07-500 17190

Applicant:

Address:

Date Evaluated: 4-9-07

Proposed Facility: MH

Design Flow (.1949): 360

Property Size:

Location of Site: 1212

Property Recorded:

Water Supply:

☒ Public

☐ Individual

☐ Well

☐ Spring

☐ Other

Evaluation Method:

☒ Auger Boring

☐ Pit

☐ Cut

Type of Wastewater:

☒ Sewage

☐ Industrial Process

☐ Mixed

P R O F I L E #	1940 Landscape Position/ Slope%	Horizon Depth (IN.)	SOIL MORPHOLOGY 1941		OTHER PROFILE FACTORS				Profile Class & LTAR
			1941 Structure/ Texture	1941 Consistence/ Mineralogy	1942 Soil Wetness/ Color	1943 Soil Depth (IN.)	1944 Saprophyte Class	1944 Restr. Horiz.	
27. 1		0-16	SL	Vfr R					J
		16-28	SH SL	FR R					
		28-32	SH SL	FL SL	CR 20 7.5% 7/2	20			
		0-12	GR SL	Vfr R					J
		12-24	SH SL	FR R					
		24-28	SH SL	FR SL	CR 20 29 7.5% 7/2				
		0-14	GR SL	Vfr R					J
		14-30	SH SL	FR R					
		30-34	SH SL	FR SL	CR 20 20 7.5% 7/2				
		0-12	GR SL	Vfr R					J
		12-20	SH SL	FR R					
		20-24	SH SL	FR SL	CR 20 20 7.5% 7/2				
		0-12	GR SL	Vfr R					J
		12-22	SH SL	FR R					
		22-24	SH SL	FR SL	CR 20 20 7.5% 7/2				

Description	Initial System	Repair System
Available Space (.1945)	✓	✓
System Type(s)	25% LLP	LLP
Site LTAR	.3	.15

Other Factors (.1946):

Site Classification (.1948):

Evaluated By: AW/OT

Others Present:

Per OT - No French Drain Needed 4-9-07

Per OT - No French Drain Needed 4-9-07


COMMENTS: _____

LANDSCAPE POSITIONS	GROUP	TEXTURES	.1955 LTAR	CONSISTENCE MOIST	WET
R-RIDGE	I	S-SAND	1.2 - 0.8	VFR-VERY FRIABLE	NS-NON-STICKY
S-SHOULDER SLOPE		LS-LOAMY SAND		FR-FRIABLE	SS-SLIGHTLY STICKY
L-LINEAR SLOPE				FI-FIRM	S-STICKY
FS-FOOT SLOPE	II	SL-SANDY LOAM	0.8 - 0.6	VFI-VERY FIRM	VS-VERY STICKY
N-NOSE SLOPE		L-LOAM		EFI-EXTREMELY FIRM	NP-NON-PLASTIC
H-HEAD SLOPE					SP-SLIGHTLY STICKY
CC-CONCLAVE SLOPE	III	SI-SILT-	0.6 - 0.3		P-PLASTIC
CV-CONVEX SLOPE		SIL-SILT LOAM			VP-VERY PLASTIC
T-TERRACE		CL-CLAY LOAM			
FP-FLOOD PLAN		SCL-SANDY CLAY LOAM			
		SICL-SILTY CLAY LOAM			
	IV	SIC-SILTY CLAY	0.4 - 0.1		
		C-CLAY			
		SC-SANDY CLAY			

STRUCTURE
 SG-SINGLE GRAIN
 M-MASSIVE
 CR-CRUMB
 GR-GRANULAR
 SBK-SUBANGULAR BLOCKY
 ABK-ANGULAR BLOCKY
 PL-PLATY
 PR-PRISMATIC

MINERALOGY
 SLIGHTLY EXPANSIVE
 EXPANSIVE

Show profile locations and other site features (dimensions, reference or benchmark, and North).



BELLA BRIDGE ROAD
SR#1211-60' R/W
PAVED

NOTE!
OVERHEAD ELECTRIC
ALONG R/W.

(2A)
0.85 AC.
- 0.09 AC. IN R/W
0.76 AC. NET

(2D)
1.24 AC.
- 0.05 AC. IN R/W
1.19 AC. NET

(2B)
0.82 AC.
- 0.31 AC. IN R/W
0.51 AC. NET

(2C)
0.67 AC.
- 0.14 AC. IN R/W
0.53 AC. NET

SITE PLAN-APPROVAL
DISTRICT #202
#BEDROOMS 3
USE SWMH

3/23/07
ADMINISTRATIVE

JESSE ROAD
SR#1212-60' R/W
PAVED

Int'l

Int'l

Repair