

Application # 0950022613
Harnett County Central Permitting
PO Box 65 Lillington, NC 27546
Telephone Number: 910-893-7525 Fax 910-893-2793 www.harnett.org/permits

Application for Manufactured Home Set-Up Permit
(Please fill out each part completely)

Part I - Owner Information:

Home Owner Information (To be completed by owner of the manufactured home)

Name: Thomas E. Lamm Address: 5160 BBQ Ch Rd
City: Sanford State: NC Zip: 27332 Daytime Phone: (919) 638-1872

Landowner Information (To be completed by landowner, if different than above)

Name: _____ Address: _____
City: _____ State: _____ Zip: _____ Daytime Phone: () _____

Part II - Contractor Information (To be completed by Contractors or Homeowner, if applicable.
Name, address, & phone must match information on license)

A. **Set-Up Contractor** Company Name: CHRISTIAN'S MH MOVERS
Phone: 770-9660 Address: 544 Golden Hills Ln
City: SANFORD State: NC Zip: 27332
Setup Signature: Dave Christian State Lic# 2367

B. **Electrical Contractor** Company Name: As Owner
Phone: _____ Address: _____
City: _____ State: _____ Zip: _____
Electrician's Signature: Thomas E. Lamm State Lic# _____

C. **Mechanical Contractor** Company Name: As Owner
Phone: _____ Address: _____
City: _____ State: _____ Zip: _____
HVAC Signature: Thomas E. Lamm State Lic# _____

D. **Plumbing Contractor** Company Name: As Owner
Phone: _____ Address: _____
City: _____ State: _____ Zip: _____
Plumber's Signature: Thomas E. Lamm State Lic# _____

Part III - Manufactured Home Information

Model Year: _____ Size: X Complete & follow zoning criteria sheet
Park Name: _____ Lot Number: _____

I hereby certify that I have the authority to apply for this permit, that the application is correct including the contractor information and signatures, and that the construction or installation will conform to the applicable manufactured home set-up requirements, and the Harnett County Zoning Ordinance. I understand that if any item is incorrect or false information has been provided that this permit could be revoked.

Thomas E. Lamm
Signature of Home Owner or Agent

8-7-09
Date

*Effective July 1, 2004, a County Tax Department Moving Permit must be provided before a Set Up Permit will be issued. It is purchased from the tax office of the county that the home is moved from. If the home is from a dealer, we need proof of year on the Form 500 and if available, the serial number.
List of Inspections and Egress requirements available upon request. Progress Energy customers must provide Premise Number.

J & R MOBILE HOME SALES

8296 Highway 421 N.
Lillington, North Carolina 27546
(910) 814-2600 • Fax: (910) 814-2609

BUYER(S): <i>Thomas E. Lamon</i>		PHONE: <i>919-638-1872</i>		DATE: <i>8-7-09</i>	
ADDRESS: <i>5160 Bonfante Ch RD.</i>		SALESPERSON: <i>J. D. Asworth</i>			
DELIVERY ADDRESS: <i>Sanford, N.C. 27332</i>					
MAKE & MODEL: <i>Fleetwood, Annie</i>	YEAR: <i>2000</i>	BEDROOMS: <i>3</i>	FLOOR SIZE: <i>76 L x 14 W</i>	HITCH SIZE: <i>80 L x 14 W</i>	STOCK NUMBER:
SERIAL NUMBER: <i>NCFLX41A646024V13</i>	COLOR: <i>NEW</i> <input checked="" type="checkbox"/> <i>USED</i> <input type="checkbox"/>		PROPOSED DELIVERY DATE:		KEY NUMBERS:
LOCATION	R-VALUE	THICKNESS	TYPE OF INSULATION	BASE PRICE OF UNIT \$ <i>15,080.00</i>	
CEILING				OPTIONAL EQUIPMENT	
EXTERIOR					
FLOORS				SUB-TOTAL \$	
THIS INSULATION INFORMATION WAS FURNISHED BY THE MANUFACTURER AND IS DISCLOSED IN COMPLIANCE WITH THE FEDERAL TRADE COMMISSION RULE 16CRF, SECTION 460.16.				SALES TAX <i>0</i>	
OPTIONAL EQUIPMENT, LABOR AND ACCESSORIES				NON-TAXABLE ITEMS	
				VARIOUS FEES AND INSURANCE	
<i>(Gas pack included)</i> <i>Home Sold As Is.</i> <i>NO warranty expressed or implied, wheels & axles to be returned to dealer</i> <i>J.D.A.</i>				1. CASH PURCHASE PRICE \$ <i>15,080.00</i>	
				TRADE-IN ALLOWANCE \$	
				LESS BAL. DUE on above \$	
				NET ALLOWANCE \$	
				CASH DOWN PAYMENT \$	
				CASH AS AGREED SEE REMARKS \$	
				2. LESS TOTAL CREDITS \$	
				SUB-TOTAL \$	
				SALES TAX (If Not Included Above)	
				3. Unpaid Balance of Cash Sale Price \$ <i>0</i>	
Dealer and Buyer certify that the additional terms and conditions printed on the other side of this contract are agreed to as a part of this agreement, the same as if printed above the signatures. Buyer is purchasing the above described manufactured home; the optional equipment and accessories, the insurance as described has been voluntary; that Buyer's trade-in is free from all claims whatsoever, except as noted.					
ESTIMATED RATE OF FINANCING _____ %					
NUMBER OF YEARS _____					
ESTIMATED MONTHLY PAYMENTS \$ _____					
THIS AGREEMENT CONTAINS THE ENTIRE UNDERSTANDING BETWEEN DEALER AND BUYER AND NO OTHER REPRESENTATION OR INDUCEMENT, VERBAL OR WRITTEN, HAS BEEN MADE WHICH IS NOT COVERED IN THIS CONTRACT.					
BUYER(S) ACKNOWLEDGE RECEIPT OF A COPY OF THIS ORDER AND THAT BUYER(S) HAVE READ AND UNDERSTAND THE BACK OF THIS AGREEMENT.					
I UNDERSTAND THAT I HAVE THE RIGHT TO CANCEL THIS PURCHASE BEFORE MIDNIGHT OF THE THIRD BUSINESS DAY AFTER THE DATE THAT I HAVE SIGNED THIS AGREEMENT. I UNDERSTAND THAT THIS CANCELLATION MUST BE IN WRITING. IF I CANCEL THE PURCHASE AFTER THE THREE DAY PERIOD, I UNDERSTAND THAT THE DEALER MAY NOT HAVE ANY OBLIGATION TO GIVE ME BACK ALL OF THE MONEY THAT I PAID THE DEALER. I UNDERSTAND ANY CHANGE TO THE TERMS OF THE PURCHASE AGREEMENT BY THE DEALER WILL CANCEL THIS AGREEMENT.					
REMARKS:					
BALANCE CARRIED TO OPTIONAL EQUIPMENT \$					
NOTE: WARRANTY AND EXCLUSIONS AND LIMITATIONS OF DAMAGES ON THE REVERSE SIDE.					
DESCRIPTION OF TRADE-IN		YEAR	SIZE		
MAKE	MODEL	BEDROOMS			
TITLE NO.	SERIAL NO.	COLOR			
AMOUNT OWING TO WHOM					
ANY DEBT BUYER OWES ON TRADE-IN IS TO BE PAID BY <input type="checkbox"/> DEALER <input type="checkbox"/> BUYER					
J & R MOBILE HOME SALES			DEALER		
Not Valid Unless Signed and Accepted by an Officer of the Company or an Authorized Agent			SIGNED X <i>Thomas E. Lamon</i> BUYER		
By <i>J. D. Asworth</i>			SOCIAL SECURITY NO. _____		
Approved			SIGNED X _____ BUYER		
			SOCIAL SECURITY NO. _____		

FLEETWOOD HOMES OF NORTH CAROLINA, INC.
349 E. RAILROAD ST., P.O. BOX 818
PEMBROKE, NORTH CAROLINA 28372

Plant Number **#41**

Date of Manufacture **11-10-99** HUD Label No.(s) **KAD 1225043**
 Manufacturer's Serial Number and Model Unit Designation
HCFLX41A64602-AV13 PP 2763J ANNIVERSARY

Design Approval by (D.A.P.I.A.) **RADCO**

This manufactured home is designed to comply with the federal manufactured home construction and safety standards in force at time of manufacture.
 (For additional information, consult owner's manual.)

The factory installed equipment includes:


Equipment	Manufacturer	Model Designation
For heating	COLEMAN	EB12B
For air cooling	NOT PROVIDED	
For cooking	MAYTAG	MER4110AAW
Refrigerator	MAYTAG	MTB1521ARW
Water Heater	RHEEM	71-30S
Washer	NOT PROVIDED	
Clothes Dryer	NOT PROVIDED	
Dishwasher	NOT PROVIDED	
Garbage Disposal	NOT PROVIDED	
Fireplace	NOT PROVIDED	
Stereo		
Smoke Detector	FYRNETICS	1275E

HOME CONSTRUCTED FOR ☒ Zone I ☐ Zone II ☐ Zone III


This home has not been designed for the higher wind pressure and anchoring provisions required for ocean/coastal areas and should not be located within 1500' of the coastline in Wind Zones II and III, unless the home and its anchoring and foundation system have been designed for the increased requirements specified for Exposure D in ANSI/ASCE 7-88.

This home has X has not been equipped with storm shutters or other protective coverings for windows and exterior door openings. For homes designed to be located in Wind Zones II and III, which have not been provided with shutters or equivalent covering devices, it is strongly recommended that the home be made easy to be equipped with these devices in accordance with the method recommended in manufacturers printed instructions.

BASIC WIND ZONE MAP



DESIGN ROOF LOAD ZONE MAP — North 40 PSF — South 20 PSF
 — Middle 30 PSF — Other — PSF



COMFORT HEATING

This manufactured home has been thermally insulated to conform with the requirements of the federal manufactured home construction and safety standards for all locations

within U/O value zone **1,2,3**.
 Heating equipment manufacturer and model (see list at left).
 The above heating equipment has the capacity to maintain an average 70° F temperature in this home at outdoor temperatures of **-22**°F.
 To maximize furnace operating economy, and to conserve energy, it is recommended that this home be installed where the outdoor winter design temperature (97 1/2%) is not higher than **+6** degrees Fahrenheit.
 The above information has been calculated assuming a maximum wind velocity of 15 mph at standard atmospheric pressure.

COMFORT COOLING

☐ **Air conditioner provided at factory (Alternate I)**

Air conditioner manufacturer and model (see list at left).

Certified capacity B.T.U./hour in accordance with the appropriate air conditioning and refrigeration institute standards.
 The central air conditioning system provided in this home has been sized assuring an orientation of the front (hitch end) of the home facing . On this basis the system is designed to maintain an indoor temperature of 75° F when outdoor

temperatures are °F dry bulb and °F wet bulb.

The temperature to which this home can be cooled will change depending upon the amount of exposure of the windows of this home to the sun's radiant heat. Therefore, the home's heat gains will vary dependent upon its orientation to the sun and any permanent shading provided. Information concerning the calculation of cooling loads at various locations, window exposures and shadings are provided in Chapter 22 of the 1989 edition of the ASHRAE Handbook of Fundamentals.

Information necessary to calculate cooling loads at various locations and orientations is provided in the special comfort cooling information provided with this home.

☒ **Air conditioner not provided at factory (Alternate II)**

The air distribution system of this home is suitable for the installation of central air conditioning.

The supply air distribution system installed in this home is sized for a manufactured home

38,000

central air conditioning system of up to B.T.U./hr. rated capacity which are certified in accordance with the appropriate air conditioning and refrigeration institute standards, when the air circulators of such air conditioners are rated at 0.3 inch water column static pressure or greater for the cooling air delivered to the manufactured home supply air duct system.
 Information necessary to calculate cooling loads at various locations and orientations is provided in the special comfort cooling information provided with this manufactured home.

☐ **Air conditioning not recommended (Alternate III)**

The air distribution system of this home has not been designed in anticipation of its use with a central air conditioning system.

To determine the required capacity of equipment to cool a home efficiently and economically, a cooling load (heat gain) calculation is required. The cooling load is dependent on the orientation, location and the structure of the home. Central air conditioners operate most efficiently and provide the greatest comfort when their capacity closely approximates the calculated cooling load. Each home's air conditioner should be sized in accordance with Chapter 22 of the American Society of Heating, Refrigerating and Air Conditioning Engineers (ASHRAE) Handbook of Fundamentals 1989 edition, once the location and orientation are known.

**INFORMATION PROVIDED BY THE MANUFACTURER
 NECESSARY TO CALCULATE SENSIBLE HEAT GAIN**

Walls (without windows and doors).....	"U"	.10
Ceilings and roofs of light color.....	"U"	.05
Ceilings and roofs of dark color.....	"U"	.05
Floors.....	"U"	.04
Air ducts in floor.....	"U"	.14
Air ducts in ceiling.....	"U"	N/A
Air ducts installed outside the home.....	"U"	N/A

The following are the duct areas in this home:

Air ducts in floor.....	64 sq. ft.
Air ducts in ceiling.....	N/A sq. ft.
Air ducts outside the home.....	N/A sq. ft.

U/O VALUE ZONE MAP

