| Divisio<br>On-Site<br>Owner:<br>Address<br>Propose<br>Locatio<br>Water S | n of Envin<br>Wastewa<br>for ON-<br>s:<br>d Facility<br>n of Site: | soll/si<br>soll/si<br>site Section<br>site W/<br>Applican<br>: 3 ecoce | Health<br>on<br>TE EVALUA<br>ASTEWATEI<br>at: | R SYSTEM<br>Evaluated: 3/12<br>gn Flow (.1949):<br>erty Recorded: | )10<br>360 <sub>5</sub> とす<br>11 □ Well | Well Spring Other            |                          |                         |                            |
|--|--|--|---|---|---|------------------------------|--------------------------|-------------------------|----------------------------|
| Type of<br>P<br>R<br>O<br>F<br>I<br>L                                    | .1940<br>Landscape<br>Position/<br>Slope %                         | Horizon<br>Depth<br>(ln.)  | SOIL MORPHOLOGY                               |   | Process Mixed OTHER PROFILE FACTORS     |                              |                          |                         |                            |
|  |  |  | .1941<br>Structure/<br>Texture                | .1941<br>Consistence<br>Mineralogy                                | .1942<br>Soil<br>Wetness/<br>Color      | .1943<br>Soil<br>Depth (IN.) | . 1956<br>Sapro<br>Class | .1944<br>Restr<br>Horiz | Profile<br>Class<br>& LTAR |
| 1  | 15<br>7-12 <sup>1</sup> 10   | 0-48   | 65  | VFR Nolup   |   |                              |                          |                         | 5.8                        |
| F.   |  | 030  | G 5   | ver uship   |   |                              |                          |                         |                            |
|  |  | 30-48'   | SBX silsa                                     | NFA 55/NR   |   |                              |                          |                         | 15.6                       |
|  |  | 0-271  | G 5   | VFR NS/NP   |   |                              |                          |                         | <sup>5</sup> .8            |
|  |  | 030  | C 5   | ver ne ne   |   |                              |                          |                         |                            |
|  |  | ગ્૦-૫ર્થ   | 58KSL)SCL                                     | VFR 55  |   |                              |                          |                         | ₽5,C                       |
|  |  |  |   |   |   |                              |                          |                         | <del></del>                |
|  |  |  |   |   |   |                              |                          |                         |                            |
|  |  |  |   |   |   | +                            |                          |                         |                            |
|  |  | ·  |   |   |   |                              |                          |                         |                            |
|  |  |  |   |   |   |                              |                          |                         |                            |
|  |  |  |   |   |   |                              |                          |                         |                            |
|  |  |  | <u> </u>                                      |   |   |                              |                          |                         |                            |

| Description             | Initial<br>System | Repair System | Other Factors (.1946):<br>Site Charifesting (.1948) 2 |
|-------------------------|-------------------|---------------|---|
| Available Space (.1945) |                   | 1             | Site Classification (.1948):                          |
| System Type(s)          | CON               | CON           | Evaluated By: GT                                      |
| Site LTAR               | . 6               | . 7           | Others Present:                                       |
|                         |                   |               |   |