

**SOIL/SITE EVALUATION
 for ON-SITE WASTEWATER SYSTEM**

Owner: Applicant:

Address:

Proposed Facility: *SFD+SWMT*

Date Evaluated: *4-12-11*

Design Flow (.1949): *360*

Property Size:

Location of Site:

Property Recorded:

Water Supply:

- Public
- Individual
- Well
- Spring
- Other

Evaluation Method:

- Auger Boring
- Pit
- Cut

Type of Wastewater:

- Sewage
- Industrial Process
- Mixed

P R O F I L E #	.1940 Landscape Position/ Slope %	Horizon Depth (in.)	SOIL MORPHOLOGY .1941		OTHER PROFILE FACTORS				Profile Class & LTAR
			.1941 Structure/ Texture	.1941 Consistence Mineralogy	.1942 Soil Wetness/ Color	.1943 Soil Depth (IN.)	.1956 Sapro Class	.1944 Restr Horiz.	
1	L 8% 0-10	0-10	SL	FA CLPSNP					
		10-42	SC-C1A ₂	FA 139K S.P.	42" ^{7.5%} 42"				35
2	L 8% 0-10	0-10	SL	FA CLPSNP					
		10-42	SC-C1A ₂	FA 139K S.P.	36-38" ^{7.5%} 42"				3
3	L 2.7% 0-10	0-10	SL	FA CLPSNP					
		10-42	SC-C1A ₂	FA 139K S.P.	36"				3

Description	Initial System	Repair System	Other Factors (.1946): Site Classification (.1948): <i>PS</i> Evaluated By: Others Present: <i>2</i>
Available Space (.1945)	<i>PS</i>	<i>PS</i>	
System Type(s)	<i>PS</i>	<i>PS</i>	
Site LTAR	<i>3</i>	<i>3</i>	

COMMENTS: _____

<u>LANDSCAPE POSITIONS</u>	<u>GROUP</u>	<u>TEXTURES</u>	<u>1955 LTAR</u>	<u>CONSISTENCE MOIST</u>	<u>WBT</u>
R-RIDGE	I	S-SAND	1.2-0.8	VFR-VERY FRIABLE FR-FRIABLE	NS-NON-STICKY SS-SLIGHTLY STICKY
S-SHOULDER SLOPE		LS-LOAMY SAND			
L-LINEAR SLOPE	II	SL-SANDY LOAM	0.8-0.6	FI-FIRM VFI-VERY FIRM	S-STICKY VS-VERY STICKY
FS-FOOT SLOPE		L-LOAM			
N-NOSE SLOPE	III	SI-SILT	0.6-0.3	EFI-EXTREMELY FIRM	NP-NON-PLASTIC SP-SLIGHTLY STICKY P-PLASTIC VP-VERY PLASTIC
H-HEAD SLOPE		SIL-SILT LOAM			
CC-CONCLAVE SLOPE		CL-CLAY LOAM			
CV-CONVEX SLOPE		SCL-SANDY CLAY LOAM			
T-TERRACE	IV	SIC-SILTY CLAY	0.4-0.1		
FP-FLOOD PLAN		C-CLAY SC-SANDY CLAY			

- STRUCTURE
 SG-SINGLE GRAIN
 M-MASSIVE
 CR-CRUMB
 GR-GRANULAR
 SBK-SUBANGULAR BLOCKY
 ABK-ANGULAR BLOCKY
 PL-PLATY
 PR-PRISMATIC

- MINERALOGY
 SLIGHTLY EXPANSIVE
 EXPANSIVE

Show profile locations and other site features (dimensions, references or benchmark, and North)

A large grid for recording profile locations and site features. The grid consists of 20 columns and 20 rows of squares. The grid is currently empty.

ED, TAKEN FROM DEED

Blackmon and Lee Ann Barefoot Blackmon
Use is agricultural

BA-CU-10-11


4.6 ACRES REMAINDER
BOOK 2084 P 160

SITE PLAN APPROVAL

DISTRICT RA3D USE Summit

#BEDROOMS 2

4-7-11
Administrator



REBAR TAKE

30

Harnett County public...