HTE# 11-5-26456

Harnett County Department of Public Health

Improvement Permit

26563

A building permit cannot be issued with only an Improvement Permit CLARENCE MCLEAN SUBDIVISION WALKERS RIDGE LOT # 1A ISSUED TO: NEW 🔀 EXPANSION_ Site Improvements required prior to Construction Authorization Issuance: Type of Structure: MAN HOME (40×28) Proposed Wastewater System Type: CONVENTIONAL Projected Daily Flow: 360 Number of bedrooms: 3 Basement Yes X No Pump Required:

Yes No

May be required based on final location and elevations of facilities Type of Water Supply:
Community Public
Well Distance from well 100 feet Permit valid for: Five years Permit conditions: ☐ No expiration RENS Date: 5 3 1) SEE ATTACHED SITE SKETCH The issuance of this permit by the Health Department in no way guarantees the issuance of other permits. The permit holder is responsible for checking with appropriate governing bodies in meeting their requirements. This site is subject to revocation if the site plan, plat, or the intended use changes. The Improvement Fermit shall not be affected by a change in ownership of the site. This permit is subject to compliance with the provisions of the Laws and Rules for Sewage Treatment and Disposal and to conditions of this permit.. **Construction Authorization** (Required for Building Permit) The construction and installation requirements of Rules .1950, .1952, .1954, .1955, .1956, .1957, .1958. and .1959 are incorporated by references into this permit and shall be met. Systems shall be installed in accordance with the attached system layout. ISSUED TO: CLANENCE MCLEAN PROPERTY LOCATION: WALKER LO SUBDIVISION WALKERS RIDGE LOT # 1A Facility Type: MAN HOME (40 M) New Expansion Repair Basement? Yes No Basement Fixtures? Yes No CINITIAN Wastewater Flow: 360 GPD CONVENTIONAL Type of Wastewater System** (See note below, if applicable □) DUILMIONAL Number of trenches 4 Installation Requirements/Conditions Exact length of each trench 75 feet Trench Spacing: 9 Feet on Center Trenches shall be installed on contour at a Soil Cover: inches Septic Tank Size <u>LOOO</u> gallons Pump Tank Size _____ gallons Maximum Trench Depth of: \ inches (Maximum soil cover shall not exceed (Trench bottoms shall be level to +/-1/4" 36" above the trench bottom) in all directions) Pump Requirements: ft. TDH vs. GPM ____ inches below pipe WATER LINES (INCLUDING IRRIGATION) MUST BE 10FT. FROM ANY PART OF SEPTIC SYSTEM OR REPAIR AREA. NO UTILITIES ALLOWED IN INITIAL OR REPAIR DRAIN FIELD AREA. **If applicable: I understand the system type specified is different from the type specified on the application. I accept the specifications of this permit, Owner/Legal Representative Signature: _ This Construction Authorization is subject to revocation if the site plan, plat, or the intended use changes. The Construction Authorization shall not be transferred when there is a change in ownership of the site. This Construction Authorization is subject to compliance with the groups of the Laws and Rules for Sewage Treatment and Disposal and to the conditions of this permit. SEE ATTACHED SITE SKETCH Authorized State Agent:

Construction Authorization Expiration Date:

Harnett County Department of Public Health Site Sketch

