

HTE# 11-5-26780

Harnett County Department of Public Health Improvement Permit

26607

A building permit cannot be issued with only an Improvement Permit

ISSUED TO: Rusty Huddleston PROPERTY LOCATION: Ponderosa Rd.
 NEW REPAIR EXPANSION SUBDIVISION _____ LOT # _____
 Type of Structure: MH 14x64 Site Improvements required prior to Construction Authorization Issuance: _____
 Proposed Wastewater System Type: Infiltrator Quick 4 Plus Standard Low Profile Chamber
 Projected Daily Flow: 240 GPD conventional BM
 Number of bedrooms: 2 Number of Occupants: 4 max
 Basement Yes No
 Pump Required: Yes No May be required based on final location and elevations of facilities
 Type of Water Supply: Community Public Well Distance from well _____ feet
 Permit conditions: _____ Permit valid for: Five years No expiration

Authorized State Agent: [Signature] Date: 6/10/2011 SEE ATTACHED SITE SKETCH
 The issuance of this permit by the Health Department in no way guarantees the issuance of other permits. The permit holder is responsible for checking with appropriate governing bodies in meeting their requirements. This site is subject to revocation if the site plan, plat, or the intended use changes. The Improvement Permit shall not be affected by a change in ownership of the site. This permit is subject to compliance with the provisions of the Laws and Rules for Sewage Treatment and Disposal and to conditions of this permit.

Construction Authorization

(Required for Building Permit)

The construction and installation requirements of Rules .1950, .1952, .1954, .1955, .1956, .1957, .1958, and .1959 are incorporated by references into this permit and shall be met. Systems shall be installed in accordance with the attached system layout.

ISSUED TO: Rusty Huddleston PROPERTY LOCATION: Ponderosa Rd.
 Facility Type: MH 14x64 New Expansion Repair
 Basement? Yes No Basement Fixtures? Yes No conventional BM
 Type of Wastewater System** Infiltrator Quick 4 Plus Standard Low Profile Chamber (Initial) Wastewater Flow: 240 GPD
 (See note below, if applicable Infiltrator Quick 4 Plus Standard Low Profile Chamber (Repair))

Installation Requirements/Conditions

Septic Tank Size 1000 gallons
 Pump Tank Size _____ gallons
 Number of trenches 4
 Exact length of each trench 80 feet
 Trenches shall be installed on contour at a
 Maximum Trench Depth of: 12 inches
 (Trench bottoms shall be level to +/-1/4" in all directions)
 Trench Spacing: 9 Feet on Center
 Soil Cover: 5/2 inches BM
 (Maximum soil cover shall not exceed 36" above the trench bottom)
 Pump Requirements: _____ ft. TDH vs. _____ GPM
 Aggregate Depth: 6 inches below pipe
2 inches above pipe
12 inches total

Conditions: Contractor to meet on site prior to installing system. System will need binder of cover. Set tank shallow to avoid pump to repair area.
 WATER LINES (INCLUDING IRRIGATION) MUST BE 10FT. FROM ANY PART OF SEPTIC SYSTEM OR REPAIR AREA.
 NO UTILITIES ALLOWED IN INITIAL OR REPAIR DRAIN FIELD AREA.

**If applicable: I understand the system type specified is different from the type specified on the application. I accept the specifications of this permit.

Owner/Legal Representative Signature: _____ Date: _____
 This Construction Authorization is subject to revocation if the site plan, plat, or the intended use changes. The Construction Authorization shall not be transferred when there is a change in ownership of the site. This Construction Authorization is subject to compliance with the provisions of the Laws and Rules for Sewage Treatment and Disposal and to the conditions of this permit. SEE ATTACHED SITE SKETCH
 Authorized State Agent: [Signature] Date: 6/10/2011
 Construction Authorization Expiration Date: 6/10/2016

HTE# 11-5-26780

Permit # 26607

Harnett County Department of Public Health Site Sketch

ISSUED TO: Rusty Huddleston PROPERTY LOCATOR: Penderosa Rd.
SUBDIVISION _____ LOT # _____

Authorized State Agent: Bryna McSwain RHR Date: 6/10/2011

* Contractor to meet on site prior to installing system

