HTE# 13-5-31091

Harnett County Department of Public Health

Improvement Permit

27455

A building permit cannot be issued with only an Improvement Permit PROPERTY LOCATION: Old 421 Type of Structure: MH 28X64 Proposed Wastewater System Type: 25% Reduction System Projected Daily Flow: 360 GPD Number of bedrooms: Number of Occupants: Pump Required: □Yes ☑ No ☐ May be required based on final location and elevations of facilities Type of Water Supply:
Community Public Well Distance from well feet Five years Permit valid for: Permit conditions: ☐ No expiration SEE ATTACHED SITE SKETCH The issuance of this permit by the Health Department in no way guarantees the issuance of other permits. The permit holder is responsible for checking with appropriate governing bodies in meeting their requirements. This site is subject to revocation if the site plan, plat, or the intended use changes. The Improvement Permit shall not be affected by a change in ownership of the site. This permit is subject to compliance with the provisions of the Laws and Rules for Sewage Treatment and Disposal and to conditions of this permit.. **Construction Authorization** (Required for Building Permit) The construction and installation requirements of Rules .1950, .1952, .1954, .1955, .1956, .1957, .1958, and .1959 are incorporated by references into this permit and shall be met. Systems shall be installed in accordance with the attached system layout. PROPERTY LOCATION: Old 421
SUBDIVISION Peach Farm Estates ISSUED TO: ET Womack Facility Type: MH SUBDIVISION Keach to Basement? Yes No Basement Fixtures? Yes No

Type of Wastewater System** 2576 Reduction System (Initial) Wastewater Flow: 360 GPD (See note below, if applicable □) 25% Leduction System (Repair)

ons Number of trenches 3

gallons Exact length of each trench 90 feet Trench Spacing: 9 Feet on Center Installation Requirements/Conditions

GOO gallons Pump Tank Size gallons Trenches shall be installed on contour at a Maximum Trench Depth of: 18-20 inches (Maximum soil cover shall not exceed (Trench bottoms shall be level to +/-1/4" 36" above the trench bottom) in all directions) Pump Requirements: ______ft. TDH vs. _____ GPM inches below pipe Aggregate Depth: ______ inches above pipe Conditions: Run lines on contour inches total WATER LINES (INCLUDING IRRIGATION) MUST BE 10FT. FROM ANY PART OF SEPTIC SYSTEM OR REPAIR AREA. NO UTILITIES ALLOWED IN INITIAL OR REPAIR DRAIN FIELD AREA. **If applicable: / understand the system type specified is different from the type specified on the application. I accept the specifications of this permit. Owner/Legal Representative Signature: This Construction Authorization is subject to revocation if the site plan, plat, or the intended use changes. The Construction Authorization shall not be transferred when there is a change in ownership of the site. This Construction Authorization is subject to compliance with the provisions of the Laws and Rules for Sewage Treatment and Disposal and to the conditions of this permit. SEE ATTACHED SITE SKETCH

Authorized State Agent: Suya MSwain 1645 Date: 5/2/2017

Construction Authorization Expiration Date: 5/2/2°18

Harnett County Department of Public Health Site Sketch

	PROPERTY LOCATON: 014 421	
ISSUED TO: FJ Womack	SUBDIVISION feach Farm Estates	LOT# 36
Authorized State Agent: Luga Mc Sian,	REHS Date: 5/2/2013	

