


**SOIL/SITE EVALUATION
 for ON-SITE WASTEWATER SYSTEM**

Owner: Applicant:
 Address: Date Evaluated:
 Proposed Facility: 3000 m Design Flow (.1949): 360 gpd Property Size:
 Location of Site: Property Recorded:
 Water Supply: Public Individual Well Spring Other
 Evaluation Method: Auger Boring Pit Cut
 Type of Wastewater: Sewage Industrial Process Mixed

P R O F I L E #	.1940 Landscape Position/ Slope %	Horizon Depth (In.)	SOIL MORPHOLOGY .1941		OTHER PROFILE FACTORS				Profile Class & LTAR
			.1941 Structure/ Texture	.1941 Consistence Mineralogy	.1942 Soil Wetness/ Color	.1943 Soil Depth (IN.)	.1956 Sapro Class	.1944 Restr Horiz	
1	LS 0-2	0-12	G SL	VFI NSHP					
		12-18	G SL	VFI NSHP					
		18-42	SBK C	FR S/P	10x27) 2 @ 33"				PS .3
2		0-22	G SL	VFI NSHP					
		22-34	G SL	VFI NSHP					
		34-48	SBK C	FR S/P					PS .3
3		0-7	G SL	VFI NSHP					
		7-16	G SL	VFI NSHP					
		16-42	SBK C	FR S/P	@ 34"				PS .3
4		0-10	G SL	VFI NSHP					
		10-20	G SL	VFI NSHP					
		20-40 40"	SBK C PM	FR S/P	@ 32"				PS .3

Description	Initial System	Repair System	Other Factors (.1946): Site Classification (.1948): PS Evaluated By: JS Others Present: OS
Available Space (.1945)	✓	✓	
System Type(s)	2.5% / 2.0		
Site LTAR	.3	.3	

3x100 = 18"



65 Sydney Drive
 LILLINGTON N.C. 27546

SITE PLAN APPROVAL
 DISTRICT RA20R USE SFD
 #BEDROOMS 3
S-2-17
 LL
 Zoning Administrator
 X Chen & Bull