

HTE# 17-S-428722

Harnett County Department of Public Health

29914

Improvement Permit

A building permit cannot be issued with only an Improvement Permit

ISSUED TO: Clyde Patterson Claribel Gonzalez PROPERTY LOCATION: NC 24-27

NEW ☒ REPAIR ☐ EXPANSION ☐ SUBDIVISION _____ LOT # _____

Type of Structure: 2BR SWMH 14'x70' Site Improvements required prior to Construction Authorization Issuance: _____

Proposed Wastewater System Type: 25% reduction sys.

Projected Daily Flow: 240 GPD

Number of bedrooms: 2 Number of Occupants: 4 max

Basement ☐ Yes ☒ No

Pump Required: ☐ Yes ☐ No ☒ May be required based on final location and elevations of facilities

Type of Water Supply: ☐ Community ☒ Public ☐ Well Distance from well NA feet Permit valid for: ☒ Five years

Permit conditions: _____ ☐ No expiration

Authorized State Agent: [Signature] Date: 03/09/2018 SEE ATTACHED SITE SKETCH

The issuance of this permit by the Health Department in no way guarantees the issuance of other permits. The permit holder is responsible for checking with appropriate governing bodies in meeting their requirements. This site is subject to revocation if the site plan, plat, or the intended use changes. The Improvement Permit shall not be affected by a change in ownership of the site. This permit is subject to compliance with the provisions of the Laws and Rules for Sewage Treatment and Disposal and to conditions of this permit.

Construction Authorization

(Required for Building Permit)

The construction and installation requirements of Rules .1950, .1952, .1954, .1955, .1956, .1957, .1958, and .1959 are incorporated by references into this permit and shall be met. Systems shall be installed in accordance with the attached system layout.

ISSUED TO: Clyde Patterson Claribel Gonzalez PROPERTY LOCATION: NC 24-27

FACILITY TYPE: 2BR SWMH 14'x70' ☒ New ☐ Expansion ☐ Repair SUBDIVISION _____ LOT # _____

Basement? ☐ Yes ☐ No Basement Fixtures? ☐ Yes ☐ No

Type of Wastewater System** 25% reduction system (Initial) Wastewater Flow: 240 GPD

(See note below, if applicable ☐ 25% reduction sys. (Repair))

Installation Requirements/Conditions

Septic Tank Size 1600 gallons Number of trenches 3

Pump Tank Size _____ gallons Exact length of each trench 70 feet Trench Spacing: 9 Feet on Center

Trenches shall be installed on contour at a Maximum Trench Depth of: 18 inches Soil Cover: 6 inches (Maximum soil cover shall not exceed 36" above the trench bottom)

(Trench bottoms shall be level to +/-1/4" in all directions)

Pump Requirements: _____ ft. TDH vs. _____ GPM Aggregate Depth: NA inches below pipe

Conditions: On Contour D-Box Equal Distribution Required NA inches above pipe

NA inches total

WATER LINES (INCLUDING IRRIGATION) MUST BE 10FT. FROM ANY PART OF SEPTIC SYSTEM OR REPAIR AREA.
NO UTILITIES ALLOWED IN INITIAL OR REPAIR DRAIN FIELD AREA.

**If applicable: I understand the system type specified is different from the type specified on the application. I accept the specifications of this permit.

Owner/Legal Representative Signature: _____ Date: _____

This Construction Authorization is subject to revocation if the site plan, plat, or the intended use changes. The Construction Authorization shall not be transferred when there is a change in ownership of the site. This Construction Authorization is subject to compliance with the provisions of the Laws and Rules for Sewage Treatment and Disposal and to the conditions of this permit.

SEE ATTACHED SITE SKETCH

Authorized State Agent: [Signature] Date: 03/09/2018

ANDREW CURRIN Construction Authorization Expiration Date: 03/09/2023

HTE# 17-5-42872R

Permit # 29914

Harnett County Department of Public Health Site Sketch

ISSUED TO: Clyde Patterson
Gloribel Gonzalez

PROPERTY LOCATOR: NC 24-27
SUBDIVISION LOT #

Authorized State Agent: Andrew Wearn
ANDREW WEARN

Date: 03/09/2018

