Harnett County Department of Public Health

Improvement Permit

	A building permit cannot be issued with only an Improvemen	1) 0
ISSUED TO: TAHILRAMANI JUST	PROPERTY LOCATION: CAMES	son Him Ko
NEW REPAIR TO EXPANS	ON 🗆	LOT #
Type of Structure: Man. Home (1)- Proposed Wastewater System Type: 25% Re	Site improvements r	equired prior to Construction Authorization Issuance:
Proposed Wastewater System Type: 25%, RE	000510. 3x560	
Projected Daily Flow: 360 GPD		
Number of bedrooms: 3 Number of Occi	ipants: 6 max	
Basement 🗆 Yes 🔀 No		
Pump Required: □Yes □ No ► May be req	uired based on final location and elevations of facilities	
Type of Water Supply: Community Public Permit conditions:	☐ Well Distance from well feet	Permit valid for: Five years No expiration
Authorized State Agent::	PL-3 Date: 2218	SEE ATTACHED SITE SKETCH
ine issuance of this permit by the Health Department in no way guar- site is subject to revocation if the site plan, plat, or the intended use the Laws and Rules for Sewage Treatment and Disposal and to condition	changes. The Improvement Permit shall not be affected by a change in own	necking with appropriate governing bodies in meeting their requirements. This nership of the site. This permit is subject to compliance with the provisions of
	Construction Authorization	
	(Required for Building Permit)	
with the attached system layout.		into this permit and shall be met. Systems shall be installed in accordance
ISSUED TO: JOHIL CAMANI JUSTIN	PROPERTY LOCATION: CA	weson Hist Bo
Facility Type: MAN HOME (14) X6L	20RDIAIZION	LOT #
	tures? 🗆 Yes 🔑 No	24.5
	REDUCTION SYSTEM	(Initial) Wastewater Flow: 360 GPD
(See note below, if applicable □)	2	
	RED. Sys. (Repair)	
Installation Requirements/Conditions	Number of trenches1	•
Septic Tank Size <u>1600</u> gallons	Exact length of each trench \\S feet	Trench Spacing: 9 Feet on Center
Pump Tank Size gallons	Trenches shall be installed on contour at a	Soil Cover: 6 - R inches
	Maximum Trench Depth of: 18-30 inches	(Maximum soil cover shall not exceed
	(Trench bottoms shall be level to +/-1/4"	36" above the trench bottom)
	in all directions)	above the trenen bottom)
Pump Requirements:ft. TDH vs		inches halam since
		Aggregate Depth: inches below pipe
Conditions:		
		inches total
WATER LINES (INCLUDING IRRIGATION) MUST I	BE 10FT. FROM ANY PART OF SEPTIC SYSTEM OR I	REPAIR AREA.
NO UTILITIES ALLOWED IN INITIAL OR REPAIR D	RAIN FIELD AREA.	
**If applicable: I understand the system type specified	is different from the type specified on the application.	I accept the specifications of this permit.
Owner/Legal Representative Signature:		Date:
his Construction Authorization is subject to revocation if the site plan,	olat, or the intended use changes. The Construction Authorization shall not l	be transferred when there is a change in ownership of the site. This
construction Authorization is subject to compliance with the provisions of	the Laws and Rules for Sewage Treatment and Disposal and to the conditi	ons of this permit. SEE ATTACHED SITE SKETCH
		2.2
Authorized State Agent:	Date:	2/2/18
	Construction Authorization Expiration D	ate: 2223

HTE# 18.5.43173	HTE#	18	.5.	43	17	3	
-----------------	------	----	-----	----	----	---	--

Permit # 25834

Harnett County Department of Public Health Site Sketch

ISSUED TO: ALTERAMAN	PROPERTY LOCATON: CAMERON HILL RO	LOT #
Authorized State Agent:	EENS (OLIVER TOLKSDOPE) Date: 2/2/18	
	HOME ON SITE	

CAMERON HILL RD

Department of Environment, Health and Natural Resources Division of Environmental Health On-Site Wastewater Section

SOIL/SITE EVALUATION for ON-SITE WASTEWATER SYSTEM

Sheet: Property ID: Lot #: File #: Code:

Owner:	Applicant:			
Address:		Date Evaluated:		
Proposed Facility: 3	30am	Design Flow (.1949): 365 56	Property Size:	
Location of Site:		Property Recorded:	1 /	
Water Supply:	□ Public	☐ Individual ☐ Well	Spring	Other
Evaluation Method:		☐ Pit ☐ Cut	_ 1 8	
Type of Wastewater:	Sewag		☐ Mixed	

P R O F	.1940		SOIL M	ORPHOLOGY .1941		OTHER PROFILE FACTOR	.S		
L E #	Landscape Position/ Slope %	Horizon Depth (In.)	.1941 Structure/ Texture	.1941 Consistence Mineralogy	.1942 Soil Wetness/ Color	.1943 Soil Depth (IN.)	.1956 Sapro Class	.1944 Restr Horiz	Profile Class & LTAR
	L5 2-5	0-46	G 3	שולבות המי					5.9
1	0.0 172	0-%	G L5	V 50 115/19					
		36-48	G L3	12 12 12) xB			7		5,8
3	L5 0-2	042	G Ls	VFans) WP					
		10-418	G LS	VFa NS) MP					8.8

Description	Initial System	Repair System	Other Factors (.1946): Site Classification (.1948): 5	
Available Space (.1945)	V	U	Evaluated By:	
System Type(s)	25 (6	RCD (POTOP)	Others Present:	
Site LTAR	7.2	:6	- Guiers Frescht.	