HTE# 18-5-43569

## Harnett County Department of Public Health

**Improvement Permit** 


A buildin	g permit cannot be issued with only an Improvem		
ISSUED TO: TYLES MATTHEWS		102 RD	
	SUBDIVISIONSite Improvements	washing and a factor of the factor	LOT #
Type of Structure: DWMH (28×56)	Site improvements	required prior to Construction Author	rization Issuance:
Proposed Wastewater System Type: CONVENTONA	L		
Projected Daily Flow: 360 GPD			
Number of bedrooms: Number of Occupants:	C max		
Basement Yes No			
Pump Required: ☐Yes No ☐ May be required bas	ed on final location and elevations of facilities	20 H H 20 20 20 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	(St)
Type of Water Supply:  Community Public  V Permit conditions:	'ell Distance from well feet	Permit valid for:	Five years  No expiration
Authorized State Agent::	8675 Date: 3 24/18	CEE ATT	ACUED CITE CHEROLI
The issuance of this permit by the Health Department in no way guarantees the site is subject to revocation if the site plan, plat, or the intended use changes. The Laws and Rules for Sewage Treatment and Disposal and to conditions of this	stance of other permits. The permit holder is responsible for the improvement Permit shall not be affected by a change in o	checking with appropriate governing hadies in	ACHED SITE SKETCH meeting their requirements. This compliance with the provisions of
	Construction Authorization		
	(Required for Building Permit)		
The construction and installation requirements of Rules .1950, .1952, .1954, .1959 with the attached system layout.		es into this permit and shall be met. Systems	shall be installed in accordance
ISSUED TO: 1 YLER MATTHEWS	97	AYNOR RD	
Facility Type: DWMH (28×56)	SUBDIVISION		LOT #
	⊠ New □ Expansion □ Repai	r	
		NA MARKAN SETS DIE N	0/0
Type of Wastewater System**	1 AL	(Initial) Wastewater Flow: _	SCO GPD
(See note below, if applicable □)	70 - 11		
I was a second of the second o			
The state of the s	cr or trenenes	9	
	length of each trench 75 feet	Trench Spacing:	Feet on Center
	nes shall be installed on contour at a		nches
	um Trench Depth of: 24 inches	,	
	h bottoms shall be level to +/-1/4"	36" above the trench botto	om)
	directions)		
Pump Requirements:ft. TDH vs GPM			inches below pipe
Conditions		Aggregate Depth:	
Conditions:			inches total
WATER LINES (INCLUDING IRRIGATION) MUST BE 10			
VATER LINES (INCLUDING IRRIGATION) MUST BE 10FT	FROM ANY PART OF SEPTIC SYSTEM OR	REPAIR AREA.	
10 UTILITIES ALLOWED IN INITIAL OR REPAIR DRAIN F	ELD AREA.		
** f applicable: / understand the system type specified is diffe	rent from the type specified on the applicatio	n. I accept the specifications of the	his permit.
			188
Jwner/Legal Representative Signature:	intended use changes. The Construction Authorization shall not	be transferred when there is a change in ow	nership of the site. This
onstruction Authorization is subject to compliance with the provisions of the Laws	ind Rules for Sewage Treatment and Disposal and to the cond		TTACHED SITE SKETCH
la de la companya de			
Authorized State Agent:	REHS Date:	3/29/18	
	Construction Authorization Expiration		

HTE#	18-	5-435	569
HIE#	10	2 10,	16

Permit # 30024

## Harnett County Department of Public Health Site Sketch

	PROPERTY LOCATON: RX	NOR 1	20		
ISSUED TO: TYLER MATTHEMS	SUBDIVISION			LOT #	-
	,		\ \		
Authorized State Agent: REHS	OLIVER TOLKSDORE)	Date:	3 29	74	



Department of Environment, Health and Natural Resources Division of Environmental Health On-Site Wastewater Section Sheet: Property ID: Lot #: File #: Code:

## SOIL/SITE EVALUATION for ON-SITE WASTEWATER SYSTEM

Owner:	Applicant:				
Address:		Date Evaluated:	o \		
Proposed Facility:	3 BOSN	Design Flow (.1	949): 360 00	Property Size:	
Location of Site:	1	Property Record			
Water Supply:	Public Public	□ Individual	☐ Well	☐ Spring	Other
Evaluation Method:	Auger Boring	☐ Pi	t 🗌	Cut	
Type of Wastewater	r: Sewa	ge 🗌 In	dustrial Process	☐ Mixed	

R O F	.1940		SOIL MORPHOLOGY .1941		OTHER PROFILE FACTORS				
Ξ #	Landscape Position/ Slope %	Horizon Depth (In.)	.1941 Structure/ Texture	.1941 Consistence Mineralogy	.1942 Soil Wetness/ Color	.1943 Soil Depth (IN.)	.1956 Sapro Class	.1944 Restr Horiz	Profile Class & LTAR
)	LS 0-2	0-48	63	UM WIND	e e e e e e e e e e e e e e e e e e e				5,8
2		0-48	GS	var us/vp					2, %
3		0-48	6 5	144 M2 ND					5,8
-101 107									

Description	Initial	Repair System	Other Factors (.1946):
	System	/	Site Classification (.1948): \( \sigma \)
Available Space (.1945)			Evaluated By: 🕥
System Type(s)	CON	CON	Others Present:
Site LTAR	8.	9.	