


# SITE/SOIL EVALUATION FOR ON-SITE WASTEWATER

FACTORS		PROFILES													
		1	2	3	4	5	6	7	8	9	10				
LANDSCAPE POSITION	.1940														
SLOPE (%)	.1940														
HORIZON 1 DEPTH		0-12	0-6		0-5	0-3									
TEXTURE GROUP	.1941(A)(1)	SL	SL		SL	SL									
CONSISTENCE	.1941	VFR			VFR	VFR									
STRUCTURE	.1941(A)(2)	CR			C	S									
MINERALOGY	.1941(A)(3)	NS/NP			NS/NP	NS/NP									
HORIZON 2 DEPTH		12-20	6-36		5-24	3-20									
TEXTURE GROUP	.1941(A)(1)	SCL	C		SCL	SCL									
CONSISTENCE	.1941	FR			FR	FR									
STRUCTURE	.1941(A)(2)	SBK			SBK	SBK									
MINERALOGY	.1941(A)(3)	SS/SP			SS/SP	SS/SP									
HORIZON 3 DEPTH		20"			24"	20"									
TEXTURE GROUP	.1941(A)(1)	C			C	C									
CONSISTENCE	.1941	FR			FR	FR									
STRUCTURE	.1941(A)(2)	SBK			SBK	SBK									
MINERALOGY	.1941(A)(3)	S/P			S/P	S/P									
HORIZON 4 DEPTH															
TEXTURE GROUP	.1941(A)(1)														
CONSISTENCE	.1941														
STRUCTURE	.1941(A)(2)														
MINERALOGY	.1941(A)(3)														
SOIL WETNESS	.1942				32"	24"									
RESTRICTIVE HORIZON	.1944														
SAPROLITE	.1943/1956														
CLASSIFICATION	.1948	P <sub>3</sub>	P <sub>3</sub>		P <sub>3</sub>	P <sub>6</sub>									
LONG TERM ACCEPTANCE RANGE	.1955	.4	.3		.3	.3									

REF.

400'



1 x 400' LINE

18-20' DEEP

STAY ABOVE