epartment of Environment, Health, an	d Natural Resources
Division of Environmental Health	
n-site Wastewater Section	

Owner:

Address:

Sheet:
Property ID:
Lot #
File #:
Code:

Applicant:

Date Evaluated:

SOIL/SITE EVALUATION for ON-SITE WASTEWATER SYSTEM

² rop	osed Facility:			Design Flow (.1949):		Pro	perty Size:		
_oca	ation of Site:					Property	Recorded:		
Nate	er Supply:		[] Public	[] Individual	[] Well		[] Spring		[] Other
≣val	uation Method	i:	[] Auger Boring		[] Pit		[] Cut		
Гуре	e of Wastewat	er:	[] Sewage		[] Industrial Process		[] Mixed		
P		Carlo da	Chemical Services			ATTENDED TO THE PARTY OF THE PA		MATE AND	
PROF-LE#	10001416								
O F			SOIL	ORPHOLOGY ,1941		OTHER LE FACTO	RS		
1.	1940			2000年1900年1月1日日本日本日本日本日本日本日本日本日本日本日本日本日本日本日本日本日本日本	.1942	经验证证	CHAPTER ST		
L	Landscape Position/	Horizon Depth	.1941 Structure/	.1941 Consistence	Soil Wetness/	.1943 Soil	.1956 Sapro	.1944 Restr	Profile Class
#	+ Slope%	(IN.)	Texture	Mineralogy	Color	Depth (IN.)	Class	Horiz	& LTAR
	LS	G-6	G-165	VFV- NSNP					20 2
	-	6-34	58 b/c	F: 6851					PS.3
1		0 /	0,0,0	1.0001					1 1
	is	0-14	6-/45	VF- NENT		1			PS. 3
	ω	0-17	0/2	T. CCCO					1
		14-52	33K/C	Fi 1500		-			1
								-	
-							187		
			1			1			
			-			+		-	-
		-	-				-	-	-
			-				-		-
				ļ				-	4
1	1								

Description	Initial System	Repair System
Available Space (.1945)		
System Type(s)		
Site LTAR		

Other Factors (.1946):

Site Classification (.1948):

Aut .

Evaluated By:

Others Present:

FILE	#
------	---

COMMENTS:

					The same of the sa
LANDSCAPE POSITIONS	GROUP	TEXTURES	.1955 LTAR	CONSISTENCE MOIST	WET
R-RIDGE S-SHOULDER SLOPE	1	S-SAND LS-LOAMY SAND	1.2 - 0.8		
L-LINEAR SLOPE FS-FOOT SLOPE N-NOSE SLOPE H-HEAD SLOPE	п	SL-SANDY LOAM L-LOAM	0.8 - 0.6	VFR-VERY FRIABLE FR-FRIABLE FI-FIRM VFI-VERY FIRM	NS-NON-STICKY SS-SLIGHTLY STICKY S-STICKY VS-VERY STICKY
CC-CONCLAVE SLOPE CV-CONVEX SLOPE T-TERRACE FP-FLOOD PLAN	Ш	SI-SILT- SIL-SILT LOAM CL-CLAY LOAM SCL-SANDY CLAY LOAM SICL-SILTY CLAY LOAM	0.6 – 0.3	EFI-EXTREMELY FIRM	NP-NON-PLASTIC SP-SLIGHTLY STICKY P-PLASTIC VP-VERY PLASTIC
	IV .	SIC-SILTY CLAY C-CLAY	0.4 – 0.1		-

STRUCTURE
SG-SINGLE GRAIN
M-MASSIVE
CR-CRUMB
GR-GRANULAR
SBK-SUBANGULAR BLOCKY
ABK-ANGULAR BLOCKY
PL-PLATY
PR-PRISMATIC

MINERALOGY SLIGHTLY EXPANSIVE

SC-SANDY CLAY

EXPANSIVE

	- 1													T				ce or			1	1101	ui).	1				_
-			-	 				-	-	-	-			1	<u> </u>													
			1						Ì													~~~~		-		-	-	-
									-	┼	-		<u> </u>	-	-													
									1					1							}							
								1	1-	T	1	†	-	+-	+			-										
			1	 												į												
1	1											1		1	1			-					 					
-				 		ļ			-		ļ	-		1_														
	-								1					1													-	
						1		-	1	+	+	-	-	+														
									1				1					-										
									1	1	1	1	1	P	1	-	 											
-				 										1/			_											
	ĺ							-	1	-				1	1	17		-	-									
			-	 		 			ļ		-	4	-	1_	ļ													
								Ì						Λ								******						
						1-	1	 	1-	+		+		-		1		ļ	(8	2								
-											1																	
									T	1	1	1	1	1	†	-	ļ					******	ļ	ļ				
				 		-			1	1	L				1)								Ì				
												1		1	4		-	1					 					
				 		ļ		 		-	<u> </u>	ļ		1	1													
								1						-		1												
1			-	 		 	 	 	+	-	-			-		ļ	ļ											
								1							1	1	}							1				
		12		-		1	1	1	1	1	-	-	+		+	 	ļ		ļ	-			-	ļ				
	~~~	*								1		1				1	and of the same							i				
										1	-	1	4	1-	1	·	<del> </del>		-				ļ		L			***
-				 	with a bening to the	ļ	1		1	1		10			E STATE OF THE STA	į												
							-		i		1	1	1	1	1	1	1	1		1			ļ	<b> </b>	ļ			rance sage
-			ļ	 			-		-		-		1		1				-			2						
						1							1		1	T	1	1	1		~~~~	****** ****						

