HTE# 08-522-200 44 Harnett County Department of Public 1th 24796

IIIL# OO	JC- 4-0	 Hainett	-
Jac.	0		
Option	15	A L.:11:	

Improvement Permit

A	building permit cannot be issued with only an Improveme	nt Permit			
0 0.0	PROPERTY LOCATION: © 127	14			
ISSUED TO: Clade (AHErjan	SUBDIVISION FRANK	STELART OSH LOT # 9			
NEW REPAIR □ EXPANSIO		required prior to Construction Authorization Issuance:			
Type of Structure: DWMH 28xxx-	380				
1	action Suth				
Projected Daily Flow: 365 GPD					
Number of bedrooms: Number of Occup	pants:max				
Basement □Yes ♥ No					
Pump Required: ☐Yes ☐ No ☐ May be requi	ired based on final location and elevations of facilities				
Type of Water Supply: Community Public	□ Well Distance from well 53 feet	Permit valid for: Five years			
	on Shallow At ground 1.	ext or higher No expiration			
where shown, maintain	- All Jet Backs 132 Lin	c is to be 18 to 24" Then			
Shallou of to 18"	21				
Authorized State Agent::	M) Date: 05 30-01				
		checking with appropriate governing bodies in meeting their requirements. This wnership of the site. This permit is subject to compliance with the provisions of			
the Laws and Rules for Sewage Treatment and Disposal and to condition		when the site. This permit is subject to compliance with the provisions of			
	Construction Authorization				
The construction and installation are immand of Bully 1000, 1003, 1	(Required for Building Permit)	- 1 - 1 - 1 - 1 - 1 - 1 - 1 - 1 - 1 - 1			
with the attached system layout.	754, .1955, .1956, .1957, .1958. and .1959 are incorporated by reference	ces into this permit and shall be met. Systems shall be installed in accordance			
α 1 (α 1)	Ĭ				
ISSUED TO: Clycle (After)	PROPERTY LOCATION: 16	Y C 1			
	SUBDIVISION Frank	STELLANT DOH LOT # 9			
Facility Type: DUM-1 28180 3	Repair				
Basement? Yes No Basement Fix	tures? Yes No				
Type of Wastewater System** 25%	ledelin suiter	(Initial) Wastewater Flow: 26 GPD			
(See note below, if applicable	3,00,				
	to grave (Repair)				
Installation Requirements/Conditions	Number of trenches				
Septic Tank Size 1000 gallons	Exact length of each trench 300 feet	Trench Spacing: 9 Feet on Center			
Pump Tank Size gallons	Trenches shall be installed on contour at a				
Tulip Talik Size gallolis	1.0				
	Maximum Trench Depth of: \(\simega\) inche	1			
	(Trench bottoms shall be level to +/-1/4"	36" above the trench bottom)			
	in all directions)				
Pump Requirements:ft. TDH vs	GPM	inches below pipe			
		Aggregate Depth: inches above pipe			
Conditions:		inches total			
**If applicable: I understand the system type specified is different from the type specified on the application. I accept the specifications of this permit.					
Owner/Legal Representative Signature:		Date:			
0 1	plat, or the intended use changes. The Construction Authorization shall n	ot be transferred when there is a change in ownership of the site. This			
	of the Laws and Rules for Sewage Treatment and Disposal and to the con				
	٨				
Authorized State Agent:	Date	. 05-73-0X			
1	Construction Authorization Expiration				
/	Construction Authorization Expiration	vale.			

Option B Harnett County Department of Public Health Site Sketch

Authorized State Agent:	PROPERTY LOCATON:_ SUBDIVISION	400H LOT # 7
Authorized State Agent:	SUBDIVISION	,