HTE# SF51807-0038 Harnett County Department of Public Health

Improvement Permit

30164

A building permit cannot be issued with only an Improvement Permit PROPERTY LOCATION: 245 Plantes (ned Hill Ch. Rd.) Adams Homes, LLC SUBDIVISION Cane Mill Ests. NEW 🔃 Site Improvements required prior to Construction Authorization Issuance: Type of Structure: 4BR C41 x 75' SFD Proposed Wastewater System Type: 25% neduction Sys. Projected Daily Flow: 480 GPD Number of Occupants: Number of bedrooms: Basement Yes Pump Required: ☐Yes ☐ No May be required based on final location and elevations of facilities Type of Water Supply:


Community Public Well Distance from well ______ feet Five years Permit conditions: ■ No expiration Authorized State Agent:: Date: Date: Date: SEE ATTACHED SITE SKETCH

The issuance of this permit by the Health Department in no way guarantees the issuance of other permits. The permit holder is responsible for checking with appropriate governing bodies in meeting their requirements. This site is subject to revocation if the site plan, plat, or the intended use changes. The Improvement Permit shall not be affected by a change in ownership of the site. This permit is subject to compliance with the provisions of the Laws and Rules for Sewage Treatment and Disposal and to conditions of this permit. Construction Authorization (Required for Building Permit) The construction and installation requirements of Rules .1950, .1952, .1954, .1955, .1956, .1957, .1958. and .1959 are incorporated by references into this permit and shall be met. Systems shall be installed in accordance ISSUED TO: Adams Homes, LLC PROPERTY LOCATION: 245 Printers Co. (Red Hill Ch. Rd.)
SUBDIVISION Care Mill Ests LOT # 8 Facility Type: 430 64' x 35' 5F5 INew Expansion Repair Basement Fixtures? Yes No Type of Wastewater System** 25% nedotion 5,56m (Initial) Wastewater Flow: 480 GPD (See note below, if applicable) Septic Tank Size 1250 gallons Pump Tank Size _____ gallons Maximum Trench Depth of: ______ inches (Maximum soil cover shall not exceed (Trench bottoms shall be level to +/-1/4" 36" above the trench bottom) in all directions) Pump Requirements: ______ft. TDH vs. _____ GPM __ inches below pipe Aggregate Depth: NA inches above pipe Conditions: Draintines may be connected to make three(3) 1005 WATER LINES (INCLUDING IRRIGATION) MUST BE 10FT. FROM ANY PART OF SEPTIC SYSTEM OR REPAIR AREA NO UTILITIES ALLOWED IN INITIAL OR REPAIR DRAIN FIELD AREA. **If applicable: I understand the system type specified is different from the type specified on the application. I accept the specifications of this permit. Owner/Legal Representative Signature: This Construction Authorization is subject to revocation if the site plan, plat, or the intended use changes. The Construction Authorization shall not be transferred when there is a change in ownership of the site. This Construction Authorization is subject to compliance with the provisions of the Laws and Rules for Sewage Treatment and Disposal and to the conditions of this permit. SEE ATTACHED SITE SKETCH Date: 08/23/3018 ANDREW CONSTRUCTION Authorization Expiration Date: 08/23/2023

Harnett County Department of Public Health Site Sketch

				-	3/6/700	
^ \	PROPERTY LOCATON:	245	Planters	Ln. (ned	1:11 Ch	. Rd.
ISSUED TO: Adams Hones, uc	SUBDIVISION	Care	- M:11	Ests	LOT #	8
Authorized State Agent:	-tom	EHE	Date:	08/2	3/2018	
ANDREW	winin					

* Drainlines may be connected to make threets) 100PT unes



Department of Environment, Health and Natural Resources Division of Environmental Health On-Site Wastewater Section Sheet: Property ID: Lot #: File #: Code:

SOIL/SITE EVALUATION for ON-SITE WASTEWATER SYSTEM

Owner: Applicant: Adams Hones, LLC Address: Lot & carpe Mill Fot. Date Evaluated: CE/09/2018		
Proposed Facility: Location of Site: Design Flow (.1949): 480 GPO Property Recorded: 480 GPO	Property Size:	
Water Supply: Public Individual Well	☐ Spring	Other
Evaluation Method: Auger Boring Pit Cut Type of Wastewater: Sewage Industrial Process	Mixed	

			_ senage		1 3 3 3 3 3 3 3 3 3 3 3 3 3 3 3 3 3 3 3				
P R O F I L E	.1940 Landscape Position/ Slope %	Horizon Depth (In.)		DRPHOLOGY 1941 .1941 Consistence Mineralogy	PR .1942 Soil Wetness/ Color	OTHER OFILE FACTO .1943 Soil Depth (IN.)	RS .1956 Sapro Class	.1944 Restr Horiz	Profile Class & LTAR
	L 3%	0-18	Cal Eles	Va NEVE					PS
3		18-44	gn su	fa 555P	7.5 M. Q. 42"	48			PS 0.4
4	L 3%	6-18	GA 15/ 13L	42 None					P5
		K-46	Me see	TN 5558	7.5424.036"	48			P5
						. 20			
			N.						
	<i>a</i>								

Description	Initial	Repair System	Other Factors (.1946):
	System		Site Classification (.1948): Provisionally suitable
Available Space (.1945)	1/		Evaluated Rv.
System Type(s)	25% red	25% MC	Others Present: Andrew Currin, MEHS
Site LTAR	6.4	0.4	