HTE# SFO 1909-0014 Harnett County Department of Public Health

Improvement Permit

A building permit cannot be issued with only an Improvement Permit PROPERTY LOCATION: 48 ISSUED TO: WELLGO CONTRACTING INC SUBDIVISION ROLLING SPRINGS SEC. 8 NEW REPAIR | EXPANSION |

Type of Structure: SEO(35'39')

Proposed Wastewater System Type: 25% REDUCTION SYSTEM Site Improvements required prior to Construction Authorization Issuance: Projected Daily Flow: 360 GPD 3 Number of Occupants: _ 6 Number of bedrooms: Basement Yes ≥ No Pump Required: ☐Yes ☐ May be required based on final location and elevations of facilities Type of Water Supply:

Community Public

Well Distance from well _______ feet Permit valid for: Permit conditions: ☐ No expiration Authorized State Agent:: The issuance of this permit by the Health Department in no way guarantees the squance of other permits. The permit holder is responsible for checking with appropriate governing bodies in meeting their requirements. This site is subject to revocation if the site plan, plat, or the intended use changes. The Improvement Permit shall not be affected by a change in ownership of the site. This permit is subject to compliance with the provisions of the Laws and Rules for Sewage Treatment and Disposal and to conditions of this permit.. Construction Authorization (Required for Building Permit) The construction and installation requirements of Rules .1950, .1952, .1954, .1955, .1956, .1957, .1958, and .1959 are incorporated by references into this permit and shall be met. Systems shall be installed in accordance Facility Type: SED (35739) New DEDIVISION ROLLING SECTOR Basement? Yes No Basement Fixtures? Yes No 25% REDUCTION SYSTEM (Initial) Wastewater Flow: 360 Type of Wastewater System** (See note below, if applicable □) 25% RED. Number of trenches 1


Exact length of each trench 180 feet Trench Spacing: 9 Feet on Center inches Installation Requirements/Conditions Septic Tank Size 1000 gallons Pump Tank Size _____ gallons Maximum Trench Depth of: 18 inches (Maximum soil cover shall not exceed (Trench bottoms shall be level to +/-1/4" 36" above the trench bottom) in all directions) Pump Requirements: ft. TDH vs. GPM inches below pipe Aggregate Depth: ______ inches above pipe Conditions: WATER LINES (INCLUDING IRRIGATION) MUST BE 10FT. FROM ANY PART OF SEPTIC SYSTEM OR REPAIR AREA. NO UTILITIES ALLOWED IN INITIAL OR REPAIR DRAIN FIELD AREA. **If applicable: I understand the system type specified is different from the type specified on the application. I accept the specifications of this permit. Owner/Legal Representative Signature: This Construction Authorization is subject to revocation if the site plan, plat, or the intended use changes. The Construction Authorization shall not be transferred when there is a change in ownership of the site. This Construction Authorization is subject to compliance with the provisions of the Laws and Rules for Sewage Treatment and Disposal and to the conditions of this permit. SEE ATTACHED SITE SKETCH Authorized State Agent: Construction Authorization Expiration Date:

Harnett County Department of Public Health Site Sketch

PROPERTY LOCATON: 48 RAINTREE

ISSUED TO: WELLOW CONSTRUCTION INC SUBDIVISION ROLLING SPRINGS SEC 8 LOT # 10

Authorized State Agent: Date: 10 9/18



Department of Environment, Health and Natural Resources Division of Environmental Health On-Site Wastewater Section

Sheet: Property ID: Lot #: File #: Code:

SOIL/SITE EVALUATION for ON-SITE WASTEWATER SYSTEM

Owner:	Applicant:			
Address:		Date Evaluated:		
Proposed Facility: 3	BORVM	Design Flow (.1949): 360 %	Property Size:	
Location of Site:		Property Recorded:	• • • • • • • • • • • • • • • • • • • •	
Water Supply:		□ Individual □ Well	☐ Spring	☐ Other
Evaluation Method:	Auger Boring	☐ Pit ☐ Cut		
Type of Wastewater	∵ \≺ Sewa		☐ Mixed	

P R O F I .1940 L Landscape E Position/ # Slope %		SOIL MORPHOLOGY .1941		OTHER PROFILE FACTORS					
	Position/ Slope %	Horizon Depth (In.)	.1941 Structure/ Texture	.1941 Consistence Mineralogy	.1942 Soil Wetness/ Color	.1943 Soil Depth (IN.)	.1956 Sapro Class	.1944 Restr Horiz	Profile Class & LTAR
)	LS 2-5	0.20	GLS	VFC- NS/NF	10127/2236"				
		20.38	58(SCL	For sslap	10127/2036"				P55
2		0.76	6 LS	VE NS/NP	(2)				
		18-38	SBKSCL	FR SS/AP	10127/2236				P5.5

Description	Initial	Repair System	Other Factors (.1946):
18	System		Site Classification (.1948): \emptyset \(\square\$
Available Space (.1945)	V	1	Evaluated By:
System Type(s)	25 %	RO	Others Present: —
Site LTAR	,5	.5	1