



Products				
PlotID	Length	Product	Plies	Net Qty
FJ-27	27' 10"	11-7/8" BCI® 4500s-1.8	1	8
FJ-24	24' 4"	11-7/8" BCI® 4500s-1.8	1	2
FJ-15	15' 9 1/4"	11-7/8" BCI® 4500s-1.8	1	2
FJ-15	15' 6"	11-7/8" BCI® 4500s-1.8	1	13
FJ-15-2	15' 6"	11-7/8" BCI® 4500s-1.8	2	4
Rim1	12' 0"	1" x 11-7/8" BC RIM BOARD OSB	1	11

**Builders FirstSource**  
Engineered Wood Products  
Boise Cascade  
www.BLDR.com  
1135 Robeson St.  
Fayetteville, NC 28305  
V (910) 485-1111  
F (910) 485-6475  
7601 BOEING DRIVE  
GREENSBORO, NC 27409  
V: 336.884.5454  
3189 NC HIGHWAY 5  
ABERDEEN NC 28315  
V: 910.944.2516

This layout and associated materials list has been prepared based on project plans and/or information provided to Builders FirstSource (BFS). It remains the responsibility of the builder, architect, designer, or other responsible persons to review this information to assure that it is appropriate, accurate, complete and complies with applicable building codes.

**GENERAL NOTES**  
1.) READ THE INSTALLATION GUIDE BEFORE FRAMING.  
2.) ALL WALL SHOWN ARE LOAD BEARING UNLESS NOTES OTHERWISE WALLS NOT SHOWN HAVE BEEN CONSIDERED NON-LOAD BEARING.  
3.) UNLESS STATED OTHERWISE ALL CEILING & ROOF LOADS BRACE DIRECTLY TO LOAD BEARING WALLS SUPPORTED BY FOUNDATION.  
4.) CONTACT YOUR LOCAL BUILDERS FIRSTSOURCE LOCATION BEFORE MAKING ANY ALTERATION & ADJUSTMENTS. FAILURE MAY RESULT IN COSTLY REPAIRS.

**H & H HOMES**  
**ENGAGE-A GL**  
CRAWL EWP PLACEMENT PLAN  
Builders FirstSource, Central Carolina Markets  
DRAWN BY: LEE ATKINS  
DATE: 3-20-18  
SCALE: NTS  
JOB #

MINIMUM DESIGN DATA  
LIVE LOAD 40 PSF  
DEAD LOAD 10 PSF  
TOTAL LOAD 50 PSF  
STRESS DURATION = 100%  
DEFLECTION CRITERIA L/480 (MINIMUM)

ARCHITECTURAL PLAN DATE 11-16-17  
REVISED ARCH. PLAN DATE XX-XX-XX  
SEALED PLAN DATE 12-22-17

Sheet  
1 of 1