

Harnett County Department of Public Health Improvement Permit

A building permit cannot be issued with only an Improvement Permit

SN 1314

ISSUED TO: Country Fair Homes
NEW REPAIR EXPANSION
Type of Structure: 3-Bedroom MOD 32'x66'
Proposed Wastewater System Type: 25% reduction sys.
Projected Daily Flow: 366 GPD
Number of bedrooms: 3 Number of Occupants: 6 max
Basement Yes No
Pump Required: Yes No May be required based on final location and elevations of facilities
Type of Water Supply: Community Public Well Distance from well NA feet
Permit conditions: _____

PROPERTY LOCATION: 149 On Rock Ln. (Raven Rock Rd.)
SUBDIVISION: Womac Dupmt LOT # TR9A
Site Improvements required prior to Construction Authorization Issuance: _____

Permit valid for: Five years
 No expiration

Authorized State Agent: [Signature] Date: 06/21/2019 SEE ATTACHED SITE SKETCH
The issuance of this permit by the Health Department in no way guarantees the issuance of other permits. The permit holder is responsible for checking with appropriate governing bodies in meeting their requirements. This site is subject to revocation if the site plan, plat, or the intended use changes. The Improvement Permit shall not be affected by a change in ownership of the site. This permit is subject to compliance with the provisions of the Laws and Rules for Sewage Treatment and Disposal and to conditions of this permit.

Construction Authorization

(Required for Building Permit)

The construction and installation requirements of Rules 1950, 1952, 1954, 1955, 1956, 1957, 1958, and 1959 are incorporated by references into this permit and shall be met. Systems shall be installed in accordance with the attached system layout.

SN 1314

ISSUED TO: Country Fair Homes
Facility Type: 3-Bedroom MOD 32'x66' New Expansion Repair
Basement? Yes No Basement Fixtures? Yes No
Type of Wastewater System** 25% reduction system (Initial) Wastewater Flow: 366 GPD
(See note below, if applicable 25% reduction sys. (Repair))

PROPERTY LOCATION: 149 On Rock Ln. (Raven Rock Rd.)
SUBDIVISION: WOM2 Developers LOT # TR9A

Installation Requirements/Conditions

Septic Tank Size 1000 gallons
Pump Tank Size _____ gallons
Number of trenches 3
Exact length of each trench 100 feet
Trenches shall be installed on contour at a
Maximum Trench Depth of: 24 inches
(Trench bottoms shall be level to +/-1/4"
in all directions)
Trench Spacing: 9 Feet on Center
Soil Cover: 12 inches
(Maximum soil cover shall not exceed
36" above the trench bottom)
Pump Requirements: _____ ft. TDH vs. _____ GPM
Aggregate Depth: NA inches below pipe
NA inches above pipe
NA inches total

**WATER LINES (INCLUDING IRRIGATION) MUST BE 10FT. FROM ANY PART OF SEPTIC SYSTEM OR REPAIR AREA.
NO UTILITIES ALLOWED IN INITIAL OR REPAIR DRAIN FIELD AREA.**

**If applicable: I understand the system type specified is different from the type specified on the application. I accept the specifications of this permit.

Owner/Legal Representative Signature: _____ Date: _____

This Construction Authorization is subject to revocation if the site plan, plat, or the intended use changes. The Construction Authorization shall not be transferred when there is a change in ownership of the site. This Construction Authorization is subject to compliance with the provisions of the Laws and Rules for Sewage Treatment and Disposal and to the conditions of this permit. SEE ATTACHED SITE SKETCH

Authorized State Agent: [Signature] Date: 06/21/2019
ANDREW WAIN Construction Authorization Expiration Date: 06/21/2024

HTE# SA1812-0009

Permit # NA

Harnett County Department of Public Health Site Sketch

ISSUED TO: Country Fair Homes PROPERTY LOCATOR: 149 On Rock Ln. (Raven Rock Road) SN 1314
SUBDIVISION: WDM 2 Developers LOT # T29A

Authorized State Agent: *Andrew Collins* Date: 06/21/2019
ANDREW COLLINS

