Harnett County Department of Public Health

Improvement Permit

A building permit cannot be issued with only an Improvement Permit
PROPERTY LOCATION: 152 Blue Chip Ct

ISSUED TO: Pride Homes	SUPPLIED MORKOT PLACE			
		Subdivision Market Place Lot # 96 Site Improvements required prior to Construction Authorization Issuance:		
Type of Structure: SFD (65'x60')	Site improvements i	equired prior to Construction Authoriz	zation Issuance:	
Proposed Wastewater System Type: 25% Redu	iction System			
Projected Daily Flow: 480 GPD	out of otom			
	cupants: 8 max			
Basement Yes X No	- max			
	quired based on final location and elevations of facilities			
	☐ Well Distance from well	Permit valid for:	▼ Five years	
Permit conditions:			No expiration	
		/	LI NO EXPIRATION	
Authorized State Agent::	REHS Date: 3/27/2019	SEE ATTA	CHED SITE SKETCH	
The issuance of this permit by the Health Department in no way gu	arantees the issuance of other permits. The permit holder is responsible for c	serking with appropriate governing hadier in -	manting at 1	
site is subject to revocation in the site plan, plat, or the intended u	ie Changes. The Improvement Permit shall not be affected by a change in ow	nership of the site. This permit is subject to co	ompliance with the provisions of	
the Laws and Rules for Sewage Treatment and Disposal and to cond	tions of this permit			
	Construction Authorization			
	(Required for Building Permit)			
The construction and installation requirements of Rules .1950, .1952,	.1954, .1955, .1956, .1957, .1958. and .1959 are incorporated by reference	into this permit and shall be met. Systems s	hall be installed in accordance	
with the attached system layout.		· · · · · · · · · · · · · · · · · · ·	The second secon	
ISSUED TO: Pride Homes	DRODERTY LOCATION 152	Plus Chin Ct		
ISSUED TO: 1 TIGO TIONIOO	PROPERTY LOCATION: 152			
Codition Turns SED (SELVEO)		ace	LOT # <u>96</u>	
Facility Type: SFD (65'x60')	New Expansion Repair			
	ixtures? Yes No			
	ction System	(Initial) Wastewater Flow: 4	80 GPD	
(See note below, if applicable (1)	may see a			
_25% Red	uction System (Repair)			
nstallation Requirements/Conditions	Number of trenches 1			
Septic Tank Size 1000 gallons	Exact length of each trench 200 feet	Trench Spacing: 9	eet on Center	
Pump Tank Sizegallons	Trenches shall be installed on contour at a		ches	
	Maximum Trench Depth of: 18-24 inches	(Maximum soil cover shall no		
	(Trench bottoms shall be level to +/-1/4"	36" above the trench bottom		
	in all directions)	30 above the trench botton	n)	
Pump Requirements:ft. TDH vs				
amp requirementsit. IDH VS	GPM		inches below pipe	
e p. c		Aggregate Depth:	inches above pipe	
onditions:			inches total	
VATER LINES (INCLUDING IRRIGATION) MUST	BE 10FT. FROM ANY PART OF SEPTIC SYSTEM OR I	REPAIR AREA		
O UTILITIES ALLOWED IN INITIAL OR REPAIR	DRAIN FIFI D ARFA			
"It applicable: I understand the system type specific	ed is different from the type specified on the application.	I accept the specifications of this	s permit.	
wner/Legal Representative Signature:		Date:		
nis Construction Authorization is subject to revocation if the site plan	plat, or the intended use changes. The Construction Authorization shall not	e transferred when there is a change in owne	ership of the site. This	
onstruction Authorization is subject to compliance with the provisions	of the Laws and Rules for Sewage Treatment and Disposal and to the conditi	ons of this permit. SEE AT	TACHED SITE SKETCH	
uthorized State Agent:	REALS Date:	3/27/2019		
	Construction Authorization Expiration D			
		are		

HTE# 5FD1903-001	17
------------------	----

Permit # _____

Harnett County Department of Public Health Site Sketch

PROPERTY LOCATON: 152 BLUE CHIP CT.
SUBDIVISION MARKET PLACE RENS (DLIVER TOLKSDO(F) Date: 3/27/19 Authorized State Agent: 298 HOUSE (68×60)