Harnett County Department of Public Health

Improvement Permit

A building permit cannot be issued with only an Improvement Permit PROPERTY LOCATION: 154 Southern Place (Clark Road - SR 1129) ISSUED TO: Lamco Custom Blds SUBDIVISION Currin Plantation REPAIR | NEW X Site Improvements required prior to Construction Authorization Issuance: Type of Structure: 3-bedroom 52'x 48' SFD Proposed Wastewater System Type: 25% Reduction System Projected Daily Flow: 360 Number of bedrooms: 3_ Number of Occupants: 6 X No Basement Yes ☐ No Pump Required: Yes May be required based on final location and elevations of facilities Type of Water Supply: Community Public Well Distance from well NA feet X Five years Permit valid for: No expiration Permit conditions: 04/11/2019 The issuance of this permit by the Health Department in no way guarantees the issuance of other permits. The permit holder is responsible for checking with appropriate governing bodies in meeting their requirements. This site is subject to revocation if the site plan, plat, or the intended use changes. The Improvement Permit shall not be affected by a change in ownership of the site. This permit is subject to compliance with the provisions of the Laws and Rules for Sewage Treatment and Disposal and to conditions of this permit. Construction Authorization (Required for Building Permit) The construction and installation requirements of Rules .1950, .1952, .1954, .1955, .1956, .1957, .1958, and .1959 are incorporated by references into this permit and shall be met. Systems shall be installed in accordance PROPERTY LOCATION: 154 Southern Place (Clark Road - SR 1129) ISSUED TO: Lamco Custom Blds SUBDIVISION Currin Plantation LOT # 6 Facility Type: 3-bedroom 52'x 48' SFD ■ Expansion Repair X New Basement? Yes Basement Fixtures? Tes 25% Reduction System (Initial) Wastewater Flow: 360 Type of Wastewater System** (See note below, if applicable) 25% Reduction System (Repair) Number of trenches 3 Installation Requirements/Conditions Septic Tank Size 1000 Exact length of each trench 75 Trench Spacing: 3 Feet on Center Soil Cover: 14 Pump Tank Size gallons Trenches shall be installed on contour at a inches Maximum Trench Depth of: 26 inches (Maximum soil cover shall not exceed (Trench bottoms shall be level to +/-1/4" 36" above the trench bottom) in all directions) ft. TDH vs. inches below pipe Pump Requirements: Aggregate Depth: inches above pipe Conditions: 5ft foundation setback off any proposed deck inches total WATER LINES (INCLUDING IRRIGATION) MUST BE 10FT. FROM ANY PART OF SEPTIC SYSTEM OR REPAIR AREA. NO UTILITIES ALLOWED IN INITIAL OR REPAIR DRAIN FIELD AREA. **If applicable: I understand the system type specified is different from the type specified on the application. I accept the specifications of this permit. Owner/Legal Representative Signature: This Construction Authorization is subject to revocation if the site plan, plat, or the intended use changes. The Construction Authorization shall not be transferred when there is a change in ownership of the site. This Construction Authorization is subject to compliance with the provisions of the Laws and Rules for Sewage Treatment and Disposal and to the conditions of this permit. SEE ATTACHED SITE SKETCH Date: Authorized State Agent: Construction Authorization Expiration Date: 04/11/2024 ANDREW CURRIN

HTE#	5FD1903-0045	-
HIC#	2101100000	

Permit # _____

Harnett County Department of Public Health Site Sketch

			sothern Pl. (clark Nd.)			
ISSUED TO: Lanco Costom BHS		Currin			# _6	
Authorized State Agent:	corans	Day Day	te:	+ 11/2019		
		1001				
\$ 5Ft Boundation setbourk OFF any exist proposed dealk		_ ·	- 1			
Off any exist proposed		/	1			
deck.	2590 NES 2590 NES 2590 NES	A/16 A (3)	_	286.2C		
~	36 5F 34'	1	48'			