

**Improvement Permit**

A building permit cannot be issued with only an Improvement Permit

ISSUED TO: ON TOP BUILDING COMPANY LLC  
NEW  REPAIR  EXPANSION

PROPERTY LOCATION: ON 1006 OLD STAGE RD  
SUBDIVISION WYNN RIDGE LOT # 22  
Site Improvements required prior to Construction Authorization Issuance:

Type of Structure: SFD  
Proposed Wastewater System Type: 25% Reductive  
Projected Daily Flow: 3600 GPD  
Number of bedrooms: 3 Number of Occupants: 4 max  
Basement  Yes  No  
Pump Required:  Yes  No  May be required based on final location and elevations of facilities  
Type of Water Supply:  Community  Public  Well Distance from well \_\_\_\_\_ feet  
Permit conditions: \_\_\_\_\_

Permit valid for:  Five years  
 No expiration

Authorized State Agent: [Signature]

Date: 5-29-19

SEE ATTACHED SITE SKETCH

The issuance of this permit by the Health Department in no way guarantees the issuance of other permits. The permit holder is responsible for checking with appropriate governing bodies in meeting their requirements. This site is subject to revocation if the site plan, plat, or the intended use changes. The Improvement Permit shall not be affected by a change in ownership of the site. This permit is subject to compliance with the provisions of the Laws and Rules for Sewage Treatment and Disposal and to conditions of this permit.

**Construction Authorization**

(Required for Building Permit)

The construction and installation requirements of Rules .1950, .1952, .1954, .1955, .1956, .1957, .1958, and .1959 are incorporated by references into this permit and shall be met. Systems shall be installed in accordance with the attached system layout.

ISSUED TO: ON TOP BUILDING COMPANY LLC

PROPERTY LOCATION: ON 1006 OLD STAGE RD  
SUBDIVISION WYNN RIDGE LOT # 22

Facility Type: SFD  New  Expansion  Repair  
Basement?  Yes  No Basement Fixtures?  Yes  No  
Type of Wastewater System\*\* 25% Reductive System  
(See note below, if applicable )

(Initial) Wastewater Flow: 3600 GPD

50% REDUCTIVE SYSTEM (Repair)

**Installation Requirements/Conditions**

Septic Tank Size 1200 gallons  
Pump Tank Size 1000 gallons

Number of trenches 1  
Exact length of each trench 300 feet  
Trenches shall be installed on contour at a  
Maximum Trench Depth of: 20-18 inches  
(Trench bottoms shall be level to +/-1/4"  
in all directions)

Trench Spacing: 9 Feet on Center  
Soil Cover: 6 inches  
(Maximum soil cover shall not exceed  
36" above the trench bottom)

Pump Requirements: \_\_\_\_\_ ft. TDH vs. \_\_\_\_\_ GPM

Aggregate Depth: 6 inches below pipe  
2 inches above pipe  
12 inches total

Conditions: STUB PLUMBING OUT ABOVE GRADE ON CORNER AND PUMP MAY BE ADDED

**WATER LINES (INCLUDING IRRIGATION) MUST BE 10FT. FROM ANY PART OF SEPTIC SYSTEM OR REPAIR AREA.  
NO UTILITIES ALLOWED IN INITIAL OR REPAIR DRAIN FIELD AREA.**

\*\*If applicable: I understand the system type specified is different from the type specified on the application. I accept the specifications of this permit.

Owner/Legal Representative Signature: \_\_\_\_\_

Date: \_\_\_\_\_

This Construction Authorization is subject to revocation if the site plan, plat, or the intended use changes. The Construction Authorization shall not be transferred when there is a change in ownership of the site. This Construction Authorization is subject to compliance with the provisions of the Laws and Rules for Sewage Treatment and Disposal and to the conditions of this permit.

SEE ATTACHED SITE SKETCH

Authorized State Agent: [Signature]

Date: 5-29-19

Construction Authorization Expiration Date: 5-25-24

HTE# 5A 1905-0014

Permit # 30512

# Harnett County Department of Public Health Site Sketch

ISSUED TO: On Top Building Company LLC PROPERTY LOCATOR: 5A 1006 OLD STAGE RD  
SUBDIVISION: WynnrIDGE LOT # 22

Authorized State Agent: James E. Mandant Date: 5-29-19



IF NO BASEMENT AND  
PLUMBING CAN BE  
STUBBED OUT AT GRADE  
PUMP MAY NOT BE  
REQUIRED.