Harnett County Department of Public Health

Improvement Permit

A building permit cannot be issued with only an Improvement Permit

*	PROPERTY LOCATION: 75 Rawls Meadow Ln. (Christian Light Road - SR 1412)
ISSUED TO: KB Homes Carolinas	SUBDIVISION Mason Pointe LOT # 63
NEW REPAIR EXPANSION	Site Improvements required prior to Construction Authorization Issuance:
Type of Structure: 4-bedroom 50'x70' SFD	
Proposed Wastewater System Type: 25% Reduction System	_
Projected Daily Flow: 480 GPD	
Number of bedrooms: 4 Number of Occupants: 8	_max
Basement Yes No	
Pump Required: Yes No May be required based on final Type of Water Supply: Community Public Well Dista	
Permit conditions:	nce from well NA feet Permit valid for: X Five years No expiration
Termit Conditions.	no expiration
10	
Authorized State Agent::	HDate: 06/05/2019 SEE ATTACHED SITE SKETCH
The issuance of this permit by the Health Department in no way guarantees the issuance of oth	r permits. The permit holder is responsible for checking with appropriate governing bodies in meeting their requirements. This
site is subject to revocation if the site plan, plat, or the intended use changes. The Improvemen	Permit shall not be affected by a change in ownership of the site. This permit is subject to compliance with the provisions of
the Laws and Rules for Sewage Treatment and Disposal and to conditions of this permit	
Consti	uction Authorization
	quired for Building Permit)
	.1958. and .1959 are incorporated by references into this permit and shall be met. Systems shall be installed in accordance
with the attached system layout.	
ISSUED TO: KB Homes Carolinas	DEGETTY LOCATION 75 Powle Monday Lo (Christian Light Book CD 4442)
1330ED 10. 110 Hornes Gardinal	PROPERTY LOCATION: 75 Rawls Meadow Ln. (Christian Light Road - SR 1412)
F III T 4 hodroom F0lv70l CFD	SUBDIVISION Mason Pointe LOT # 63
Facility Type: 4-bedroom 50'x70' SFD X New	Expansion Repair
Basement? Yes No Basement Fixtures? Yes	□No
Type of Wastewater System** 25% Reduction System	(Initial) Wastewater Flow: 480 GPD
(See note below, if applicable)	
50% Reduction PPBPS System	(Repair)
Installation Requirements/Conditions Number of trend	hes 1 or 4
	each trench 300 or 75 (4)feet
Pump Tank Sizegallons Trenches shall be	installed on contour at a Soil Cover: 6inches
Maximum Trench	Depth of: 24 inches (Maximum soil cover shall not exceed
(Trench bottoms	shall be level to +/-1/4" 36" above the trench bottom)
in all directions)	,
Pump Requirements: ft. TDH vsGPM	NA inches below pipe
	Aggregate Depth: NA inches above pipe
Conditions:	NA inches total
conditions.	THE INCHES COLA
WATER LINES ANGLURING IRRUGATION AND THE TOTAL FROM A	NV DADE OF STREET AND ADDRESS OF STREET
WATER LINES (INCLUDING IRRIGATION) MUST BE 10FT. FROM A	
NO UTILITIES ALLOWED IN INITIAL OR REPAIR DRAIN FIELD ARE.	1 .
** If applicable: I understand the system type specified is different from	the type specified on the application. I accept the specifications of this permit.
in applicable. I understand the system type specified is unferent from	the type specified on the application. Taccept the specifications of this permit.
Ourper/Logal Representative Co	D
Owner/Legal Representative Signature:	Date:
Construction Authorization is subject to compliance with the provisions of the Laws and Rules for	sewage Treatment and Disposal and to the conditions of this permit. SEE ATTACHED SITE SKETCH
	Secretary of the land
Authorized State Agent:	ruction Authorization Expiration Date: OUGF12024

HTE# _5001905-002	24	4
-------------------	----	---

ISSUED TO: KB Homes Cardinas

Permit # _____ NA

Harnett County Department of Public Health Site Sketch

PROPERTY LOCATON: 75 Rawls Meadow Ln. (Christian Kt ns.)

SUBDIVISION _____ Mason Pointe LOT # 63

Authorized State Agent: Carolina Date: 06/05/2017

