

Harnett County Department of Public Health

Improvement Permit

A building permit cannot be issued with only an Improvement Permit

ISSUED TO: Signature Home Builders PROPERTY LOCATION: 1118 Oak Grove Ch Rd., Angier
 NEW REPAIR EXPANSION SUBDIVISION _____ LOT # 4
 Type of Structure: SFD 3bdrm 55.5' x 43.33' Site Improvements required prior to Construction Authorization Issuance: _____
 Proposed Wastewater System Type: 25% Red. III g _____
 Projected Daily Flow: 360 GPD _____
 Number of bedrooms: 3 Number of Occupants: 6 max _____
 Basement Yes No _____
 Pump Required: Yes No May be required based on final location and elevations of facilities _____
 Type of Water Supply: Community Public Well Distance from well _____ feet Permit valid for: Five years
 Permit conditions: _____ No expiration

Authorized State Agent: James E. Markham Date: 7-17-15 SEE ATTACHED SITE SKETCH
 The issuance of this permit by the Health Department in no way guarantees the issuance of other permits. The permit holder is responsible for checking with appropriate governing bodies in meeting their requirements. This site is subject to revocation if the site plan, plat, or the intended use changes. The Improvement Permit shall not be affected by a change in ownership of the site. This permit is subject to compliance with the provisions of the Laws and Rules for Sewage Treatment and Disposal and to conditions of this permit.

Construction Authorization

(Required for Building Permit)

The construction and installation requirements of Rules .1950, .1952, .1954, .1955, .1956, .1957, .1958, and .1959 are incorporated by references into this permit and shall be met. Systems shall be installed in accordance with the attached system layout.

ISSUED TO: Signature Home Builders PROPERTY LOCATION: 1118 Oak Grove Church Rd.
 Facility Type: SFD 3bdrm New Expansion Repair SUBDIVISION _____ LOT # 4
 Basement? Yes No Basement Fixtures? Yes No
 Type of Wastewater System** 25% Red III g (Initial) Wastewater Flow: 360 GPD
 (See note below, if applicable 25% Red III g (Repair)

Installation Requirements/Conditions
 Septic Tank Size 1000 gallons Number of trenches 3
 Pump Tank Size N/A gallons Exact length of each trench 70 feet Trench Spacing: 9 Feet on Center
 Trenches shall be installed on contour at a Soil Cover: 6 inches
 Maximum Trench Depth of: 18 inches (Maximum soil cover shall not exceed 36" above the trench bottom)
 (Trench bottoms shall be level to +/- 1/4" in all directions)
 Pump Requirements: N/A ft. TDH vs. N/A GPM Aggregate Depth: _____ inches below pipe
 Conditions: _____ inches above pipe
 _____ inches total

WATER LINES (INCLUDING IRRIGATION) MUST BE 10FT. FROM ANY PART OF SEPTIC SYSTEM OR REPAIR AREA. NO UTILITIES ALLOWED IN INITIAL OR REPAIR DRAIN FIELD AREA.

**If applicable: I understand the system type specified is different from the type specified on the application. I accept the specifications of this permit.
 Owner/Legal Representative Signature: _____ Date: _____

This Construction Authorization is subject to revocation if the site plan, plat, or the intended use changes. The Construction Authorization shall not be transferred when there is a change in ownership of the site. This Construction Authorization is subject to compliance with the provisions of the Laws and Rules for Sewage Treatment and Disposal and to the conditions of this permit. SEE ATTACHED SITE SKETCH

Authorized State Agent: James E. Markham Date: 7-17-15
REHS-I Construction Authorization Expiration Date: 7-17-24


HTE# SFD1906-0043

Permit # _____

Harnett County Department of Public Health Site Sketch

ISSUED TO: Signature Home Builders PROPERTY LOCATOR: 1118 Oak Grove Ch Rd, Angier
SUBDIVISION _____ LOT # 4

Authorized State Agent: James E. Marshant ^{FE# 23115}
Barry Lee ^{REHS-I}
Drawing NTS Date: 7-17-15



This drawing is for illustrative purposes only. System installation must meet all pertinent laws, rules, and regulations.

- * Septic Tank and Drain field @ least 5' from all house structures
- * Drain field and Tank @ least 10' from all Property lines