Harnett County Department of Public Health


Improvement Permit

A building permit cannot be issued with only an Improvement Permit PROPERTY LOCATION: 141 Starlight Dr. Broadway (SR1265) ISSUED TO: A&G Residential SUBDIVISION New Horizons REPAIR EXPANSION Site Improvements required prior to Construction Authorization Issuance: Type of Structure: SFD 38'x68' Proposed Wastewater System Type: 25% Reduction Projected Daily Flow: 480 GPD Number of bedrooms: 4 Number of Occupants: 8 max Basement Yes X No Pump Required: Yes No May be required based on final location and elevations of facilities Type of Water Supply: Community Public Well Distance from well _______feet X Five years Permit valid for: No expiration Permit conditions: ____ Date: 11/14/19 The issuance of this permit by the Health Departmaner in no way guarantees the issuance of other permits. The permit holder is responsible for checking with appropriate governing bodies in meeting their requirements. This site is subject to revocation if the site plan, plat, or the intended use changes. The Improvement Permit shall not be affected by a change in ownership of the site. This permit is subject to compliance with the provisions of the Laws and Rules for Sewage Treatment and Disposal and to conditions of this permit... Construction Authorization (Required for Building Permit) The construction and installation requirements of Rules .1950, .1952, .1954, .1955, .1956, .1957, .1958, and .1959 are incorporated by references into this permit and shall be met. Systems shall be installed in accordance ISSUED TO: A&G Residential PROPERTY LOCATION: 141 Starlight Dr. Broadway SUBDIVISION New Horizons Facility Type: SFD 38'x68' Expansion Repair Basement? Yes Basement Fixtures? Yes 25% Reduction (Initial) Wastewater Flow: 480 Type of Wastewater System** (See note below, if applicable) 25% Reduction Number of trenches 1 Installation Requirements/Conditions _feet Trench Spacing: 9 Feet on Center Septic Tank Size 1000 gallons Exact length of each trench 260 Pump Tank Size _____gallons Trenches shall be installed on contour at a Soil Cover: 6_____inches Maximum Trench Depth of: 18-24 inches (Maximum soil cover shall not exceed (Trench bottoms shall be level to +/-1/4" 36" above the trench bottom) in all directions) Pump Requirements: ______ft. TDH vs. _____GPM ____ inches below pipe Aggregate Depth: ______ inches above pipe Conditions: WATER LINES (INCLUDING IRRIGATION) MUST BE 10FT. FROM ANY PART OF SEPTIC SYSTEM OR REPAIR AREA. NO UTILITIES ALLOWED IN INITIAL OR REPAIR DRAIN FIELD AREA. *th applicable: I understand the system type specified is different from the type specified on the application. I accept the specifications of this permit. Owner/Legal Representative Signature: This Construction Authorization is subject to revocation if the site plan, plat, or the intended use changes. The Construction Authorization shall not be transferred when there is a change in ownership of the site. This Construction Authorization is subject to compliance with the provisions of the Laws and Rules for Sewage Treatment and Disposal and to the conditions of this permit. SEE ATTACHED SITE SKETCH

Authorized State Agent: __ Date: 11/14/2019 Construction Authorization Expiration Date: 11/14/2024

Harnett County Department of Public Health Site Sketch

Property Location: 141 Starlight Dr. Broadway (SR# 1265)			
Issued To: A & G RESICULTICAL Subdivision NEW HOTIZONS		Lot	# 11
Authorized State Agent: BAR LEHS	Date:	18	19



This drawing is for illustrative purposes only. System installation must meet all pertinent laws, rules, and regulations.