Harnett County Department of Public Health


Improvement Permit

A building permit cannot be issued with only an Improvement Permit

KEUER TO WOOVER HOMOS INC		oring HIII Church Rd,		
ISSUED TO: Weaver Homes, INC NEW REPAIR EXPANSION	SUBDIVISION	required prior to Construction Autho	LOT #	
Type of Structure: SFD 83'x60	are improvements	required prior to construction Author	rization issuance.	
Proposed Wastewater System Type: 25% Reduction				
Projected Daily Flow: 600 GPD	-			
Number of bedrooms: 5 Number of Occupants: 10	max			
Basement Yes 🗵 No				
Pump Required: Yes 🛛 No 🔲 May be required based on final lo				
Type of Water Supply: Community 🗵 Public 🗌 Well Distant	te from well feet	Permit valid for:	✓ Five years	
Permit conditions:			☐ No expiration	
	¥			
Authorized State Agent:	Date: 12/3/2019	SEE AT	TACHED SITE SKETCH	
The issuance of this permit by the Health Department in no way guarantees the issuance of other	permits. The permit holder is responsible for	checking with appropriate governing bodies in	n meeting their requirements. This	
site is subject to revocation if the site plan, plat, or the intended use changes. The Improvement I the Laws and Rules for Sewage Treatment and Disposal and to conditions of this permit	Permit shall not be affected by a change in o	ownership of the site. This permit is subject to	compliance with the provisions of	
Constru	action Authorization			
· ·	uired for Building Permit)			
The construction and installation requirements of Rules .1950, .1952, .1954, .1955, .1956, .1957.		ces into this permit and shall be met. System	s shall be installed in accordance	
with the attached system layout.				
ISSUED TO: Weaver Homes, INC	DRODERTY LOCATION: 512	26 Spring Hill Church	Rd (SR1238)	
1530ED 10	SUBDIVISION	o oping i ili ondicii	LOT #	
Facility Type: SFD 83'x60" X New	Expansion Repa	ir		
	⊠ No	**		
Type of Wastewater System** 25% Reduction		(Initial) Wastewater Flow:	600 GPD	
See note below, if applicable (1)		(man) materiale man		
25% Reduction	(Repair)			
nstallation Requirements/Conditions Number of trench				
Septic Tank Size 1250 gallons Exact length of e	ach trench 95 feet	Trench Spacing: 9	Feet on Center	
Pump Tank Sizegallons Trenches shall be	installed on contour at a	Soil Cover: 6	inches	
Maximum Trench	Depth of: 18-24 inche	s (Maximum soil cover shall	not exceed	
(Trench bottoms s	hall be level to +/-1/4"	36" above the trench bot	tom)	
in all directions)				
Pump Requirements:ft. TDH vsGPM			inches below pipe	
		Aggregate Depth:	inches above pipe	
Conditions:			inches total	
VATER LINES (INCLUDING IRRIGATION) MUST BE 10FT. FROM AN	IY PART OF SEPTIC SYSTEM O	R REPAIR AREA.		
IO UTILITIES ALLOWED IN INITIAL OR REPAIR DRAIN FIELD AREA				
*If applicable: I understand the system type specified is different from to	he type specified on the applicati	on. I accept the specifications of	this permit.	
	,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	om i accept the specimentons of	/2	
Owner/Legal Representative Signature:		Date:		
his Construction Authorization is subject to revocation if the site plan, plat, or the intended use cl	nanges. The Construction Authorization shall n			
onstruction Authorization is subject to compliance with the provisions of the Laws and Bules for Si			ATTACHED SITE SKETCH	
K II a I	201-			
Authorized State Agent: Date: 12/3/2019				
		Date: 12/3/2024		

Harnett County Department of Public Health Site Sketch

Property Location: 5126 Spring Hill Church Rd	Lillmaton	(52#1238)
Issued To: Weller Homes, MC Subdivision_),,	Lot #
Authorized State Agent: BAR CLOR KEHS	Date:	



Spring Hill Church Rd

This drawing is for illustrative purposes only. System installation must meet all pertinent laws, rules, and regulations.