
Harnett County Department of Public Health

Improvement Permit

A building permit cannot be issued with only an Improvement Permit PROPERTY LOCATION: 41 Cherry Hill Dr, Lillington (SR#1116) ISSUED TO: Mckee Homes SUBDIVISION Oakmont REPAIR EXPANSION Site Improvements required prior to Construction Authorization Issuance: Type of Structure: SFD 56'x36' Proposed Wastewater System Type: Pump to 25% Reduction Projected Daily Flow: 480 Number of Occupants: 8 max Number of bedrooms: 4 Basement Yes Pump Required: XYes No May be required based on final location and elevations of facilities Type of Water Supply: Community 🛛 Public 🔲 Well Distance from well _______feet X Five years Permit valid for: No expiration Permit conditions: REHS Date: 12/6/2019 The issuance of this permit by the Health Defartment on way guarantees the issuance of other permits. The permit holder is responsible for checking with appropriate governing bodies in meeting their requirements. This site is subject to revocation if the site plan, plat, or the intended use changes. The Improvement Permit shall not be affected by a change in ownership of the site. This permit is subject to compliance with the provisions of the Laws and Rules for Sewage Treatment and Disposal and to conditions of this permit. Construction Authorization (Required for Building Permit) The construction and installation requirements of Rules .1950, .1952, .1954, .1955, .1956, .1957, .1958, and .1959 are incorporated by references into this permit and shall be met. Systems shall be installed in accordance ISSUED TO: Mckee Homes PROPERTY LOCATION: 41 Cherry Hill Dr. Lillington (SR1116) SUBDIVISION Oakmont Facility Type: SFD 56'x36' ☐ Expansion ☐ Repair X New Basement? TYes Basement Fixtures? Yes X No Type of Wastewater System** Pump to 25% Reduction _____ (Initial) Wastewater Flow: 480 ____ GPD (See note below, if applicable) Pump to 25% Reduction Installation Requirements/Conditions Number of trenches 1 Septic Tank Size 1000 gallons Exact length of each trench 270 _feet Trench Spacing: 9_____ Feet on Center Pump Tank Size 1000 gallons Trenches shall be installed on contour at a Soil Cover: 6_____inches Maximum Trench Depth of: 18-20 inches (Maximum soil cover shall not exceed (Trench bottoms shall be level to +/-1/4" 36" above the trench bottom) in all directions) Pump Requirements: ______ ft. TDH vs. _____GPM _____ inches below pipe Aggregate Depth: inches above pipe Conditions: WATER LINES (INCLUDING IRRIGATION) MUST BE 10FT. FROM ANY PART OF SEPTIC SYSTEM OR REPAIR AREA. NO UTILITIES ALLOWED IN INITIAL OR REPAIR DRAIN FIELD AREA. **If applicable: I understand the system type specified is different from the type specified on the application. I accept the specifications of this permit. Owner/Legal Representative Signature: _ This Construction Authorization is subject to revocation if the site plan, plat, or the intended use changes. The Construction Authorization shall not be transferred when there is a change in ownership of the site. This Construction Authorization is subject to compliance with the provisions of the Laws and Rules for Sewage Treatment and Disposal and to the conditions of this permit. SEE ATTACHED SITE SKETCH Date: 12/6/2019 Authorized State Agent: Construction Authorization Expiration Date: 12/6/2024

Harnett County Department of Public Health Site Sketch

| Property Location: 41 Chemy Hill Dr., Lillmoston (SR# 1) | 16) |
|--|-----------------|
| Issued To: Mckee Homes, LCC Subdivision Jack mant | Lot# <u>155</u> |
| Authorized State Agent: BASAL REHS | Date: 12/6/19 |



This drawing is for illustrative purposes only. System installation must meet all pertinent laws, rules, and regulations.