## Harnett County Department of Public Health Improvement Permit A building permit cannot be issued with only an Improvement Permit

	PROPERTY LOCATION: 576 Executive Dr. Lillington (SR#1116)
	SUBDIVISION Oakmont LOT # 168
NEW REPAIR EXPANSION Type of Structure: SFD 43'x60'	Site Improvements required prior to Construction Authorization Issuance:
Proposed Wastewater System Type: 25% Reduction	
Projected Daily Flow: 360 GPD	·
2	max
Basement Yes 🗵 No	
Pump Required: Yes No May be required based on final lo Type of Water Supply: Community Dublic Well Distance	
Permit conditions:	No expiration
Termit Conditions.	
BA Ach Da	SEE ATTACHED SITE SKETCH
Authorized State Agent::  The issuance of this permit by the Health Department in no way ouarantees the issuance of other	Date: 12/23/2019 SEE ATTACHED SITE SKETCH  permits. The permit holder is responsible for checking with appropriate governing bodies in meeting their requirements. This
site is subject to revocation if the site plan, plat, or the intended use changes. The Improvement	Permit shall not be affected by a change in ownership of the site. This permit is subject to compliance with the provisions of
the Laws and Rules for Sewage Treatment and Disposal and to conditions of this permit.	
Constru	uction Authorization
<del>1</del>	uired for Building Permit)  1958, and 1959 are incorporated by references into this permit and shall be met. Systems shall be installed in accordance
with the attached system layout.	
ISSUED TO: McKee Homes, LLC	PROPERTY LOCATION: 576 Executive Dr. Lillington (SR#1116)
-	SUBDIVISION Oakmont LOT # 168
Facility Type: SFD 43'x60'	Expansion Repair
Basement? Yes No Basement Fixtures? Yes	⊠ No
Type of Wastewater System** 25% Reduction	(Initial) Wastewater Flow: 360 GPD
(See note below, if applicable )	٨٠ ١٥
	(Repair)
	each trench 245feet
	installed on contour at a Soil Cover: 6 inches
ASSESSED TO ASSESSED AND ASSESSED ASSES	Depth of: 12inches (Maximum soil cover shall not exceed
	shall be level to +/-1/4" 36" above the trench bottom)
in all directions)	
Pump Requirements:ft. TDH vsGPM	inches below pipe
	Aggregate Depth:inches above pipe
Conditions: No Grading, Cutting, or other soil distance of Driveway flushed with property line with a significant conditions:	
WATER LINES (INCLUDING IRRIGATION) MUST BE 10FT. FROM AN	
NO UTILITIES ALLOWED IN INITIAL OR REPAIR DRAIN FIELD AREA	l.
**If applicable: 1 understand the system type specified is different from t	the type specified on the application. I accept the specifications of this permit.
Owner/Legal Representative Signature:	Date:
	changes. The Construction Authorization shall not be transferred when there is a change in ownership of the site. This
Construction Authorization is subject to compliance with the provisions of the Laws and Rules for Sewage Treatment and Disposal and to the conditions of this permit.	
2 11 111	2514
Authorized State Agent:	Date: 12/23/2019
	ruction Authorization Expiration Date: 12/23/2024

## Harnett County Department of Public Health Site Sketch

Property Location: 576 EXECUTIVE Dr. Lillington (SR# 1116)  Issued To: MCKEL HOMES Subdivision Oakmont Lot# 168
Authorized State Agent: Balloh REHS Date: 12/23/19
* No Grading; cutting or other soil disturbance
* Drive way on property line with a side entry garage

