





www.bldr.com

1135 ROBESON STREET FAYETTEVILLE, NC 28305 V (910) 485-1111

7601 BOEING DRIVE GREENSBORO, NC 27409 V (336) 884-5454

3189 NC HIGHWAY5 ABERDEEN NC 28315 V (910) 944-2516

This layout and associated materials list has been prepared based on project plans and/or information provided to Builders FirstSource (BFS). It remains the responsibility of the builder, architect, designer, or other responsible persons to review this information to assure that it is appropriate, accurate, complete and complies with applicable building codes.

1.) READ THE INSTALLATION GUIDE BEFORE FRAMING.
2.) ALL WALLS SHOWN ARE LOAD BEARING UNLESS NOTED OTHERWISE. WALLS NOT SHOWN ARE CONSIDERED NON-LOAD BEARING.
3.) UNLESS STATED OTHERWISE ALL CEILING & ROOF LOADS BRACE DIRECTLY TO LOAD BEARING WALLS SUPPORTED FOUNDATION.
4.) CONTACT BUILDERS FIRSTSOURCE BEFORE MAKING ANY ALTERATIONS OR ADJUSTMENTS...FAILURE TO DO SO MAY RESULT IN COSTLY REPAIRS.

NCE - MASTER

PLACEMENT PLAN

Irce, Central Carolina Markets

EWP PLACEMI Builders FirstSource, Cer

MINIMUM DESIGN DATA
-----LIVE LOAD 40 PSF
DEAD LOAD 10 PSF

TOTAL LOAD 50 PSF

OTAL LOAD 50 P -----DOL = 100%

DEFLECTION CRITERIA L/480 (MINIMUM)

ARCHITECTUAL PLAN DATE

XX-XX-XX

REVISED ARCH. PLAN DATE

XX-XX-XX

Sheet

Sneet 1 of 1

FLORENCE SEAL DATE 04/29/16 1st FLOOR EWP PLACEMENT PLAN

Products				
PlotID	Length	Product	Plies	Net Qty
FJ-1	36' 7"	11-7/8" BCI® 4500s-1.8	1	4
FJ-2	34' 7"	11-7/8" BCI® 4500s-1.8	1	8
FJ-3	32' 2"	11-7/8" BCI® 4500s-1.8	1	13
FJ-4-2	32' 2"	11-7/8" BCI® 4500s-1.8	2	2
FJ-5	27' 11"	11-7/8" BCI® 4500s-1.8	1	1
FJ-6	20' 11"	11-7/8" BCI® 4500s-1.8	1	2
FJ-7-2	18' 11"	11-7/8" BCI® 4500s-1.8	2	2
FJ-8-2	17' 7"	11-7/8" BCI® 4500s-1.8	2	2
FJ-9	14' 7"	11-7/8" BCI® 4500s-1.8	1	1
FJ-10-2	13' 4 3/4"	11-7/8" BCI® 4500s-1.8	2	2
FJ-11	12' 3"	11-7/8" BCI® 4500s-1.8	1	10
Rim1	12' 0"	1" × 11-7/8" BC RIM BOARD OSB	1	13
Rim2	12' 0"	1-3/4" x 11-7/8" VERSA-LAM® 2.0 3100 SP	1	2
Bk2	1' 0"	1" × 11-7/8" BC RIM BOARD OSB	1	1
Bk1	23' 0"	11-7/8" BCI® 4500s-1.8	1	1