
## HARNETT DEPARTMENT OF PUBLIC HEALTH PERMIT TO CONSTRUCT A DRINKING WATER SUPPLY WELL

PIN #: <u>0681-01-6376.000</u> Parcel #: <u>110681 0007 02</u> Application #: <u>SFD2001-0025</u>	Subdivision: Prop. of BC LLC 2019 Lot #: 3	
Applicant Name: Signature Home Blds ess: 1209 N Main St Lillington, NC 27546		
Type of Facility Served by Well: <u>SFD</u>		
Sewage System: 25% Reduction System		
Permit Conditions: <u>Location - 1691 Main Street (SR 1532)</u>		
<ul> <li>General Permit Conditions:</li> <li>Drinking water supply well construction must meet 15A NCAC 02C.100 rules</li> <li>The permitted drinking water supply well shall be located in accordance with the SITE PLAN</li> <li>ANY ALTERATION of the site of the site (including location of structures and appurtenance) or modification in use of the well, may subject this Permit to revocation</li> </ul>		
Authorized State Agent Collection Date 02/21/2020		
Grouting Inspection Witnessed Date Grouting self-certified by driller GW-1 provided? Yes No  See attachment for construction sketch		
Date: Application #:SFD2001-0024 Well Contractor: Lamy Will for Acant Name: Signature Home Blds Acantess: 1209 N Main St Lillington, NC 27546 Directions to Site 1707-Main Street (SR 1532)  Use of Well: Date Drilled: Total Depth: Replacer Static Water Level: Top of Casing is in. above surface. Yield: Disinfection: Type Amount  Water Zone (depth)	ment Well? ☐ Yes ☐ No gpm at ft.  Grout From 0 To Material: Method: From To Material: Method: From To	
Inspector: On Hold Date: Release Date:  Remarks:  Well Head Information Casing Height: Lain (above finished grade)	Backflow Preventer:	
See Attachment for completion sketch		



Main St

Larry williford	14. WATER ZONES	
Well Contractor Name	120 t. 135 t. grat rock	
2863-H	130 th 135 th gray rock	
NC Well Contractor Certification Number	15. OUTER CASING (for multi-cased wells) OR LINER (if applicable)	
Williford's well Drilling	FROM TO DIAMETER THICKNESS MATERIAL	
Company Name	+1 11 111 11 6 in 5DR21 PVC	
2. Well Construction Permit #: 5FD2001-0025	16. INNER CASING OR TUBING (geothermal closed-loop)   FROM	
List all applicable well construction permits (i.e. UIC, County, State, Variance, etc.)	ft. ft. in.	
3. Well Use (check well use):	ft. ft. in.	
Water Supply Well:	17. SCREEN	
Agricultural Municipal/Public	ft. ft. in.	
Geothermal (Heating/Cooling Supply) Residential Water Supply (single)	ft. ft. in.	
Industrial/Commercial Residential Water Supply (shared)	18. GROUT	
Irrigation	O ft. 30 ft. Bentonite Daylaravity	
Non-Water Supply Well:		
Monitoring Recovery Injection Well:	11. 11. 30-5016 hags	
Aquifer Recharge Groundwater Remediation	ft. ft.	
Aquifer Storage and Recovery Salinity Barrier	19. SAND/GRAVEL PACK (if applicable) FROM TO MATERIAL EMPLACEMENT METHOD	
Aquifer Test Stormwater Drainage	ft. ft.	
Experimental Technology Subsidence Control	ft. ft.	
Geothermal (Closed Loop)	20. DRILLING LOG (attach additional sheets if necessary)   FROM   TO   DESCRIPTION (color, hardness, soil/rock type, grain size, etc.)	
Geothermal (Heating/Cooling Return) Other (explain under #21 Remarks)	0 ft. 2 ft. tops oil	
4. Date Well(s) Completed: Well ID#	2 th 12 th Sandy clay	
	12 " 47 " tan clay	
5a. Well Location:	47th 60 th Sandy Clay mix	
Signature Home Blus Facility/Owner Name Facility ID# (if applicable)		
Tacinty Owner Haine	117 th 163 th gray rock	
Lot 3 main street Buies Creek NC	ft. ft.	
Physical Address, City, and Zip	21. REMARKS	
County Parcel Identification No. (PIN)		
County		
5b. Latitude and longitude in degrees/minutes/seconds or decimal degrees: (if well field, one lat/long is sufficient)	22. Certification:	
35° 25.782 N 78° 43.776 W		
	Larry Williford 9 6-7-202 Signature of Cartified Well Contractor Date	
6. Is(are) the well(s) Permanent or Temporary		
7. Is this a repair to an existing well: Yes or No	By signing this form, 1 hereby certify that the well(s) was (were) constructed in accordance with 15A NCAC 02C .0100 or 15A NCAC 02C .0200 Well Construction Standards and that a	
If this is a repair, fill out known well construction information and explain the nature of the	copy of this record has been provided to the well owner.	
repair under #21 remarks section or on the back of this form.	23. Site diagram or additional well details: You may use the back of this page to provide additional well site details or well	
<ol> <li>For Geoprobe/DPT or Closed-Loop Geothermal Wells having the same construction, only 1 GW-1 is needed. Indicate TOTAL NUMBER of wells</li> </ol>	construction details. You may also attach additional pages if necessary.	
drilled:	SUBMITTAL INSTRUCTIONS	
9. Total well depth below land surface: 163 (ft.)	24a. For All Wells: Submit this form within 30 days of completion of well	
For multiple wells list all depths if different (example- 3@200' and 2@100')	construction to the following:	
10. Static water level below top of casing: & (ft.)  If water level is above easing, use "+"	Division of Water Resources, Information Processing Unit, 1617 Mail Service Center, Raleigh, NC 27699-1617	
11. Borehole diameter: (in.)	24b. For Injection Wells: In addition to sending the form to the address in 24a	
12. Well construction method: Mud rotary fair rotary  (i.e. auger, rotary, cable, direct push, etc.)	above, also submit one copy of this form within 30 days of completion of well construction to the following:	
	Division of Water Resources, Underground Injection Control Program,	
FOR WATER SUPPLY WELLS ONLY:	1636 Mail Service Center, Raleigh, NC 27699-1636	
13a. Yield (gpm) — Method of test: pumping  13b. Disinfection type: HTH Amount: 1 CYP	24c. For Water Supply & Injection Wells: In addition to sending the form to the address(es) above, also submit one copy of this form within 30 days of completion of well construction to the county health department of the county	
130. Disinfection type: [17] Amount: 1 Cq	where constructed.	

1. Well Contractor Information: