
HARNETT DEPARTMENT OF PUBLIC HEALTH PERMIT TO CONSTRUCT A DRINKING WATER SUPPLY WELL

PIN #: <u>0681-00-5987.000</u> Parcel #: <u>110681 0007 06</u> Application #: <u>SFD2001-0027</u> Subdivision: <u>Prop. of BC LLC 2019</u> Lot #:	<u>7</u>		
ess: 1209 N Main St Lillington, NC 27546			
Type of Facility Served by Well: <u>SFD</u>			
Sewage System: 25% Reduction System			
Permit Conditions: Location - 1631 Main Street (SR 1532)			
 General Permit Conditions: Drinking water supply well construction must meet 15A NCAC 02C.100 rules The permitted drinking water supply well shall be located in accordance with the SITE PLAN ANY ALTERATION of the site of the site (including location of structures and appurtenance) or modification in use of the well, may subject this Permit to revocation 			
Authorized State Agent College Date 2/27/2020			
Grouting Inspection Witnessed Date Grouting self-certified by driller GW-1 provided? Yes No			
See attachment for construction sketch			
WELL CERTIFICATE OF COMPLETION			
Cant Name: Signature Home Blds Caress: 1209 N Main St Lillington, NC 27546 Directions to Site: 1707 Main Street (SR 1532) Use of Well: Date Drilled: Total Depth: Replacement Well? Yes No Itatic Water Level: Top of Casing is in. above surface. Yield: gpm at ft. Disinfection: Type Amount Vater Zone (depth)			
Diameter: Material: Thickness: Material: Method:			
From To To			
Diameter: Material: Thickness: Material: Method:			
nspector: On Hold Date: Release Date:			
demarks:			
Vell Head Information Casing Height: Vant (above finished grade) Access Port:			
arks:			
authorized State Agent Date Date Date			

See Attachment for completion sketch



Larry williford Jr.	14. WATER ZONES
Well Contractor Name	1241. 126 1. gray rock
2863-A	1471. 149 1. gray-white rock
NC Well Contractor Certification Number	15. OUTER CASING (for multi-cased wells) OR LINER (if applicable)
Williford's Wen Drilling	FROM TO DIAMETER THICKNESS MATERIAL
Company Name	+ 11. 116 11. 6 in. SDR21 PVC
2. Well Construction Permit #: 5FD 2001-0027	16. INNER CASING OR TUBING (geothermal closed-loop) FROM TO DIAMETER THICKNESS MATERIAL
List all applicable well construction permits (i.e. UIC, County, State, Variance, etc.)	ft. ft. in.
3. Well Use (check well use):	ft. ft. in.
Water Supply Well:	17. SCREEN
Agricultural Municipal/Public	FROM TO DIAMETER SLOT SIZE THICKNESS MATERIAL ft. ft. in.
Geothermal (Heating/Cooling Supply) Residential Water Supply (single)	ft. ft. in.
Industrial/Commercial Residential Water Supply (shared)	18. GROUT
Irrigation	FROM TO MATERIAL EMPLACEMENT METHOD & AMOUNT Office 25 ft. Resident 20-50 h have 5
Non-Water Supply Well: Monitoring Recovery	0 1. 35 1. Bentonite 30-5016 bags
Monitoring Recovery Injection Well:	
Aquifer Recharge Groundwater Remediation	ft. ft.
Aquifer Storage and Recovery Salinity Barrier	19. SAND/GRAVEL PACK (if applicable) FROM TO MATERIAL EMPLACEMENT METHOD
Aquifer Test Stormwater Drainage	ft. ft.
Experimental Technology Subsidence Control	ft. ft.
Geothermal (Closed Loop)	20. DRILLING LOG (attach additional sheets if necessary) FROM TO DESCRIPTION (color, hardness, soil/rock type, grain size, etc.)
Geothermal (Heating/Cooling Return) Other (explain under #21 Remarks)	on 2 n. topsoil
4. Date Well(s) Completed: 8-14-20 Well ID#	2 m. 11 m. sandy clay
5a. Well Location:	11 " 45 " clay sund mix (tan)
Signature Home Bids Lot #7 Facility/Owner Name Facility ID# (if applicable)	45 th 65 th tangray clay
Facility/Owner Name Facility ID# (if applicable)	65 11 1161 gray clay
1611 main street Buis Creek NC	116 th 163th gray rock
Physical Address, City, and Zip	ft. ft.
Harnett 0681-00-5987,000	21. REMARKS
County Parcel Identification No. (PIN)	
5b. Latitude and longitude in degrees/minutes/seconds or decimal degrees: (if well field, one lat/long is sufficient)	22. Certification:
250 25.121 180 43, 792	1 1
	Lang Willford M 8-14-2020 Signature of Officed Well Contractor Date
6. Is(are) the well(s) Permanent or Temporary	
7. Is this a repair to an existing well: Yes or No	By signing this form, 1 hereby certify that the well(s) was (were) constructed in accordance with 15A NCAC 02C .0100 or 15A NCAC 02C .0200 Well Construction Standards and that a
If this is a repair, fill out known well construction information and explain the nature of the repair under #21 remarks section or on the back of this form.	copy of this record has been provided to the well owner.
	23. Site diagram or additional well details: You may use the back of this page to provide additional well site details or well
8. For Geoprobe/DPT or Closed-Loop Geothermal Wells having the same construction, only 1 GW-1 is needed. Indicate TOTAL NUMBER of wells	construction details. You may also attach additional pages if necessary.
drilled:	SUBMITTAL INSTRUCTIONS
9. Total well depth below land surface: 163 (ft.)	24a. For All Wells: Submit this form within 30 days of completion of well
For multiple wells list all depths if different (example- 3@200' and 2@100')	construction to the following:
10. Static water level below top of casing: 30 (ft.) If water level is above easing, use "+"	Division of Water Resources, Information Processing Unit, 1617 Mail Service Center, Raleigh, NC 27699-1617
11. Borehole diameter: (in.)	24b. For Injection Wells: In addition to sending the form to the address in 24a
12. Well construction method: Mudrotary Air rotary (i.e. auger, rotary, cable, direct push, etc.)	above, also submit one copy of this form within 30 days of completion of well construction to the following:
FOR WATER SUPPLY WELLS ONLY:	Division of Water Resources, Underground Injection Control Program, 1636 Mail Service Center, Raleigh, NC 27699-1636
13a. Yield (gpm) 8 Method of test: Pump: 13	24c. For Water Supply & Injection Wells: In addition to sending the form to
13b. Disinfection type: HTH Amount: 12 CUP	the address(es) above, also submit one copy of this form within 30 days of completion of well construction to the county health department of the county
	where constructed.

1. Well Contractor Information: