Harnett County Department of Public Health

Improvement Permit

A building permit cannot be issued with only an Improvement Permit PROPERTY LOCATION: 30 windbrook Ct. (Remais thurch rd) ISSUED TO: Dan Ryan Buildes SUBDIVISION GIZ WILL VILLED LOT # EXPANSION Site Improvements required prior to Construction Authorization Issuance: Type of Structure: 482 40' × 13' 555 Proposed Wastewater System Type: 25% reduction 5,5. Projected Daily Flow: ___ 48c Number of Occupants: Number of bedrooms: ___ Basement Yes No. Pump Required: Yes May be required based on final location and elevations of facilities Type of Water Supply: Community Public Well Distance from well feet Five years No expiration Permit conditions: Date: 02/13/2020 Authorized State Agent:: Date: O2/13/2020 SEE ATTACHED SITE SKETCH

The issuance of this permit by the Health Department in no way guarantees the issuance of other permits. The permit holder is responsible for checking with appropriate governing bodies in meeting their requirements. This site is subject to revocation if the site plan, plat, or the intended use changes. The Improvement Permit shall not be affected by a change in ownership of the site. This permit is subject to compliance with the provisions of the Laws and Rules for Sewage Treatment and Disposal and to conditions of this permit. Construction Authorization (Required for Building Permit) The construction and installation requirements of Rules 1950, 1950, 1954, 1955, 1956, 1957, 1958, and 1959 are incorporated by references into this permit and shall be met. Systems shall be installed in accordance Facility Type: 452 46×73' SFS New Expansion | Repair Basement Fixtures? Yes Basement? Yes No 25% reduction System (Initial) Wastewater Flow: 480 Type of Wastewater System** (See note below, if applicable) 25% uduton System (Repair) Installation Requirements/Conditions Number of trenches ____3 Trench Spacing: _____ Feet on Center Exact length of each trench _____ feet Septic Tank Size 1000 gallons Soil Cover: S inches Pump Tank Size _____gallons Trenches shall be installed on contour at a Maximum Trench Depth of: 20 (Maximum soil cover shall not exceed (Trench bottoms shall be level to +/-1/4" 36" above the trench bottom) in all directions) Pump Requirements: ft. TDH vs. MA inches below pipe Conditions: Gravity to D-Box Equal Distribution
Proposal Vy Nex Soil Consulting WATER LINES (INCLUDING IRRIGATION) MUST BE 10FT. FROM ANY PART OF SEPTIC SYSTEM OR REPAIR AREA. NO UTILITIES ALLOWED IN INITIAL OR REPAIR DRAIN FIELD AREA. **If applicable: I understand the system type specified is different from the type specified on the application. I accept the specifications of this permit. Owner/Legal Representative Signature: This Construction Authorization is subject to revocation if the site plan, plat, or the intended use changes. The Construction Authorization shall not be transferred when there is a change in ownership of the site. This Construction Authorization is subject to compliance with the provisions of the Laws and Rules for Sewage Treatment and Disposal and to the conditions of this permit. SEE ATTACHED SITE SKETCH NEW CORN Construction Authorization Expiration Date: 02/13/2025 Authorized State Agent:


Harnett County Department of Public Health Site Sketch

Property Location: 30 Windbrook Ct. (Mawls Church road)		
Issued To: Dava Ryon BIDS Subdivision old Mill Village		Lot# 2
Authorized State Agent:	Date:	02/13/2020

* GRAVITY TO D-BOX EQUAL DISTRIBUTION REGULTED


* PROPOSAL BY NDAMS SOIL CONSULTING

* 20 IN TRENCH MAX



WINDBROOK

Olde Mill Village 4-Bedroom Septic Proposal Lot #2




If plumbing is not sufficient a pump and tank may be required to septic drain field.

*Preliminary Design
Not a Permit

System: Gravity to D-Box Lines: 1-3 (405') 0.4 LTAR 24" Trench Bottom Accepted Status System Repair: Pressure Manifold Lines: 4-6 (300') 0.4 LTAR

Accepted Status System

24 Trench Bottom



Adams Soil Consulting 919—414—6761 Job #699