

**Olde Mill Village**

Lot #35

3-Bedroom Home (360 gal./day)

<u>LINE #</u>	<u>COLOR</u>	<u>BS</u>	<u>HI</u>	<u>FS</u>	<u>ELEVATION</u>	<u>LINE LENGTH</u>	<u>Design Length</u>
TBM		0.0		100.0		<u>in field</u>	<u>installation</u>
INST. 1			100.0				
1	Red			3.3	96.7	77	70
2	Yellow			3.9	96.1	95	85
3	Pink			4.4	95.6	98	85
4	Blue			4.8	95.2	60	60
5	Orange			5.4	94.6	55	45
6	White			5.9	94.1	48	45
7	Red			6.4	93.6	45	45
8	Yellow			6.9	93.1	45	45
9	Pink			7.5	92.5	45	45
10	Blue			8.1	91.9	45	45
11	Orange			8.6	91.4	45	45
12	White			9.6	90.4	45	not used
Total						703	615

	<u>System</u>	<u>Repair</u>
	Lines 1-4	Lines 5-11
<b>System Type</b>	Accepted Status System EZ-FLOW	Accepted Status System EZ-FLOW
Suggested Soil LTAR	0.30	0.30
<b>Total Line Length</b>	300	315
<b>Square Footage</b>	900	945
<b>Proposed Trench Bottom</b>	24"	18"
<b>Distribution Method</b>	Pressure Manifold	Pressure Manifold