

Norris Farm

Lot #4

4-Bedroom Home (480 gal./day)

<u>LINE #</u>	<u>COLOR</u>	<u>BS</u>	<u>HI</u>	<u>FS</u>	<u>ELEVATION</u>	<u>LINE LENGTH</u>	<u>Design Length</u>
TBM		2.0		100.0		<u>in field</u>	<u>installation</u>
INST. 1			102.0				
1	White			2.6	99.4	55	50
2	Pink			2.6	99.4	55	50
3	Orange			2.7	99.3	55	50
4	Blue			2.8	99.2	55	50
5	Yellow			2.8	99.2	55	50
6	Red			3	99	55	50
7	White			3.1	98.9	60	60
8	Pink			3.3	98.7	60	60
9	Orange			3.5	98.5	60	60
10	Blue			3.7	98.3	65	60
11	Yellow			4	98	65	60

	<u>System</u>	<u>Repair</u>
	Lines 7-11	Lines 1-6
System Type	Accepted Status System	Accepted Status System
Suggested Soil LTAR	0.40	0.40
Total Line Length	300	300
Square Footage	900	900
Proposed Trench Bottom	18-24"	18-24"
Distribution Method	Pump to D-Box	Pump to D-Box


*A pump tank will be required to dose septic field.

Norris Farm 4-Bedroom Septic Proposal Lot #4

4

0.610 AC.
26591 SF

System: Pump to D-Box
Lines: 7-11 (300')
0.4 LTAR
24" Trench Bottom
Accepted Status System
Repair: Pressure Manifold
Lines: 1-6 (300')
0.4 LTAR
24" Trench Bottom
Accepted Status System



GRAPHIC SCALE
1" = 50'



Adams
Soil Consulting
919-414-6761
Job #574