
Harnett County Department of Public Health


Improvement Permit

A building permit cannot be issued with only an Improvement Permit
PROPERTY LOCATION: 765 AVERY POWD DR. COHALBEATE ND
ISSUED TO: LGT HOMES OC UC SUBDIVISION AVERY POND 101 # 129
NEW REPAIR EXPANSION Site Improvements required prior to Construction Authorization Issuance:
Type of Structure: 3-Boncon 30x41' SFO
Proposed Wastewater System Type: 25% (30) (TION)
Projected Daily Flow: 366 GPD
Number of bedrooms: 3 Number of Occupants: 5 max
Basement Yes No
Pump Required: Mes No May be required based on final location and elevations of facilities
Type of Water Supply: Community Public Well Distance from well feet Permit valid for: Five years
Permit conditions: No expiration
Authorized State Agent:: Date: 03/27/2020 SEE ATTACHED SITE SKETCH
Authorized State Agent:: Date: 03/27/202C SEE ATTACHED SITE SKETCH The issuance of this permit by the Health Department in no way guarantees the issuance of other permits. The permit holder is responsible for checking with appropriate governing bodies in meeting their requirements. This
site is subject to revocation if the site plan, plat, or the intended use changes. The Improvement Permit shall not be affected by a change in ownership of the site. This permit is subject to compliance with the provisions of
the Laws and Rules for Sewage Treatment and Disposal and to conditions of this permit.
Construction Authorization
(Required for Building Permit)
The construction and installation requirements of Rules 1950, 1952, 1954, 1955, 1956, 1957, 1958, and 1959 are incorporated by references into this permit and shall be met. Systems shall be installed in accordance with the attached system layout.
5~1429
ISSUED TO: LOT HOMES NO LLC PROPERTY LOCATION: 765 AVERY POND DR. (CHALBEATE RD.)
SUBDIVISION AVERT POND LOT # 129
Facility Type: 332 30 x41' STD New Expansion Repair
Type of Wastewater System** 25% CEDICTION SYSTEM (Initial) Wastewater Flow: 360 GPD
(See note below, if applicable)
25% REDICTION STS. (Repair)
Installation Requirements/Conditions Number of trenches 3
Septic Tank Size 1000 gallons Exact length of each trench 75 feet Trench Spacing: Feet on Center
Pump Tank Sizegallons Trenches shall be installed on contour at a Soil Cover: /R inches
Maximum Trench Depth of: 24 inches (Maximum soil cover shall not exceed
(Trench bottoms shall be level to $\pm 1/4$ " 36" above the trench bottom)
in all directions)
Pump Requirements: ft. TDH vsGPM inches below pipe
Aggregate Depth: NA inches above pipe
Conditions: GRAVITY TO D-BOX EQUAL DISTRIBUTION ON inches total
WATER LINES (INCLUDING IRRIGATION) MUST BE 10FT. FROM ANY PART OF SEPTIC SYSTEM OR REPAIR AREA.
NO UTILITIES ALLOWED IN INITIAL OR REPAIR DRAIN FIELD AREA.
F
**If applicable: I understand the system type specified is different from the type specified on the application. I accept the specifications of this permit.
Owner/Legal Representative Signature: Date:
This Construction Authorization is subject to revocation if the site plan, plat, or the intended use changes. The Construction Authorization shall not be transferred when there is a change in ownership of the site. This
Construction Authorization is subject to compliance with the provisions of the Laws and Rules for Sewage Treatment and Disposal and to the conditions of this permit. SEE ATTACHED SITE SKETCH
Authorized State Agent: Carlo Date: 03/27/2020
ANSWER CONSTRUCTION Authorization Expiration Date: 03/27/2025

Harnett County Department of Public Health Site Sketch




Avery Pond 3-Bedroom Septic Proposal Lot #129



129

System: Gravity D-Box Lines: 1-3 (225') 0.4 LTAR 24" Trench Bottom Accepted Status System Repair: Gravity to D-Box Lines: 4-7 (240') 0.4 LTAR 24" Trench Bottom Accepted Status System



Adams Soil Consulting 919-414-6761 Job #708

Avery Pond Lot #129

3-Bedroom Home (360	gal/day	1
---------------------	---------	---

	3-Bedroom Home (500 gal./day)										
LINE #	COLOR	BS	<u>H1</u>	<u>FS</u>	ELEVATION	LINE LENGTH	Design Length				
TBM		2.0		100.0		in field	installation				
INST. 1			102.0								
1	Orange			2.1	99.9	90	75				
2	Pink			2.3	99.7	90	75				
3	Blue			2.4	99.6	90	75				
4	Red			2.6	99.4	80	60				
5	White			2.9	99.1	71	60				
6	Orange			3.1	98.9	66	60				
7	Pink			3.4	98.6	60	60				
Total						457	390				
				System		Repair					
System Type			Lines 1-3		Lines 4-7						
		Accept	ted Status Sy	stem Ac	Accepted Status System						
			3,53	EZ-FLOW		EZ-FLOW					
Suggested Soil LTAR			0.40		0.40						
Total Line Length				225		240					
Square Footage				675		720					
-											
Proposed Trench Bottom				24"		24"					
			_								
Diet	ribution Met	hod	Gr Bo	ravity to D-		Cravity to D. D.					
וסוט	indution wet	iiou	В	, , , , , , , , , , , , , , , , , , ,		Gravity to D-Box					