Harnett County Department of Public Health


Improvement Permit

A building permit cannot be issued with only an Improvement Permit

	PERTY LOCATION: 215 Collins Rd, Lillington (SR#1259)	
	BDIVISIONLOT #	
NEW REPAIR EXPANSION Type of Structure: SFD 36'x39'	Site Improvements required prior to Construction Authorization Issuance:	
Proposed Wastewater System Type: Pump to 25% Reduction		
Projected Daily Flow: 360 GPD		
Number of bedrooms: 3 Number of Occupants: 6 max		
Basement Yes No		
Pump Required:	on and elevations of facilities	
	om well feet Permit valid for: 🛛 Five years	
Permit conditions:	No expiration	
- All 6 075	2/00/0000	
Authorized State Agent:	Date: 3/26/2020 SEE ATTACHED SITE SKETCH	
site is subject to revocation if the site plan, plat, or the intended use changes. The Improvement Permi	its. The permit holder is responsible for checking with appropriate governing bodies in meeting their requirements. This t shall not be affected by a change in ownership of the site. This permit is subject to compliance with the provisions of	
the Laws and Rules for Sewage Treatment and Disposal and to conditions of this permit		
Construct	ion Authorization	
	d for Building Permit)	
	and 1959 are incorporated by references into this permit and shall be met. Systems shall be installed in accordance	
with the attached system layout.	. The composition of received and this permet and shall be mee. Species shall be instanted in accordance	
ISSUED TO: Signature Home Builders	PROPERTY LOCATION 24F Colling Dd Lillington (CD#4050)	
ISSUED TO: Signature Home Builders	PROPERTY LOCATION: 215 Collins Rd, Lillington (SR#1259)	
CED 26'v20'	SUBDIVISIONLOT #	
	□ Expansion □ Repair	
, 이 경기 전에 있었다. 아 이 경기 에 가입하는 것 같습니다. 그 아이들은 아이들은 아이들은 아이들은 아이들은 아이들은 아이들은 아이들은	No	
Type of Wastewater System** Pump to 25% Reduction	(Initial) Wastewater Flow: 360 GPD	
(See note below, if applicable [])		
Pump to 25% Reduction	(Repair)	
<u>Installation Requirements/Conditions</u> Number of trenches		
Septic Tank Size 1000 gallons Exact length of each	trench 75feet Trench Spacing: 9 Feet on Center	
Pump Tank Size 1000 gallons Trenches shall be inst	alled on contour at a Soil Cover: 6inches	
Maximum Trench Dep	th of: 18inches (Maximum soil cover shall not exceed	
(Trench bottoms shall	be level to $\pm \frac{1}{4}$ " 36" above the trench bottom)	
in all directions)	,	
Pump Requirements:ft. TDH vsGPM	inches below pipe	
in the state of th	Aggregate Depth: inches above pipe	
Conditions:		
WATER LINES (INCLUDING IRRIGATION) MUST BE 10FT. FROM ANY F	ADT OF CEDTIC CYCTEM OD DEDAID ADEA	
NO UTILITIES ALLOWED IN INITIAL OR REPAIR DRAIN FIELD AREA.	ANT OF SELFTE STSTEM ON NEI AIN ANEA.	
NO UTILITIES ALLOWED IN INITIAL OR REPAIR DRAIN FIELD AREA.		
**If applicable: 1 understand the system type specified is different from the t	ype specified on the application. I accept the specifications of this permit.	
Owner/Legal Representative Signature:	Date:	
This Construction Authorization is subject to revocation if the site plan, plat, or the intended use change	s. The Construction Authorization shall not be transferred when there is a change in ownership of the site. This	
Construction Authorization is subject to compliance with the provisions of the Laws and Rules for Sewage Treatment and Disposal and to the conditions of this permit.		
6 11 e 1		
Authorized State Agent: ON ARKENSI Date: 3/26/2020		
Authorized State Agent: JAVA CICK REHIS	Date: 3/26/2020	
Authorized State Agent.	Date: 3/26/2020 on Authorization Expiration Date: 3/26/2025	

Harnett County Department of Public Health Site Sketch

Property Location: 215 COMMS Rd, Lillington	(5R# 1259)
Issued To: Signature Home Bulder Subdivision	Lot #
Authorized State Agent: Birth Auth REHS-I	Date: 3 26 2000
	, ,



This drawing is for illustrative purposes only. System installation must meet all pertinent laws, rules, and regulations.