

Reaction Summary of Order



REQ. QUOTE DATE	/ /	ORDER #	J0920-4491
ORDER DATE	09/28/20	QUOTE #	
DELIVERY DATE	/ /	CUSTOMER ACCT #	0000007216
DATE OF INVOICE	/ /	CUSTOMER PO #	
ORDERED BY	Allen Peterson	INVOICE #	
COUNTY	Harnett	TERMS	
SUPERINTENDANT	Allen Peterson	SALES REP	Neil Baggett
JOBSITE PHONE #	(704) 451-4444	SALES AREA	Neil Baggett

SOLD TO	Precision Custom Homes 256 Briar Hill Rd. Raeford, NC 28376 (910) 988-8172	JOB NAME: Lot 49 Summerlin MODEL: Floor TAG: Rothbard 1.0 w/CP DELIVERY INSTRUCTIONS: 55 miles round trip	LOT # 49 SUBDIV: Summerlin JOB CATEGORY: Residential - Floor
	SHIPP TO	Precision Custom Homes and Lot 49 Summerlin Sanford, NC	SPECIAL INSTRUCTIONS: Like Lot 4 East Lake Dr.

BUILDING DEPARTMENT Floor Order	OVERHANG INFO	HEEL HEIGHT	00-06-08	REQ. LAYOUTS	REQ. ENGINEERING	QUOTE	/ /
	END CUT	RETURN				LAYOUT	/ /
	PLUMB		GABLE STUDS	24 IN. OC	JOBSITE 1	JOBSITE 1	CUTTING NB 10/13/20

FLOOR TRUSSES	LOADING INFORMATION	TCLL-TCDL-BCLL-BCDL	STRESS INCR.	FLOOR TRUSS SPACING: 24.0 IN. O.C. (TYP.)
		40.0,10.0,0.0,5.0	1.00	

FLOOR PROFILE	QTY PLY	DEPTH ID	BASE SPAN	O/A SPAN	END TYPE		INT BEARING		REACTIONS				
					LEFT	RIGHT	SIZE	LOCATION					
	1	01-02-00 ET1	20-03-00	20-03-00					Joint 18 69.7 lbs.	Joint 19 160.8 lbs.	Joint 20 142.8 lbs.	Joint 21 147.7 lbs.	Joint 22 146.4 lbs.
	1	01-02-00 ET2	13-05-00	13-05-00					Joint 12 127.2 lbs.	Joint 13 309.8 lbs.	Joint 14 306.3 lbs.	Joint 15 306.7 lbs.	Joint 16 306.7 lbs.
	1	01-02-00 ET3	21-01-08	21-01-08					Joint 19 43.9 lbs.	Joint 20 130.1 lbs.	Joint 21 150.6 lbs.	Joint 22 145.7 lbs.	Joint 23 146.9 lbs.
	1	01-02-00 F1	32-11-00	32-11-00					Joint 28 331.0 lbs.	Joint 36 4341.3 lbs.	Joint 52 1968.7 lbs.		
	5	01-02-00 F2	32-11-00	32-11-00					Joint 23 627.5 lbs.	Joint 30 2164.1 lbs.	Joint 39 932.5 lbs.		
	13	01-02-00 F3	20-03-00	20-03-00					Joint 14 874.4 lbs.	Joint 24 874.4 lbs.			
	11	01-02-00 F4	21-01-08	21-01-08					Joint 13 241.9 lbs.	Joint 16 1322.1 lbs.	Joint 22 816.0 lbs.		
	1	01-02-00 F5-GR	08-03-08	08-03-08					Joint 8 692.9 lbs.	Joint 12 1221.9 lbs.	Joint 13 251.4 lbs.	Joint 14 105.9 lbs.	
	4	01-02-00 F6	03-03-00	03-03-00					Joint 5 165.0 lbs.	Joint 8 165.0 lbs.			

Reaction Summary of Order



ROOF & FLOOR TRUSSES & BEAMS
 Reilly Road Industrial Park P.O. Box 40408
 Fayetteville, N.C. 28309 (910) 864-TRUS

REQ. QUOTE DATE	/ /	ORDER #	J0920-4491
ORDER DATE	09/28/20	QUOTE #	
DELIVERY DATE	/ /	CUSTOMER ACCT #	0000007216
DATE OF INVOICE	/ /	CUSTOMER PO #	
ORDERED BY	Allen Peterson	INVOICE #	
COUNTY	Harnett	TERMS	
SUPERINTENDANT	Allen Peterson	SALES REP	Neil Baggett
JOBSITE PHONE #	(704) 451-4444	SALES AREA	Neil Baggett

SOLD TO	Precision Custom Homes 256 Briar Hill Rd. Raeford, NC 28376 (910) 988-8172	JOB NAME: Lot 49 Summerlin MODEL: Floor TAG: Rothbard 1.0 w/CP DELIVERY INSTRUCTIONS: 55 miles round trip	LOT # 49 SUBDIV: Summerlin JOB CATEGORY: Residential - Floor
	SHIPP TO	Precision Custom Homes and Lot 49 Summerlin Sanford, NC	SPECIAL INSTRUCTIONS: Like Lot 4 East Lake Dr.

BUILDING DEPARTMENT Floor Order	OVERHANG INFO	HEEL HEIGHT	00-06-08	REQ. LAYOUTS	REQ. ENGINEERING	QUOTE	/ /
	END CUT	RETURN				LAYOUT	/ /
	PLUMB		GABLE STUDS	24 IN. OC	JOBSITE 1	JOBSITE 1	CUTTING NB 10/13/20

FLOOR TRUSSES	LOADING INFORMATION	TCLL-TCDL-BCLL-BCDL	STRESS INCR.	FLOOR TRUSS SPACING: 24.0 IN. O.C. (TYP.)
		40.0,10.0,0.0,5.0	1.00	

FLOOR PROFILE	QTY PLY	DEPTH ID	BASE SPAN	O/A SPAN	END TYPE		INT BEARING		REACTIONS
					LEFT	RIGHT	SIZE	LOCATION	

	1	01-02-00 F7-GR	08-03-08	08-03-08		Joint 8 182.9 lbs. 149.3 lbs.	Joint 9 817.9 lbs. 729.0 lbs.	Joint 12 807.8 lbs. 694.2 lbs.	Joint 13 304.5 lbs. 246.8 lbs.	Joint 14 163.8 lbs. 144.1 lbs.
---	---	-------------------	----------	----------	---	-------------------------------------	-------------------------------------	--------------------------------------	--------------------------------------	--------------------------------------

ITEMS

QTY	ITEM TYPE	SIZE	LENGTH FT-IN-16	PART NUMBER	NOTES
6	LVL Beams (Sized)	LVL, 1-3/4" x 9-1/4" (S)	07-00-00		BM2, BM3, & BM5
2	LVL Beams (Sized)	LVL, 1-3/4" x 9-1/4" (S)	06-00-00		BM4
3	LVL Beams (Sized)	LVL, 1-3/4" x 14" (S)	21-00-00		BM1
2	LVL Beams (Sized)	LVL, 1-3/4" x 16" (S)	21-00-00		GDH
9	Hangers, USP	MSH422			SIMPSON (THA422)

Reaction Summary of Order



ROOF & FLOOR TRUSSES & BEAMS
 Reilly Road Industrial Park P.O. Box 40408
 Fayetteville, N.C. 28309 (910) 864-TRUS

REQ. QUOTE DATE	/ /	ORDER #	J0820-3988
ORDER DATE	08/31/20	QUOTE #	
DELIVERY DATE	/ /	CUSTOMER ACCT #	0000007216
DATE OF INVOICE	/ /	CUSTOMER PO #	
ORDERED BY	Allen Peterson	INVOICE #	
COUNTY	Harnett	TERMS	
SUPERINTENDANT	Allen Peterson	SALES REP	Neil Baggett
JOBSITE PHONE #	(704) 451-4444	SALES AREA	Neil Baggett

SOLD TO	Precision Custom Homes 256 Briar Hill Rd. Raeford, NC 28376 (910) 988-8172	JOB NAME: Lot 49 Summerlin MODEL: Roof TAG: Rothbard 1.0 w/CP DELIVERY INSTRUCTIONS: 55 miles round trip	LOT # 49 SUBDIV: Summerlin JOB CATEGORY: Residential - Roof
	Precision Custom Homes and Lot 49 Summerlin Sanford, NC	SPECIAL INSTRUCTIONS: Like Lot 4 East Lake Dr.	PLAN SEAL DATE: 10/11/20 BY DATE

BUILDING DEPARTMENT	OVERHANG INFO	HEEL HEIGHT	00-06-08	REQ. LAYOUTS	REQ. ENGINEERING	QUOTE	/ /
Roof Order	END CUT	RETURN				LAYOUT	NB 10/13/20
	PLUMB			JOBSITE	1	CUTTING	NB 10/13/20
	GABLE STUDS	24 IN. OC					

ROOF TRUSSES

LOADING INFORMATION **ROOF TRUSS SPACING:** 24.0 IN. O.C. (TYP.)

TCLL-TCDL-BCLL-BCDL	STRESS INCR.
20.0,10.0,0.0,10.0	1.15

PROFILE	QTY	PITCH		TYPE ID	BASE O/A	LUMBER		OVERHANG		REACTIONS				
		TOP	BOT			TOP	BOT	LEFT	RIGHT	Joint 2	Joint 18	Joint 20	Joint 21	Joint 22
	1	8.00	0.00	GABLE A1-GE	33-00-00 33-00-00	2 X 6	2 X 6	01-02-08	01-02-08	Joint 2 243.8 lbs. -95.1 lbs.	Joint 18 186.6 lbs. -20.6 lbs.	Joint 20 219.3 lbs. -136.4 lbs.	Joint 21 167.5 lbs. -82.9 lbs.	Joint 22 178.9 lbs. -88.4 lbs.
	13	8.00	0.00	COMMON A2	33-00-00 33-00-00	2 X 6	2 X 6	01-02-08	01-02-08	Joint 2 1595.9 lbs. -85.2 lbs.	Joint 8 1595.9 lbs. -85.2 lbs.			
	1	8.00	0.00	GABLE A3-GE	33-00-00 21-05-08	2 X 6	2 X 6	01-02-08		Joint 2 1049.4 lbs. -159.3 lbs.	Joint 11 1105.0 lbs. -256.1 lbs.			
	9	8.00	0.00	FINK A4	21-05-08 21-05-08	2 X 6	2 X 6	01-02-08		Joint 2 962.9 lbs. -43.9 lbs.	Joint 8 1066.0 lbs. -80.0 lbs.			
	1	8.00	0.00	GABLE A5-GE	21-05-08 21-05-08	2 X 6	2 X 6	01-02-08		Joint 2 274.5 lbs. -122.6 lbs.	Joint 15 -4.3 lbs. -14.4 lbs.	Joint 16 80.3 lbs. -22.6 lbs.	Joint 17 176.2 lbs. -97.0 lbs.	Joint 18 176.2 lbs. -60.4 lbs.
	1 2 Ply	0.00	0.00	FLAT GIRDER B1	20-04-00 20-04-00	2 X 6	2 X 6			Joint 9 5089.4 lbs. -520.9 lbs.	Joint 13 5156.0 lbs. -521.8 lbs.			
	1 2 Ply	0.00	0.00	FLAT GIRDER B2	20-04-00 20-04-00	2 X 4	2 X 6			Joint 7 3912.6 lbs. -803.8 lbs.	Joint 12 3908.7 lbs. -572.6 lbs.			
	1	5.50	0.00	GABLE C1-GE	12-00-00 12-00-00	2 X 4	2 X 4	01-02-08	01-02-08	Joint 2 550.0 lbs. -177.6 lbs.	Joint 8 550.0 lbs. -177.6 lbs.			
	4	5.50	0.00	COMMON C2	12-00-00 12-00-00	2 X 4	2 X 4	01-02-08	01-02-08	Joint 2 550.0 lbs. -131.0 lbs.	Joint 4 550.0 lbs. -131.0 lbs.			
	1	8.00	0.00	GABLE J1-GE	09-03-08 09-03-08	2 X 6	2 X 6	01-02-08	02-00-00	Joint 2 249.9 lbs. -32.1 lbs.	Joint 9 295.1 lbs. -211.1 lbs.	Joint 10 89.0 lbs. -8.8 lbs.	Joint 11 180.1 lbs. -90.7 lbs.	Joint 12 187.3 lbs. -95.8 lbs.
	4	8.00	0.00	JACK-OPEN J2	06-00-08 06-00-08	2 X 6	2 X 6		02-03-00	Joint 5 440.7 lbs. -191.3 lbs.	Joint 6 195.6 lbs. 39.8 lbs.			

Reaction Summary of Order



ROOF & FLOOR TRUSSES & BEAMS
 Reilly Road Industrial Park P.O. Box 40408
 Fayetteville, N.C. 28309 (910) 864-TRUS

REQ. QUOTE DATE	/ /	ORDER #	J0820-3988
ORDER DATE	08/31/20	QUOTE #	
DELIVERY DATE	/ /	CUSTOMER ACCT #	0000007216
DATE OF INVOICE	/ /	CUSTOMER PO #	
ORDERED BY	Allen Peterson	INVOICE #	
COUNTY	Harnett	TERMS	
SUPERINTENDANT	Allen Peterson	SALES REP	Neil Baggett
JOBSITE PHONE #	(704) 451-4444	SALES AREA	Neil Baggett

SOLD TO	Precision Custom Homes 256 Briar Hill Rd. Raeford, NC 28376 (910) 988-8172	JOB NAME: Lot 49 Summerlin MODEL: Roof TAG: Rothbard 1.0 w/CP DELIVERY INSTRUCTIONS: 55 miles round trip	LOT # 49 SUBDIV: Summerlin JOB CATEGORY: Residential - Roof
	Precision Custom Homes and Lot 49 Summerlin Sanford, NC	SPECIAL INSTRUCTIONS: Like Lot 4 East Lake Dr.	PLAN SEAL DATE: 10/11/20 BY DATE

BUILDING DEPARTMENT	OVERHANG INFO	HEEL HEIGHT	00-06-08	REQ. LAYOUTS	REQ. ENGINEERING	QUOTE	/ /
Roof Order	END CUT	RETURN				LAYOUT	NB 10/13/20
	PLUMB					CUTTING	NB 10/13/20
	GABLE STUDS	24 IN. OC		JOBSITE	1	JOBSITE	1

ROOF TRUSSES	LOADING INFORMATION	TCLL-TCDL-BCLL-BCDL	STRESS INCR.	ROOF TRUSS SPACING: 24.0 IN. O.C. (TYP.)
		20.0,10.0,0.0,10.0	1.15	

PROFILE	QTY	PITCH		TYPE ID	BASE O/A	LUMBER		OVERHANG		REACTIONS				
		TOP	BOT			TOP	BOT	LEFT	RIGHT	Joint 6	Joint 7	Joint 8	Joint 9	Joint 10
	1	8.00	0.00	GABLE J3-GE	06-00-08 06-00-08	2 X 6	2 X 6		02-03-00	Joint 6 9.9 lbs. -12.8 lbs.	Joint 7 378.7 lbs. -268.9 lbs.	Joint 8 124.5 lbs. -15.7 lbs.	Joint 9 255.9 lbs. -325.7 lbs.	Joint 10 316.3 lbs. -70.0 lbs.
	2	3.00	0.00	GABLE M1-GE	19-03-08 19-03-08	2 X 6	2 X 6	01-02-08	01-10-08	Joint 2 816.5 lbs. -237.9 lbs.	Joint 15 778.5 lbs. -250.5 lbs.			
	4	3.00	0.00	JACK-CLOSED M2	19-03-08 19-03-08	2 X 6	2 X 6	01-02-08	01-10-08	Joint 2 816.5 lbs. -98.3 lbs.	Joint 8 778.5 lbs. -102.6 lbs.			
	1	3.00	0.00	GABLE P1-GE	05-00-00 05-00-00	2 X 4	2 X 6	01-02-08		Joint 2 189.1 lbs. -92.2 lbs.	Joint 5 40.4 lbs. -16.9 lbs.	Joint 6 224.7 lbs. -70.9 lbs.		
	12	3.00	0.00	MONOPITCH P2	05-00-00 05-00-00	2 X 4	2 X 6	01-02-08		Joint 2 277.3 lbs. -120.9 lbs.	Joint 4 174.4 lbs. -70.7 lbs.			
	1	8.50	0.00	GABLE VA1	25-11-15 25-11-15	2 X 4	2 X 6			Joint 1 151.9 lbs. -53.4 lbs.	Joint 13 132.8 lbs. -15.8 lbs.	Joint 14 226.7 lbs. -122.2 lbs.	Joint 15 163.8 lbs. -85.4 lbs.	Joint 16 181.5 lbs. -93.5 lbs.
	1	8.50	0.00	VALLEY VA2	22-02-12 22-02-12	2 X 4	2 X 6			Joint 1 128.2 lbs. -27.6 lbs.	Joint 7 109.4 lbs. -2.5 lbs.	Joint 8 293.6 lbs. -89.7 lbs.	Joint 9 461.2 lbs. -112.5 lbs.	Joint 11 434.6 lbs. 65.6 lbs.
	1	8.50	0.00	VALLEY VA3	18-05-09 18-05-09	2 X 4	2 X 4			Joint 1 174.0 lbs. -1.3 lbs.	Joint 2 434.5 lbs. -168.7 lbs.	Joint 5 293.4 lbs. -88.8 lbs.	Joint 6 516.5 lbs. -136.3 lbs.	Joint 8 407.9 lbs. 51.1 lbs.
	1	8.50	0.00	VALLEY VA4	14-08-06 14-08-06	2 X 4	2 X 4			Joint 1 118.9 lbs. -12.6 lbs.	Joint 5 104.4 lbs. 9.8 lbs.	Joint 6 351.3 lbs. -107.4 lbs.	Joint 7 251.7 lbs. 53.8 lbs.	Joint 8 351.5 lbs. -107.5 lbs.
	1	8.50	0.00	VALLEY VA5	10-11-04 10-11-04	2 X 4	2 X 4			Joint 1 202.7 lbs. -24.6 lbs.	Joint 3 202.8 lbs. -32.9 lbs.	Joint 4 396.2 lbs. 8.3 lbs.		
	1	8.50	0.00	VALLEY VA6	07-02-01 07-02-01	2 X 4	2 X 4			Joint 1 138.1 lbs. -21.6 lbs.	Joint 3 138.2 lbs. -26.8 lbs.	Joint 4 224.1 lbs. 17.7 lbs.		

Reaction Summary of Order




ROOF & FLOOR TRUSSES & BEAMS
 Reilly Road Industrial Park P.O. Box 40408
 Fayetteville, N.C. 28309 (910) 864-TRUS

REQ. QUOTE DATE	/ /	ORDER #	J0820-3988
ORDER DATE	08/31/20	QUOTE #	
DELIVERY DATE	/ /	CUSTOMER ACCT #	0000007216
DATE OF INVOICE	/ /	CUSTOMER PO #	
ORDERED BY	Allen Peterson	INVOICE #	
COUNTY	Harnett	TERMS	
SUPERINTENDANT	Allen Peterson	SALES REP	Neil Baggett
JOBSITE PHONE #	(704) 451-4444	SALES AREA	Neil Baggett

SOLD TO	Precision Custom Homes 256 Briar Hill Rd. Raeford, NC 28376 (910) 988-8172	JOB NAME: Lot 49 Summerlin MODEL: Roof TAG: Rothbard 1.0 w/CP DELIVERY INSTRUCTIONS: 55 miles round trip	LOT # 49 SUBDIV: Summerlin JOB CATEGORY: Residential - Roof
	SHIPP TO	Precision Custom Homes and Lot 49 Summerlin Sanford, NC	SPECIAL INSTRUCTIONS: Like Lot 4 East Lake Dr.

BUILDING DEPARTMENT Roof Order	OVERHANG INFO	HEEL HEIGHT	00-06-08	REQ. LAYOUTS	REQ. ENGINEERING	QUOTE	/ /
	END CUT	RETURN				LAYOUT	NB 10/13/20
	PLUMB		GABLE STUDS	24 IN. OC	JOBSITE 1	JOBSITE 1	CUTTING NB 10/13/20

ROOF TRUSSES	LOADING INFORMATION	TCLL-TCDL-BCLL-BCDL	STRESS INCR.	ROOF TRUSS SPACING: 24.0 IN. O.C. (TYP.)						
		20.0,10.0,0.0,10.0	1.15							
PROFILE	QTY	PITCH		TYPE ID	BASE O/A	LUMBER		OVERHANG		REACTIONS
	PLY	TOP	BOT			TOP	BOT	LEFT	RIGHT	
	1	8.50	0.00	VALLEY VA7	03-04-14 03-04-14	2 X 4	2 X 4			Joint 1 Joint 3 99.6 lbs. 99.6 lbs. -5.1 lbs. -5.1 lbs.

ITEMS						
QTY	ITEM TYPE	SIZE	LENGTH FT-IN-16	PART NUMBER	NOTES	
9	Hangers, USP	HUS 26			SIMPSON (HUS26)	
10	Hangers, USP	JUS26			SIMPSON (LUS26)	